




Door & Window Seals

- *aquamac weatherseals - page 42-43*
- *aquatex weatherseals - page 42*
- *rebate seals - page 43*
- *draft seals - page 44*
- *glazing tapes - page 44*
- *dry glaze - page 44*
- *brush pile carriers - page 45*
- *fire & smoke seals - page 45*
- *weather bars & strips - page 45*



Aquamac 21 Weatherseal




Impervious to both paint and stain. High wear resistance unaffected by rot or mould. Excellent memory and compression set. Water repellent foam that will not freeze. Immune to the affects of uv light or ozone. Easily installed with rigid foot. Compensates for any sash or frame movement. High performance over a temperature range. Suitable for most timber applications.

Use in conjunction with Aquamac Recesser (26280).

Colour:	Length:	Order Codes:
Black	25m	18993
Black	250m	18994
White	25m	19008
White	250m	19006
Bronze	25m	19007
Bronze	250m	19005

Aquamac 63 Weatherseal




Impervious to both paint and stain. High wear resistance unaffected by rot or mould. Excellent memory and compression set. Water repellent foam that will not freeze. Immune to the affects of uv light or ozone. Easily installed with rigid foot. Compensates for any sash or frame movement. High performance over a temperature range. Suitable for most timber applications.

Use in conjunction with Aquamac Recesser (26281).

Colour:	Length:	Order Codes:
Black	25m	18995
Black	250m	18996
White	25m	19004
White	300m	19002
Bronze	25m	19003
Bronze	300m	19001

Aquatex A10 Weatherseal




A popular door & window seal which can be painted or stained and has a long, elastic memory.

Seals between the door and window frame.

Seals gaps from 5mm to 7mm.

Colour:	Length:	Order Codes:
White	100m	18989
White	250m	18990
Brown	100m	18991
Brown	250m	18992

Aquatex P6 Weatherseal




A popular door & window seal which can be painted or stained and has a long, elastic memory.

Seals between the door and window frame.

Colour:	Length:	Order Codes:
White	100m	18986/1
White	300m	18986
Brown	100m	18988/1
Brown	300m	18988

Aquamac 109 Weatherseal




Smoke retardant. Durable and UV Resistant polyethylene cladding bonded to resilient urethane foam for an outstanding sealing against air and water infiltration.

Recommended Kerf Width: 2.7mm, Depth: 6.0mm.
Seal Gap: 3.5-5.5mm

Colour:	Length:	Order Codes:
White	250m	19010
Bronze	250m	19009


Aquamac 124 Weatherseal



Impervious to both paint and stain. High wear resistance unaffected by rot or mould. Water repellent foam that will not freeze. Immune to the affects of uv light or ozone. Suitable for most timber applications.

Colour:	Length:	Order Codes:
White	25m	19041
White	125m	19040
Bronze	25m	19043
Bronze	125m	19042


Aquamac 4846 Weatherseal



Impervious to both paint and stain. High wear resistance unaffected by rot or mould. Water repellent foam that will not freeze. Immune to the affects of uv light or ozone. Suitable for most timber applications.

Colour:	Length:	Order Codes:
White	200m	18999
Bronze	200m	19000

Aquamac 33 Weatherseal




Smoke retardant. Durable and UV Resistant polyethylene cladding bonded to resilient urethane foam for an outstanding sealing against air and water infiltration.

Recommended Kerf Width: 2.7mm, Depth: 6.0mm.
Seal Gap: 3.5-5.5mm

Colour:	Length:	Order Codes:
White	200m	18998
Bronze	200m	18997

Aquamac 89 Weatherseal



Impervious to both paint and stain. High wear resistance unaffected by rot or mould. Excellent memory and compression set. Water repellent foam that will not freeze. Immune to the affects of uv light or ozone. Easily installed with rigid foot. Compensates for any sash or frame movement. High performance over a temperature range.

Colour:	Length:	Order Codes:
White	2.1m	19049/1
Brown	2.1m	19049

JSIF Instafit Seal



Exitex joinery seal seals gaps from 4 to 7mm.


Made from TPE.

Ideal for door and window frames.

Length: 150m

Colour:	Order Codes:
White	19051
Brown	19050

Window Rebate Seal




Complex Exitex joinery seal. Traditional compression joinery seal. High quality, shatterproof material suitable for 3mm retaining grooves.

Size: 10mm rebate
Length: 45m

Colour:	Order Codes:
White	19033
Brown	19032

Straight Rebate Seal




Complex Exitex joinery seal. Traditional compression joinery seal. High quality, shatterproof material suitable for 3mm retaining grooves.

Size: 12mm rebate
Length: 50m

Colour:	Order Codes:
White	19026
Brown	19025

Straight Rebate Seal




Complex Exitex joinery seal. Traditional compression joinery seal. High quality, shatterproof material suitable for 3mm retaining grooves.

Size: 15mm rebate
Length: 50m

Colour:	Order Codes:
White	19029
Brown	19028

Door & Window Seals

Tubex Bubble




Exitex joinery seal seals gaps from 3 to 5mm.

Made from high quality PVC nitrile.

Length:
100m

Colour:	Diameter:	Order Codes:
White	6mm	19036
Brown	6mm	19035
Brown	7.5mm	19037

P-Strip Draft Seal



Exitex joinery seal. Good for retro fit. Self adhesive, multi purpose profile seal. Non stretch, soft profile EPDM will not absorb water.

Length: 5m

Colour:	Order Codes:
White	19111/W
Brown	19111/B
Black	19111/BL

Security Glazing Tape 1.5mm x 22mm x 40m



The unique adhesive system is specifically designed for window and door glazing applications. The exposed side adhesive is specifically designed for adhesion to sash and frame materials and the liner side adhesive is specifically designed for adhesion to glass.

Colour:	Order Code:
Black	19039

Security Glazing Tape 2mm x 9mm x 40m



The unique adhesive system is specifically designed for window and door glazing applications. The exposed side adhesive is specifically designed for adhesion to sash and frame materials and the liner side adhesive is specifically designed for adhesion to glass.

Colour:	Order Codes:
White	19057/WH
Black	19038

Security Glazing Tape 3mm x 9mm x 25m



The unique adhesive system is specifically designed for window and door glazing applications. The exposed side adhesive is specifically designed for adhesion to sash and frame materials and the liner side adhesive is specifically designed for adhesion to glass.

Colour:	Order Codes:
White	19057
Brown	19056
Black	19056/BL

Security Glazing Tape 4mm x 12mm x 20m



The unique adhesive system is specifically designed for window and door glazing applications. The exposed side adhesive is specifically designed for adhesion to sash and frame materials and the liner side adhesive is specifically designed for adhesion to glass.

Colour:	Order Codes:
White	19055/WH
Black	19055

Georgian Bar Tape 1mm x 15mm x 50m




Permanent solution for fixing glazing bars.

Double side self adhesive tape.

Colour:	Order Code:
Black	19059/GEO

Dry Glaze




EPDM tape is non-stretch with one self-adhesive side. It has excellent compression recovery.

Size: 3mm x 9mm x 150m

Colour:	Order Codes:
White	19058/W
Brown	19058
Black	19059

LS Dry Glaze




EPDM tape with lip is non-stretch with one self-adhesive side. It has excellent compression recovery.

Size: 3.4mm x 13.5mm
Length: 100m

Colour:	Order Codes:
White	19053
Brown	19052
Black	19054

Brush Pile Carrier - Centre Leg




Simple to install. Low friction pile with single polypropylene fin which provides 50% easier sash movement while providing maximum resistance to air and water penetration. Long life performance.

Length: 2.2m

Colour:	Order Code:
White	92448

Brush Pile Carrier - Offset Leg




Simple to install. Low friction pile with single polypropylene fin which provides 50% easier sash movement while providing maximum resistance to air and water penetration. Long life performance.

Length: 2.2m

Colour:	Order Code:
White	92449
Brown	92449/BR

Self Adhesive Brush Pile Carrier




Self adhesive, low friction pile with single polypropylene fin which provides 50% easier sash movement while providing maximum resistance to air and water penetration. Long life performance.

Length: 2.2m

Colour:	Order Codes:
White	92501
Brown	92500

Slidex Perimeter Seal




Tough friction resistant perimeter or centre rail seal. Perimeter or centre rail seal Effective slide or compression seal Seals gaps to 5mm Fits 2mm wide x 6mm deep groove.

Length: 3m

Colour:	Order Codes:
White	92502
Brown	92503

Intumescent Strip



Graphite based intumescent seals. Self adhesive backed as standard. Easy to install and maintain.

Generally for 1/2 hour fire door and passed to B.S. 476 part 22.




Length: 2.1m
Size: 10mm x 4mm

Use in conjunction with Trend Intumescent Strip Cutter (26282).

Colour:	Order Codes:
White	19046
Brown	19045

Intumescent Strip



Graphite based intumescent seals with brush. Self adhesive backed as standard. Easy to install and maintain.

Generally for 1/2 hour fire door and passed to B.S. 476 part 22 & 31.1





Length: 2.1m
Size: 10mm x 4mm

Use in conjunction with Trend Intumescent Strip Cutter (26282).



Colour:	Order Codes:
White	19048
Brown	19047

Weather Bars



(19011 pictured)

Improved weather performance over galvanised or plain plastic bars. Will not crack or shatter in sub-zero temperatures. Flexible seal is protected from damage by foot traffic treading on the bar.



(19012 pictured)

Type:	Length:	Order Codes:
Flap	3m	19011
Bubble	3m	19012

Metal Galvanized Weather Bar



Size:
Width: 24mm
Thickness: 6mm

Length:	Order Code:
2m	19013

Mighton Standard Weather Strip



Multi purpose / position seal.

Seals gaps to 5.5mm. Fits 2.5mm wide x 5mm deep groove.

Can be used on Staff Bead, Bottom, Top and Meeting Rails

Length: 2.4m

Colour:	Order Code:
White	92499