



Product List

Local

01582 471 392

Freephone

0800 292 ALKA (2552)

Fax

01582 478 376

Alka International
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ

Freephone: 0800-292-ALKA(2552)
 Local/Int: +44(0)-1582-471-392
 Fascimile: +44 (0)-1582-478-376
 Email: info@alkainternational.com
 Web: www.alkainternational.com



alka

international (UK) Ltd.

MALLEABLE CIRCULAR BOXES

Available in 20 and 25mm

Terminal	
Through, Angle,	
U,T,	
Intersection, H ,Y	
Back Outlet	
Terminal And Back Outlet	
Terminal Extension Box	
Inspection Bend , Elbow , Tee	

CIRCULAR BOX LID

Galvanised Plain Box Lid	
Black Plain Box Lid	

LOOPING BOX

Available as Steel Pressed or Malleable

20mm 1,2,3,4,Way BZP/ Galv.	
20mm 1,2,3,4,Way BLACK	

ACCESSORIES

Galv. Hook Plate	
Black Hook Plate	
20mm Galv. Dome Cover	
20mm Black Dome Cover	
20mm Male Hook	
20mm Malleable Hook	

SADDLES

Available as Galvanised or Black

20mm Spacer Bar Saddle	
25mm Spacer Bar Saddle	
20mm Plain Saddle	
25mm Plain Saddle	
20mm Distance Saddle	
25mm Distance Saddle	

Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376

Alka International
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ

Freephone: 0800-292-ALKA(2552)
 Local/Int: +44(0)-1582-471-392
 Facsimile: +44 (0)-1582-478-376
 Email: info@alkainternational.com
 Web: www.alkainternational.com



alka

international (UK) Ltd.

LOCK RINGS

20mm Lock Ring	
25mm Lock Ring	
32mm Lock Ring	
1.5" Lock Ring	
2" Lock Ring	

LOCK NUT

Available as Galvanised or Black


20mm Lock Nut	
25mm Lock Nut	
32mm Lock Nut	
1.5"/40mm Lock Nut	
2"/50mm Lock Nut	
63mm Lock Nut	
75mm Lock Nut	
20mm Heavy Gauge Lock Nut	
25mm Heavy Gauge Lock Nut	

Serrated Washers

20mm BZP	
25mm BZP	

COUPLERS

20mm Flanged Coupler	
25mm Flanged Coupler	
20mm Plain Coupler	
25mm Plain Coupler	
32mm Plain Coupler	
1.5" Plain Coupler	
2" Plain Coupler	
20mm Earthing Coupler	
9.25mm Earthing Coupler	



Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376

Alka International
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ

Freephone: 0800-292-ALKA(2552)
 Local/Int: +44(0)-1582-471-392
 Fascimile: +44 (0)-1582-478-376
 Email: info@alkainternational.com
 Web: www.alkainternational.com




alka

international (UK) Ltd.

CRAMPET


20mm Flat	
25mm Flat	
20mm Twisted	
25mm Twisted	

EXTENSION RING


6 mm Extension Ring	
10mm Extension Ring	
13mm Extension Ring	
16mm Extension Ring	
20mm Extension Ring	
25mm Extension Ring	
32mm Extension Ring	
40mm Extension Ring	
50mm Extension Ring	

JACK CHAIN


Galv. Jack Chain No 10.	
Galv. Jack Chain No 8.	



NIPPLES

20mm Galv. Nipple	
25mm Galv. Nipple	
32mm Galv. Nipple	
1.5" Galv. Nipple (40mm)	
2" Galv. Nipple (50mm)	

REDUCERS

25/20 Galv. Reducer	
32/25 Galv. Reducer	

Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376

Alka International
Southfields Road
Dunstable
Bedfordshire
LU6 3EJ

Freephone: 0800-292-ALKA(2552)
Local/Int: +44(0)-1582-471-392
Fascimile: +44 (0)-1582-478-376
Email: info@alkainternational.com
Web: www.alkainternational.com



alka

international (UK) Ltd.

NORMAL BENDS


20mm Bend	
25mm Bend	
32mm Bend	
1.5" Bend	
2" Bend	

METAL SWITCH & SOCKET BOXES

16 mm, 1Gang	
25mm, 1Gang	
25mm, 2 Gang	
35mm, 1 Gang	
35mm, 2 Gang	
47mm , 1Gang	
47mm , 2 Gang	

METAL EXTENSION BOXES

16 mm, 1Gang	
16mm, 2Gang	
25mm, 1Gang	
25mm, 2 Gang	
35mm, 1 Gang	
35mm , 2Gang	



Brass Bushes

20mm Male	
25mm Male	
32mm Male	
1.5" Male	
2" Male	
20mm Female	
25mm Female	
32mm Female	
1.5" Female	
10.2" Female	

Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376



ARMOURED CABLE GLAND PACK

All packs in sizes up to 32MM contain 2 of each: gland, shroud, earth tag and lock nut.
Sizes 40MM and above contain 1 of each.

20mm S BW Brass Cable Gland Pack(2 Part)
20mm BW Brass Cable Gland Pack(2 Part)
25mm BW Brass Cable Gland Pack(2 Part)
32mm BW Brass Cable Gland Pack(2 Part)
40mm BW Brass Cable Gland Pack(2 Part)
50mm BW Brass Cable Gland Pack(2 Part)
63mm BW Brass Cable Gland Pack(2 Part)
75mm BW Brass Cable Gland Pack(2 Part)
20mm S CW Brass Cable Gland Pack(3 Part)
20mm CW Brass Cable Gland Pack(3 Part)
25mm CW Brass Cable Gland Pack(3 Part)
32mm CW Brass Cable Gland Pack(3 Part)
40mm CW Brass Cable Gland Pack(3 Part)
50mm CW Brass Cable Gland Pack(3 Part)
63mm CW Brass Cable Gland Pack(3 Part)
75mm CW Brass Cable Gland Pack(3 Part)



Nylon Cable Glands

Available Red, Grey, White and Black

12mm Cable Gland M12 x 1.5 Cable range 3-6.5mm
16mm Cable Gland M16 x 1.5 Cable range 5-10mm
20mm S Cable Gland M20 x 1.5 Cable range 4-9mm
20mm Cable Gland M20 x 1.5 Cable Range 6-12mm
20mm L Cable Gland M20 x 1.5 Cable range 10-14mm
25mm Cable Gland M25 x 1.5 Cable range 13-18mm
32mm Cable Gland M32 x 1.5 Cable range 17-25mm
40mm Cable Gland M40 x 1.5 Cable range 22-32mm
50mm Cable Gland M50 x 1.5 Cable range 24-38mm
63mm Cable Gland M63 x 1.5 Cable range 35-44mm



All glands come complete with lock nut and washers

Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376

Alka International
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ



Freephone: 0800-292-ALKA(2552)
 Local/Int: +44(0)-1582-471-392
 Fascimile: +44 (0)-1582-478-376
 Email: info@alkainternational.com
 Web: www.alkainternational.com



alka









international (UK) Ltd.


EARTH CLAMP

Earth Clamp EC14 - Maximum Earthing conductor 1 x10 sq.mm	
Earth Clamp EC15- Maximum Earthing conductor 1 x10 sq.mm	
Earth Clamp EC16	

The above clamps are of pipe size ½” to 1 ¼” pipe diameter.
 Maximum Earthing conductor 2 x16 sq. mm

EARTHING

4-Way Earth Terminal Block	
8-Way Earth Terminal Block	
3/8 Copper Coated Earth Rod	
3/8” Machined Clamp MC1	
3/8” Cast Clamp AIC1	
5/8 Copper Coated Earth Rod	
5/8 Cast Clamp Rod to Cable	
8 5/8” External Coupler	
5/8” Driving Stud	
Metal DC Clip for 25mm x3 mm Tape	
Square Tape Clamp 25mm X 3 mm	
25mmx 3mm Copper Tape	



Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376

Alka International
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ

Freephone: 0800-292-ALKA(2552)
 Local/Int: +44(0)-1582-471-392
 Facsimile: +44 (0)-1582-478-376
 Email: info@alkainternational.com
 Web: www.alkainternational.com



alka

international (UK) Ltd.

Steel Adaptable Boxes With and Without Knockout

Available in steel and black

3"x3"x1.5"
3"x3"x2"
3"x3"x3"
4"x4"x1.5"
4"x4"x2"
4"x4"x3"
4"x4"x4"
6"x3"x2"
6"x3"x3"
6"x4"x2"
6"x4"x3"
6"x6"x1.5"
6"x6"x2"
6"x6"x3"
6"x6"x4"
9"x4"x2"
9"x4"x3"
9"x6"x2"
9"x6"x3"
9"x6"x4"
9"x9"x2"
9"x9"x3"
9"x9"x4"
9"x9"x6"
12"x12"x2"
12"x12"x3"
12"x12"x4"
12"x12"x6"

ISO 9001
REGISTERED FIRM

Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376

Alka International
Southfields Road
Dunstable
Bedfordshire
LU6 3EJ


Freephone: 0800-292-ALKA(2552)
Local/Int: +44(0)-1582-471-392
Fascimile: +44 (0)-1582-478-376
Email: info@alkainternational.com
Web: www.alkainternational.com





alka

international (UK) Ltd.



Hot Dip Galvanised Class IV Conduits Pipes

20mm Conduit 3.75 metre length	
25mm Conduit 3.75 metre length	





INSULATED CONNECTOR BOX

60/100 Amps Connector Box Single Pole	
100 Amps Connector Box Double Pole	


HOUSE SERVICE CUTOUTS

60/80 Amps,415 Volts Single Phase	
100 Amps,415V Single Phase With Neutral	
100 Amps,415 Volts Single Phase	
100 Amps,415V Single Phase With Neutral	

PVC/RUBBER/ PLASTIC PRODUCTS

20mm PVC Open Grommets	
25mm PVC Open Grommets	
20mm Quick-Fit Grommets	
25mm Quick Fit Grommets	
Circular Rubber Gasket	
20mm Nylon Snap On Saddle	
20mm Spring Clip Saddle	
25mm Spring Clip Saddle	

DRY LINING BOXES

1 Gang	
2 Gang	

Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376

Alka International
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ

Freephone: 0800-292-ALKA(2552)
 Local/Int: +44(0)-1582-471-392
 Fascimile: +44 (0)-1582-478-376
 Email: info@alkainternational.com
 Web: www.alkainternational.com



alka

international (UK) Ltd.

Porcelain Connector

Available in 5,15 & 30 Amps

1 Way	
2 Way	
2 Way with Centre hole	

OUTDOOR JUNCTION BOX

Complete With 4 Way 15 Amps Connector To IP54	
---	--


BULKHEAD FITTING

Fitting With Non-Corrosive Base.

100 Watts Max.

Polycarbonate Diffuser

Clear Diffuser	
Red Coloured Diffuser	
Green Coloured Diffuser	



Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376

Alka International
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ

Freephone: 0800-292-ALKA(2552)
 Local/Int: +44(0)-1582-471-392
 Fascimile: +44 (0)-1582-478-376
 Email: info@alkainternational.com
 Web: www.alkainternational.com



alka


international (UK) Ltd.

RIGID PVC CONDUIT ACCESSORIES

Plain-No Sprouts	
1 way, End Box	
2 way, through, angle, U-Box	
3 way, T-box, Y-box	
4 way, Intersection box, H-box	
Inspection Bend, Elbow, Tee	
Normal Bend	
Spacer Bar Saddle	
Plain Saddle	
Couplers	
Male Adaptor	
Female Adaptor	
Extension Ring	
Box Lids	
Looping Box	

SURFACE BOXES

1 - Gang 32mm Deep	
1 - Gang Surface Box - With Mini Trunking K/O	
2- Gang 32mm Deep	
Lid For 1 Gang Surface Box - 85mm x 85mm	
Lid For 2 Gang Surface Box - 85mm x 145mm	



Local

01582 471 392

Freephone

0800 292 ALKA (2552)

Fax

01582 478 376

Alka International
Southfields Road
Dunstable
Bedfordshire
LU6 3EJ

Freephone: 0800-292-ALKA(2552)
Local/Int: +44(0)-1582-471-392
Fascimile: +44 (0)-1582-478-376
Email: info@alkainternational.com
Web: www.alkainternational.com



alka

international (UK) Ltd.

JUNCTION BOX

MATERIAL: IMPACT RESISTING SEL- EXTINGUISHING THERMOPLASTIC (ABS)

COLOUR: LIGHT GREY RAL7035

TEMPRATURE: UP TO 650 DEGREE CELCIUS

SCREWS: STAINLESS STEEL

Round Junction Box IP44 Fast-lock LID	65x35	4	
Round Junction Box IP44 Fast-lock LID	80 x 40	4	
Square Junction Box IP44 Fast Lock LID	80x80x40	6	
Square Junction Boxes IP55 Screw Lid	100x100x50	6	
Square Junction Boxes IP55 Screw Lid	120x80x50	6	
Square Junction Boxes IP55 Screw Lid	150x110x70	10	
Square Junction Boxes IP55 Screw Lid	190x140x70	10	
Square Junction Boxes IP55 Screw Lid	100x100x50	No	
Square Junction Boxes IP55 Screw Lid	120x80x50	No	
Square Junction Boxes IP55 Screw Lid	150x110x70	No	
Square Junction Boxes IP55 Screw Lid	190x140x70	No	

Local

01582 471 392

Freephone

0800 292 ALKA (2552)

Fax

01582 478 376

Alka International
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ

Freephone: 0800-292-ALKA(2552)
 Local/Int: +44(0)-1582-471-392
 Fascimile: +44 (0)-1582-478-376
 Email: info@alkainternational.com
 Web: www.alkainternational.com



alka

international (UK) Ltd.

COPPER CRIMPING LUGS

1.5- 5
2.5- 5 ,6
4- 5, 6
6- 5, 6, 8, 10
10- 5, 6, 8, 10, 12
16- 5, 6, 8, 10, 12
25- 5, 6, 8, 10, 12
35- 5, 6, 8, 10, 12, 14
50- 6, 8, 10, 12, 14,16
70- 6, 8, 10, 12, 14,16
95- 6, 8, 10, 12, 14,16
120- 8, 10, 12, 14,16
150- 8, 10, 12, 14,16, 20
185- 8, 10, 12, 14,16
240- 8, 10, 12, 14,16, BLANK
300-10, 12, 14,16, 20, BLANK
400-10, 12, 14,16, 20, BLANK
500- BLANK



COPPER BUTT SPLICES

ISO 9001
 REGISTERED FIRM

1.5 mm Tinned Copper Butt Splices
2.5 mm Tinned Copper Butt Splices
6 mm Tinned Copper Butt Splices
10 mm Tinned Copper Butt Splices
16 mm Tinned Copper Butt Splices
25 mm Tinned Copper Butt Splices
35 mm Tinned Copper Butt Splices
50 mm Tinned Copper Butt Splices
70 mm Tinned Copper Butt Splices



Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376

Alka International
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ


Freephone: 0800-292-ALKA(2552)
 Local/Int: +44(0)-1582-471-392
 Fascimile: +44 (0)-1582-478-376
 Email: info@alkainternational.com
 Web: www.alkainternational.com




alka

international (UK) Ltd.

ENCLOSERS

2 Module Enclosure IP30	
4 Module Enclosure IP30	


MINI CONSUMER UNIT

2W Insulated Consumer Unit c/w 100A Main Switch	
2W Insulated Consumer Unit c/w 63A 30ma RCD	


Miniature Circuit Breakers 6KA Single Pole

6A MCB "B"Type		
10A MCB "B"Type		
16A MCB "B"Type		
20A MCB "B"Type		
32A MCB "B"Type		
40A MCB "B"Type		
50A MCB "B"Type		
63A MCB "B"Type		

Single Module RCBO Single Pole

6A 30mA RCBO "B"Type	
10A 30mA RCBO "B"Type	
16A 30mA RCBO "B"Type	
20A 30mA RCBO "B"Type	
32A 30mA RCBO "B"Type	
40A 30mA RCBO "B"Type	

Main Switch

100A 2 Pole	
100A 4 Pole	

Local

Freephone

Fax

01582 471 392

0800 292 ALKA (2552)

01582 478 376

Alka International
Southfields Road
Dunstable
Bedfordshire
LU6 3EJ

Freephone: 0800-292-ALKA(2552)
Local/Int: +44(0)-1582-471-392
Fascimile: +44 (0)-1582-478-376
Email: info@alkainternational.com
Web: www.alkainternational.com




alka

international (UK) Ltd.


Residual Current Operated Circuit Breaker

63A 30mA Double Pole RCD	
63A 100mA Double Pole RCD	
80A 30mA Double Pole RCD	
80A 100mA Double Pole RCD	


Insulated Consumer Unit

8W Insulated Consumer Unit c/w 100A Main Switch	
8W Insulated Consumer Unit c/w 80A30mA RCD	
12W Insulated Consumer Unit c/w 100A Main Switch	
16W Insulated Consumer Unit c/w 100A Main Switch	

Split Load Consumer Unit

6W Split Load insulated Consumer Unit c/w 100A main switch+ 63A 30ma RCD	
10W Split Load insulated Consumer Unit c/w 100A main switch+ 80A 30ma RCD	
14W Split Load insulated Consumer Unit c/w 100A main switch+80A 30ma RCD	
17W Split Load insulated Consumer Unit c/w 100A main switch+80A 30ma RCD	

Dual Split Load Consumer Unit

8W Dual Split Load Insulated Consumer unit c/w 100A main switch+ 2x 63A 30ma RCD	
12W Dual Split Load Insulated Consumer unit c/w 100A main switch+ 2x 80A 30ma RCD	
15W Dual Split Load Insulated Consumer unit c/w 100A main switch+ 2x 80A 30ma RCD	

Local

01582 471 392

Freephone

0800 292 ALKA (2552)

Fax

01582 478 376



Stainless Steel Cable Ties

Uncoated Ball Lock Ties – SS316

1. 200mm x 4.6mm	
2. 360mm x 4.6mm	
3. 520mm x 4.6mm	
4. 200mm x 7.9mm	
5. 360mm x 7.9mm	
6. 520mm x 7.9mm	

Polyester Coated Ball Lock Ties – SS316

1. 200mm x 4.6mm	
2. 360mm x 4.6mm	
3. 520mm x 4.6mm	
4. 200mm x 7.9mm	
5. 360mm x 7.9mm	
6. 520mm x 7.9mm	

Releasable PPA571 Coated Ties – SS316

1. 229mm x 6.35mm	
2. 305mm x 6.35mm	
3. 457mm x 6.35mm	

Ladder Polyester Coated Ties

1. 225mm x 7mm	
2. 450mm x 7mm	

Alka International
 Southfields Road
 Dunstable
 Bedfordshire
 LU6 3EJ


Freephone: 0800-292-ALKA(2552)
 Local/Int: +44(0)-1582-471-392
 Fascimile: +44 (0)-1582-478-376
 Email: info@alkainternational.com
 Web: www.alkainternational.com




alka

international (UK) Ltd.


Bands – 0.75mm Thick, 30 Meter Rolls

1. SS201 Uncoated Band 12.7mm width	
2. SS201 Uncoated Band 19mm width	
3. SS304 Uncoated Band 12.7mm width	
4. SS304 Uncoated Band 19mm width	

Buckles

1. SS201 Jaw Type Buckle 12.7 mm width	
2. SS201 Jaw Type Buckle 19 mm width	
3. SS304 Jaw Type Buckle 12.7 mm width	
4. SS304 Jaw Type Buckle 19 mm width	

All Purpose Bands

1. 12mm width x 10 meters length*	
2. 17mm width x 10 meters length*	

**Available in Galvanised, Black, Red & White*

Local

01582 471 392

Freephone

0800 292 ALKA (2552)

Fax

01582 478 376