



GelCount™

The leading colony counter platform for cancer biologists

CITATIONS LIST (September 2014)

Soft Agar / 3D Assays

Zhang B, Zhang B, Chen X, Bae S, Singh K, Washington MK, and Datta PK (2014). Loss of Smad4 in colorectal cancer induces resistance to 5-fluorouracil through activating Akt pathway. *Br J Cancer*. 2014 Feb 18;110(4), 946-57

Rudraraju B, Droog M, Abdel-Fatah TM, Zwart W, Giannoudis A, Malki MI, Moore D, Patel H, Shaw J, Ellis IO, Chan S, Brooke GN, Nevedomskaya E, Nigro CL, Carroll J, Coombes RC, Bevan C, Ali S and Palmieri C (2014). Phosphorylation of activating transcription factor-2 (ATF-2) within the activation domain is a key determinant of sensitivity to tamoxifen in breast cancer. *Breast Cancer Res Treat* 2014 Aug 22. [Epub ahead of print]

Lee J, Bartholomeusz C, Mansour O, Humphries J, Hortobagyi GN, Ordentlich P and Ueno NT (2014). A class I histone deacetylase inhibitor, entinostat, enhances lapatinib efficacy in HER2-overexpressing breast cancer cells through FOXO3-mediated Bim1 expression. *Breast Cancer Res Treat* 146(2), 259-72

Li C, Ma H, Wang Y, Cao Z, Graves-Deal R, Powell AE, Starchenko A, Ayers GD, Washington MK, Kamath V, Desai K, Gerdes MJ, Solnica-Krezel L and Coffey RJ (2014). Excess PLAC8 promotes an unconventional ERK2-dependent EMT in colon cancer. *J Clin Invest* 124(5), 2172-87

Song W, Ma Y, Wang J, Brantley-Sieders D, Chen J (2014). JNK signaling mediates EPHA2-dependent tumor cell proliferation, motility, and cancer stem cell-like properties in non-small cell lung cancer. *Cancer Res* 74(9), 2444-54

Choong ML, Yong J, Wang Y and Lee MA (2014). Establishment and characterization of a singaporean chinese lung adenocarcinoma cell line with four copies of the epidermal growth factor receptor gene. *Biores Open Access* 3(4), 176-82

Lee GY, Haverty PM, Li L, Kljavin NM, Bourgon R, Lee J, Stern H, Modrusan Z, Seshagiri S, Zhang Z, Davis D, Stokoe D, Settleman J, de Sauvage FJ and Neve RM (2014). Comparative oncogenomics identifies PSMB4 and SHMT2 as potential cancer driver genes. *Cancer Res* 74(11), 3114-26

Wennerström AB, Lothe IM, Sandhu V, Kure EH, Myklebost O and Munthe E (2014). Generation and characterisation of novel pancreatic adenocarcinoma xenograft models and corresponding primary cell lines. *PLoS One* 9(8), e103873

Blackmore JK1, Karmakar S, Gu G, Chaubal V, Wang L, Li W and Smith CL (2014). The SMRT Coregulator Enhances Growth of Estrogen Receptor- α -Positive Breast Cancer Cells by Promotion of Cell Cycle Progression and Inhibition of Apoptosis. *Endocrinology* 155(9), 3251-61

Mannino M, Gomez-Roman N, Hochegger H and Chalmers AJ (2014). Differential sensitivity of Glioma stem cells to Aurora kinase A inhibitors: implications for stem cell mitosis and centrosome dynamics. *Stem Cell Res* 13(1), 135-43

Chen D, Forootan SS, Gosney JR, Forootan FS and Ke Y (2014). Increased expression of Id1 and Id3 promotes tumorigenicity by enhancing angiogenesis and suppressing apoptosis in small cell lung cancer. *Genes Cancer* 5(5-6), 212-25

Murphy AJ, Pierce J, de Caestecker C, Ayers GD, Zhao A, Krebs JR, Saito-Diaz VK, Lee E, Perantoni AO, de Caestecker MP and Lovvorn HN 3rd (2014). CITED1 confers stemness to Wilms tumor and enhances tumorigenic responses when enriched in the nucleus. *Oncotarget* 5(2), 386-402

Chini CC, Gonzalez Guerrero A, Nin V, Camacho-Pereira J, Escande C, Barbosa M and Chini EN (2014). Targeting of NAD metabolism in pancreatic cancer cells: potential novel therapy for pancreatic tumors. *Clin Cancer Res* 20(1):120-30

Balko JM, Giltneane JM, Wang K, Schwarz LJ, Young CD, Cook RS, Owens P, Sanders ME, Kuba MG, Sánchez V, Kurupi R, Moore PD, Pinto JA, Doimi FD, Gómez H, Horiuchi D, Goga A, Lehmann BD, Bauer JA, Pietenpol JA, Ross JS, Palmer GA, Yelensky R, Cronin M, Miller VA, Stephens PJ and Arteaga CL (2014). Molecular profiling of the residual disease of triple-negative breast cancers after neoadjuvant chemotherapy identifies actionable therapeutic targets. *Cancer Discov* 4(2), 232-45

Balko JM, Schwarz LJ, Bholra NE, Kurupi R, Owen P, Miller TW, Gómez H, Cook RS and Arteaga CL (2013). Activation of MAPK pathways due to DUSP4 loss promotes cancer stem cell-like phenotypes in basal-like breast cancer. *Cancer Res* 73(20), 6346-58



- Garrett JT, Sutton CR, Kurupi R, Bialucha CU, Ettenberg SA, Collins SD, Sheng Q, Wallweber J, Defazio-Eli L and Arteaga CL (2013). Combination of antibody that inhibits ligand-independent HER3 dimerization and a p110 α inhibitor potently blocks PI3K signaling and growth of HER2+ breast cancers. *Cancer Res* 73(19), 6013-23
- Hanker AB, Pfefferle AD, Balko JM, Kuba MG, Young CD, Sánchez V, Sutton CR, Cheng H, Perou CM, Zhao JJ, Cook RS and Arteaga CL (2013). Mutant PIK3CA accelerates HER2-driven transgenic mammary tumors and induces resistance to combinations of anti-HER2 therapies. *Proc Natl Acad Sci USA* 110(35), 14372-7
- Lauvrak SU, Munthe E, Kresse SH, Stratford EW, Namløs HM, Meza-Zepeda LA and Myklebost O (2013). Functional characterisation of osteosarcoma cell lines and identification of mRNAs and miRNAs associated with aggressive cancer phenotypes. *Br J Cancer* 109(8), 2228-36
- Wang X, Saso H, Iwamoto T, Xia W, Gong Y, Pusztai L, Woodward WA, Reuben JM, Warner SL, Bearss DJ, Hortobagyi GN, Hung MC and Ueno NT (2013). TIG1 Promotes the Development and Progression of Inflammatory Breast Cancer through Activation of Axl Kinase. *Cancer Res* 73(21), 6516-25
- Covington KR, Brusco L, Barone I, Tsimelzon A, Selever J, Corona-Rodríguez A, Brown P, Kumar R, Hilsenbeck SG and Fuqua SA (2013). Metastasis tumor-associated protein 2 enhances metastatic behavior and is associated with poor outcomes in estrogen receptor-negative breast cancer. *Breast Cancer Res Treat.* 2013 Sep 28. [Epub ahead of print]
- Cornelissen B, Waller A, Able S and Vallis KA (2013). Molecular Radiotherapy Using Cleavable Radioimmunoconjugates That Target EGFR and γ H2AX. *Mol Cancer Ther* 12(11), 2472-82
- Andrianifahanana M, Wilkes MC, Gupta SK, Rahimi RA, Repellin CE, Edens M, Wittenberger J, Yin X, Maidl E, Becker J and Leof EB (2013). Profibrotic TGF β responses require the cooperative action of PDGF and ErbB receptor tyrosine kinases. *FASEB J* 27(11), 4444-54
- Saud SM, Young MR, Jones-Hall YL, Ileva L, Egbomwan MO, Wise J, Colburn NH, Kim Y and Bobe G (2013). Chemopreventive activity of plant flavonoid isorhamnetin in colorectal cancer is mediated by oncogenic Src and β -catenin. *Cancer Res* 73(17), 5473-84
- Gururaj AE, Gibson L, Panchabhai S, Bai M, Manyam G, Lu Y, Latha K, Rojas ML, Hwang Y, Liang S and Bogler O (2013). Access to the nucleus and functional association with c-Myc is required for the full oncogenic potential of Δ EGFR/EGFRvIII. *J Biol Chem* 288(5), 3428-38
- Cabarcas SM, Sun L, Mathews L, Thomas S, Zhang X and Farrar WL (2013). The Differentiation of Pancreatic Tumor-Initiating Cells by Vitronectin Can Be Blocked by Cilengitide. *Pancreas* 42(5), 861-70
- Garrett JT, Sutton CR, Kuba MG, Cook RS and Arteaga CL (2013). Dual blockade of HER2 in HER2-overexpressing tumor cells does not completely eliminate HER3 function. *Clin Cancer Res* 19(3), 610-9
- Beckler MD, Higginbotham JN, Franklin JL, Ham AJ, Halvey PJ, Imasuen IE, Whitwell C, Li M, Liebler DC and Coffey RJ (2013). Proteomic analysis of exosomes from mutant KRAS colon cancer cells identifies intercellular transfer of mutant KRAS. *Mol Cell Proteomics* 12(2), 343-55
- Hartman ZC, Poage GM, den Hollander P, Tsimelzon A, Hill J, Panupinthu N, Zhang Y, Mazumdar A, Hilsenbeck SG, Mills GB and Brown PH (2013). Growth of Triple-Negative Breast Cancer Cells Relies upon Coordinate Autocrine Expression of the Proinflammatory Cytokines IL-6 and IL-8. *Cancer Res.* 73(11), 3470-80
- Sapra P, Damelin M, DiJoseph J, Marquette K, Geles KG, Golas J, Dougher M, Narayanan B, Giannakou A, Khandke K, Dushin R, Ernstoff E, Lucas J, Leal M, Hu G, O'Donnell CJ, Tchistiakova L, Abraham RT and Gerber HP (2013). Long-term tumor regression induced by an antibody-drug conjugate that targets 5T4, an oncofetal antigen expressed on tumor-initiating cells. *Mol Cancer Ther* 12(1), 38-47
- Bianco C, Castro NP, Baraty C, Rollman K, Held N, Rangel MC, Karasawa H, Gonzales M, Strizzi L and Salomon DS (2013). Regulation of human Cripto-1 expression by nuclear receptors and DNA promoter methylation in human embryonal and breast cancer cells. *J Cell Physiol* 228(6), 1174-88
- Lee-Sherick AB, Eisenman KM, Sather S, McGranahan A, Armistead PM, McGary CS, Hunsucker SA, Schlegel J, Martinson H, Cannon C, Keating AK, Earp HS, Liang X, Deryckere D and Graham DK (2013). Aberrant Mer receptor tyrosine kinase expression contributes to leukemogenesis in acute myeloid leukemia. *Oncogene* 32(46):5359-68
- Onnis B, Fer N, Rapisarda A, Perez VS and Melillo G (2013). Autocrine production of IL-11 mediates tumorigenicity in hypoxic cancer cells. *J Clin Invest* 123(4), 1615-29
- Vartanian S, Bentley C, Brauer MJ, Li L, Shirasawa S, Sasazuki T, Kim JS, Haverty P, Stawiski E, Modrusan Z, Waldman T and Stokoe D (2013). Identification of mutant K-Ras-dependent phenotypes using a panel of isogenic cell lines. *J Biol Chem* 288(4), 2403-13
- Krishnan M, Lapierre LA, Knowles BC and Goldenring JR (2013). Rab25 regulates integrin expression in polarized colonic epithelial cells. *Mol Biol Cell* 24(6), 818-31
- Stratford EW, Bostad M, Castro R, Skarpen E, Berg K, Høgset A, Myklebost O and Selbo PK (2013). Photochemical internalization of CD133-targeting immunotoxins efficiently depletes sarcoma cells with stem-like properties and reduces tumorigenicity. *Biochim Biophys Acta* 1830(8), 4235-43
- Sun L, Mathews LA, Cabarcas SM, Zhang X, Yang A, Zhang Y, Young MR, Klarmann KD, Keller JR and Farrar WL (2013). Epigenetic Regulation of SOX9 by the NF- κ B Signaling Pathway in Pancreatic Cancer Stem Cells. *Stem Cells.* 31(8), 1454-66
- Barrett CW, Ning W, Chen X, Smith JJ, Washington MK, Hill KE, Coburn LA, Peek RM, Chaturvedi R, Wilson KT, Burk RF and Williams CS (2013). Tumor suppressor function of the plasma glutathione peroxidase gpx3 in colitis-associated carcinoma. *Cancer Res* 73(3), 1245-55
- Bentley C, Jurinka SS, Kljavin NM, Vartanian S, Ramani SR, Gonzalez LC, Yu K, Modrusan Z, Du P, Bourgon R, Neve RM and Stokoe D (2013). A requirement for wild-type Ras isoforms in mutant KRas-driven signalling and transformation. *Biochem J* 452(2), 313-20



- De Robertis A, Valensin S, Rossi M, Tunici P, Verani M, De Rosa A, Giordano C, Varrone M, Nencini A, Pratelli C, Benicchi T, Bakker A, Hill J, Sangthongpitag K, Pendharkar V, Liu B, Ng FM, Then SW, Tai SJ, Cheong SM, He X, Caricasole A and Salerno M (2013). Identification and characterization of a small molecule inhibitor of Wnt signaling in glioblastoma cells. *Mol Cancer Ther.* 12(7), 1180-9
- Brandao LN, Wings A, Christoph S, Sather S, Migdall-Wilson J, Schlegel J, McGranahan A, Gao D, Liang X, Deryckere D and Graham DK (2013). Inhibition of MerTK increases chemosensitivity and decreases oncogenic potential in T-cell acute lymphoblastic leukemia. *Blood Cancer J.* 2013 Jan 25;3:e101. doi: 10.1038/bcj.2012.46
- Xie X, Bartholomeusz C, Ahmed AA, Kazansky A, Diao L, Baggerly KA, Hortobagyi GN and Ueno NT (2013). Bisphosphorylated PEA-15 Sensitizes Ovarian Cancer Cells to Paclitaxel by Impairing the Microtubule-Destabilizing Effect of SCLIP. *Mol Cancer Ther* 12(6), 1099-111
- Stratford EW, Castro R, Daffinrud J, Skårn M, Lauvrak S, Munthe E and Myklebost O (2012). Characterization of liposarcoma cell lines for preclinical and biological studies. *Sarcoma* 2012:148614
- Jang JS, Jeon HS, Sun Z, Aubry MC, Tang H, Park CH, Rakhshan F, Schultz DA, Kolbert CP, Lupu R, Park JY, Harris CC, Yang P and Jen J (2012). Increased miR-708 expression in NSCLC and its association with poor survival in lung adenocarcinoma from never smokers. *Clin Cancer Res.* 18(13), 3658-67
- Gupta SK, Oommen S, Aubry MC, Williams BP and Vlahakis NE (2012). Integrin $\alpha 9 \beta 1$ promotes malignant tumor growth and metastasis by potentiating epithelial-mesenchymal transition. *Oncogene* 32(2), 141-50.
- Hou J, Wu J, Dombkowski A, Zhang K, Holowatyj A, Boerner JL and Yang ZQ (2012). Genomic amplification and a role in drug-resistance for the KDM5A histone demethylase in breast cancer. *Am J Transl Res* 4(3), 247-256.
- Liu X, Shi Y, Maag DX, Palma JP, Patterson MJ, Ellis PA, Surber BW, Ready DB, Soni NB, Lador US, Xu AJ, Iyer R, Harlan JE, Solomon LR, Donawho CK, Penning TD, Johnson EF and Shoemaker AR (2012). Iniparib nonselectively modifies cysteine-containing proteins in tumor cells and is not a bona fide PARP inhibitor. *Clin Cancer Res* 18(2), 510-23.
- Regnell CE, Hildrestrand GA, Sejersted Y, Medin T, Moldestad O, Rolseth V, Krokeide SZ, Suganthan R, Luna L, Bjørås M and Bergersen LH (2012). Hippocampal adult neurogenesis is maintained by nei3-dependent repair of oxidative DNA lesions in neural progenitor cells. *Cell Rep* 2(3), 503-10
- Wang C, Mayer JA, Mazumdar A and Brown PH (2012). The rearranged during transfection/papillary thyroid carcinoma tyrosine kinase is an estrogen-dependent gene required for the growth of estrogen receptor positive breast cancer cells. *Breast Cancer Res Treat* 133(2), 487-500
- Hurst NJ, Najj AJ, Ustach CV, Movilla L and Kim HR (2012). Platelet-derived growth factor-C (PDGF-C) activation by serine proteases: implications for breast cancer progression. *Biochem J* 441(3), 909-18
- Wang C, Mayer JA, Mazumdar A and Brown PH (2012). The rearranged during transfection/papillary thyroid carcinoma tyrosine kinase is an estrogen-dependent gene required for the growth of estrogen receptor positive breast cancer cells. *Breast Cancer Res* 133(2), 487-500
- Mamo A, Cavallone L, Tuzmen S, Chabot C, Ferrario C, Hassan S, Edgren H, Kallioniemi O, Aleynikova O, Przybytkowski E, Malcolm K, Mousses S, Tonin PN and Basik M (2011). An integrated genomic approach identifies ARID1A as a candidate tumor-suppressor gene in breast cancer. *Oncogene* 31(16), 2090-2100
- Ferruzzi P, Mennillo F, De Rosa A, Giordano C, Rossi M, Benedetti G, Magrini R, Mohr GL, Miragliotta V, Magnoni L, Mori E, Thomas R, Tunici P and Bakker A (2011). In vitro and in vivo characterization of a novel hedgehog signaling antagonist in human glioblastoma cell lines. *Int J Cancer* 131(2), E33-44
- Selever J, Gu G, Lewis MT, Beyer A, Herynk MH, Covington KR, Tsimelzon A, Dontu G, Provost P, Di Pietro A, Boumendjel A, Albain K, Miele L, Weiss H, Barone I, Ando S, and Fuqua SA (2011). Dicer-mediated upregulation of BCRP confers tamoxifen resistance in human breast cancer cells. *Clin Cancer Res* 17(20), 6510-21
- Lapierre LA, Caldwell CM, Higginbotham JN, Avant KM, Hall J, Beauchamp RD and Goldenring JR (2011). Transformation of rat intestinal epithelial cells by overexpression of Rab25 is microtubule dependent. *Cytoskeleton (Hoboken)* 68(2), 97-111
- Baillo A, Giroux C and Ethier SP (2011). Knock-down of amphiregulin inhibits cellular invasion in inflammatory breast cancer. *J Cell Physiol* 226(10), 2691-701
- Dhawan P, Ahmad R, Chaturvedi R, Smith JJ, Midha R, Mittal MK, Krishnan M, Chen X, Eschrich S, Yeatman TJ, Harris RC, Washington MK, Wilson KT, Beauchamp RD and Singh AB (2011). Claudin-2 expression increases tumorigenicity of colon cancer cells: role of epidermal growth factor receptor activation. *Oncogene* 30(29) 3234-47
- Flore O, Kim SE, Sandoval CP, Haynes CM and Overholtzer M (2011). Autophagy machinery mediates macroendocytic processing and entotic cell death by targeting single membranes. *Nat Cell Biol* 13(11), 1335-43
- Koh MY, Lemos R Jr, Liu XP and Powis G (2011). The hypoxia associated factor (HAF) switches cells from HIF-1 α to HIF-2 α dependent signalling promoting stem cell characteristics, aggressive tumor growth and invasion. *Cancer Res.* 71(11), 4015-27
- Espinoza I, Liu H, Busby R and Lupu R (2011). CCN1 is a candidate target for zoledronic acid treatment in breast cancer. *Mol Cancer Ther* 10(5), 732-41
- Z Kan, BS Jaiswal, J Stinson, V Janakiraman, et al. (2010). Diverse somatic mutation patterns and pathway alterations in human cancers. *Nature* 466, 869-873
- Dong J, Sereno A, Snyder WB, et al. (2010). Stable IgG-like bispecific antibodies directed towards the type I insulin-like growth factor receptor demonstrate enhanced ligand blockade and anti-tumor activity. *J Biol Chem.* 286(6), 4703-17



- Andl CD, McCowan KM, Allison GL, Rustgi AK (2010). Cathepsin B is the driving force of esophageal cell invasion in a fibroblast-dependent manner. *Neoplasia* 12(6), 485–498
- Liu XJ, Wang Y, Benaissa S, Matsuda A, Kantarjian H, Estrov Z and Plunkett W (2010). Homologous recombination as a resistance mechanism to replication-induced double-strand breaks caused by the antileukemia agent CNDAC. *Blood* 116(10), 1737-1746
- Andrianifahanana M, Wilkes MC, Repellin CE, Edens M, Kottom TJ, Rahimi RA and Leof EB. (2010). ERBB receptor activation is required for profibrotic responses to transforming growth factor beta. *Cancer Research* 70(19), 7421-30
- Chi P, Chen Y, Zhang L, Guo X, Wongvipat J, Shamu T, Fletcher JA, Dewell S, Maki RG, Zheng D, Antonescu CR, Allis CD and Sawyers CL (2010). ETV1 is a lineage survival factor that cooperates with KIT in gastrointestinal stromal tumours. *Nature* 467(7317), 849-53
- Yao S *et al.* (2010). PRKC- ζ expression promotes the aggressive phenotype of human prostate cancer cells and is a novel target for therapeutic intervention. *Genes & Cancer*, 1(5), 444-464
- Heyerdahl SL, Rozenberg J, Jamtgaard L, Rishi V, Varticovskie L, Akah K, Scudiero D, Shoemaker RH, Karpova TS, Day RN, McNally JG and Vinson C (2010). The arylstibonic acid compound NSC13746 disrupts B-ZIP binding to DNA in living cells. *Eur J Cell Biology* 89 (7), 564-573
- Watson PA, Chen YF, Balbas MD, Wongvipat J, Socci ND, Viale A, Kim K, and Sawyers CL (2010). Constitutively active androgen receptor splice variants expressed in castration-resistant prostate cancer require full-length androgen receptor. *Proc Natl Acad Sci USA*. 107(39), 16759–16765
- Jaiswal BS *et al.* (2009). Somatic mutations in p85 α promote tumorigenesis through Class IA PI3K activation. *Cancer Cell* 16, 463–474
- Kajiwara Y, Panchabhai S, Liu DD, Kong M, Lee JJ and Levin VA (2009). Merging a new 3-dimensional agarose colony assay with the E(max) model to determine the effects of drug combinations on cancer cells. *Technol Cancer Res Treat* 8, 163-176
- Wilkes MC, Repellin CE, Hong M, Bracamonte M, Penheiter SG, Borg J-P, and Leof EB (2009). Erbin and the NF2 tumor suppressor Merlin cooperatively regulate cell-type-specific activation of PAK2 by TGF- β . *Developmental Cell* 16, 433–444
- Kajiwara Y, Panchabhai S and Levin VA (2008). A new preclinical 3-dimensional agarose colony formation assay. *Technol Cancer Res Treat* 7, 329-334

Spheroid / Suspension Assays

- Arasada RR, Amann JM, Rahman MA, Huppert SS and Carbone DP (2014). EGFR blockade enriches for lung cancer stem-like cells through Notch3-dependent signaling. *Cancer Res*. 2014 Aug 14. pii: canres.3724.2013. [Epub ahead of print]
- Wei W, Tweardy DJ, Zhang M, Zhang X, Landua J, Petrovic I, Bu W, Roarty K, Hilsenbeck SG, Rosen JM and Lewis MT (2014). STAT3 signaling is activated preferentially in tumor-initiating cells in claudin-low models of human breast cancer. *Stem Cells*. 2014 May 31. doi: 10.1002/stem.1752. [Epub ahead of print]
- Jaganathan H, Mitra S, Srinivasan S, Dave B, Godin B (2014). Design and in vitro evaluation of layer by layer siRNA nanovectors targeting breast tumor initiating cells. *PLoS One* 9(4), e91986
- Chen G, Kong J, Tucker-Burden C, Anand M, Rong Y, Rahman F, Moreno CS, Van Meir EG, Hadjipanayis CG, Brat DJ (2014). Human Brat Ortholog TRIM3 Is a Tumor Suppressor That Regulates Asymmetric Cell Division in Glioblastoma. *Cancer Res* 74(16), 4536-48
- Dave B, Granados-Principal S, Zhu R, Benz S, Rabizadeh S, Soon-Shiong P, Yu KD, Shao Z, Li X, Gilcrease M, Lai Z, Chen Y, Huang TH, Shen H, Liu X, Ferrari M, Zhan M, Wong ST, Kumaraswami M, Mittal V, Chen X, Gross SS and Chang JC (2014). Targeting RPL39 and MLF2 reduces tumor initiation and metastasis in breast cancer by inhibiting nitric oxide synthase signaling. *Proc Natl Acad Sci USA* 111(24), 8838-43
- Duong MT, Akli S, Macalou S, Biernacka A, Debeb BG, Yi M, Hunt KK and Keyomarsi K (2013). Hbo1 is a cyclin E/CDK2 substrate that enriches breast cancer stem-like cells. *Cancer Res* 73(17), 5556-68
- Sandberg CJ, Altschuler G, Jeong J, Strømme KK, Stangeland B, Murrell W, Grasmö-Wendler UH, Myklebost O, Helseth E, Vik-Mo EO, Hide W and Langmoen IA (2013). Comparison of glioma stem cells to neural stem cells from the adult human brain identifies dysregulated Wnt-signaling and a fingerprint associated with clinical outcome. *Exp Cell Res* 319(14), 2230-43
- Chakrabarty A, Bholra NE, Sutton C, Ghosh R, Kuba MG, Dave B, Chang JC and Arteaga CL (2013). Trastuzumab-resistant cells rely on a HER2-PI3K-FoxO-survival axis and are sensitive to PI3K inhibitors. *Cancer Res*. 73(3), 1190-200
- Arai K, Sakamoto R, Kubota D and Kondo T (2013). Proteomic approach toward molecular backgrounds of drug resistance of osteosarcoma cells in spheroid culture system. *Proteomics* 13(15), 2351-60
- B Gungor, P Owens and HL Moses (2013). Uncovering the Role of TGF β and BMP in Triple Negative Breast Cancer Stem Cells. *Young Scientists Journal*, 3
- Rolseth V, Krokeide SZ, Kunke D, Neurauter CG, Suganthan R, Sejersted Y, Hildrestrand GA, Bjørås M and Luna L (2013). Loss of Neil3, the major DNA glycosylase activity for removal of hydantoin in single stranded DNA, reduces cellular proliferation and sensitizes cells to genotoxic stress. *Biochim Biophys Acta* 1833(5), 1157-64
- Schott AF, Landis MD, Dontu G, Griffith KA, Layman RM, Krop I, Paskett LA, Wong H, Dobrolecki LE, Lewis MT, Froehlich AM, Paraniham J, Hayes DF, Wicha MS and Chang JC (2013). Preclinical and clinical studies of gamma secretase inhibitors with docetaxel on human breast tumors. *Clin Cancer Res* 19(6), 1512-24
- Bholra NE, Balko JM, Dugger TC, Kuba MG, Sánchez V, Sanders M, Stanford J, Cook RS and Arteaga CL (2013). TGF- β inhibition enhances chemotherapy action against triple-negative breast cancer. *J Clin Invest* 123(3), 1348-58



Cho YM, Kim YS, Kang MJ, Farrar WL and Hurt EM (2012). Long-term recovery of irradiated prostate cancer increases cancer stem cells. *Prostate* 72, 1746-1756

Cabarcas SM, Thomas S, Zhang X, Cherry JM, Sebastian T, Yerramilli S, Lader E, Farrar WL, Hurt EM (2012). The role of upregulated miRNAs and the identification of novel mRNA targets in prostatospheres. *Genomics* 99(2), 108-117

Crea F, Hurt EM, Mathews LA, Cabarcas SM, Sun L, Marquez VE, Danesi R and Farrar WL (2011). Pharmacologic disruption of Polycomb Repressive Complex 2 inhibits tumorigenicity and tumor progression in prostate cancer. *Mol Cancer* 10(1), 40

Robertson FM, Woodward WA, Pickei R, Ye Z, Bornmann W, Pal A, Peng Z, Hall CS, and Cristofanilli M (2010). Suberoylanilide hydroxamic acid blocks self-renewal and homotypic aggregation of inflammatory breast cancer spheroids. *Cancer* 116(S11), 2760 - 2767

Robertson FM, Ogasawara MA, Ye Z, Chu K, Pickei R, Debeb BG, Woodward WA, Hittelman WN, Cristofanilli M and Barsky SH (2010). Imaging and analysis of 3D tumor spheroids enriched for a cancer stem cell phenotype. *Journal of Biomolecular Screening*. 15(7), 820-9

Dave B, Lewis M and Chang J (2009). Lentiviral shRNA screen to test the validity of a gene signature of breast cancer stem cells using high throughput mammosphere assays. *Cancer Res* 69 (24 Suppl), Abstract nr 1158

Debeb BG, Zhang X, Krishnamurthy S, Gao H, Cohen E, Li L, Rodriguez AA, Landis MD, Lucci A, Ueno NT, Robertson F, Xu W, Lacerda L, Buchholz TA, Cristofanilli M, Reuben JM, Lewis MT and Woodward WA (2010). Characterizing cancer cells with cancer stem cell-like features in 293T human embryonic kidney cells. *Molecular Cancer* 9, 180

Woodward WA, Debeb BG, Xu W and Buchholz TA (2010). Overcoming radiation resistance in inflammatory breast cancer. *Cancer* 116 (S11), 2840 - 2845

Debeb BG, Xu W, Mok H, Li L, Robertson F, Ueno NT, Reuben J, Lucci A, Cristofanilli M and Woodward WA (2010). Differential radiosensitizing effect of valproic acid in differentiation versus self-renewal promoting culture conditions. *Int J Rad Onc* 76(3), 889-895

Duhagon MA, Hurt EM, Sotelo-Silveira JR, Zhang X and Farrar WL (2010). Genomic profiling of tumor initiating prostatospheres. *BMC Genomics* 11, 324-340

Adherent 2D Assays

Veeraraghavan J, Tan Y, Cao XX, Kim JA, Wang X, Chamness GC, Maiti SN, Cooper LJ, Edwards DP, Contreras A, Hilsenbeck SG, Chang EC, Schiff R and Wang XS (2014). Recurrent ESR1-CCDC170 rearrangements in an aggressive subset of oestrogen receptor-positive breast cancers. *Nat Commun*. 2014 Aug 7; 5, 4577

Venmar KT, Carter KJ, Hwang DG, Dozier EA and Fingleton B (2014). IL4 Receptor ILR4 α Regulates Metastatic Colonization by Mammary Tumors through Multiple Signaling Pathways. *Cancer Res* 74(16), 4329-40

Piao HL, Yuan Y, Wang M, Sun Y, Liang H, and Ma L (2014). α -catenin acts as a tumour suppressor in E-cadherin-negative basal-like breast cancer by inhibiting NF- κ B signalling. *Nat Cell Biol*. 16(3), 245-54

Li W, Hua B, Saud SM, Lin H, Hou W, Matter MS, Jia L, Colburn NH and Young MR (2014). Berberine regulates AMP-activated protein kinase signaling pathways and inhibits colon tumorigenesis in mice. *Mol Carcinog*. 2014 May 17. doi: 10.1002/mc.22179. [Epub ahead of print]

Madden JM, Mueller KL, Bollig-Fischer A, Stemmer P, Mattingly RR and Boerner JL (2014). Abrogating phosphorylation of eIF4B is required for EGFR and mTOR inhibitor synergy in triple-negative breast cancer. *Breast Cancer Res Treat*. 2014 Aug 17. [Epub ahead of print]

Li S, Kennedy M, Payne S, Kennedy K, Seewaldt VL, Pizzo SV and Bachelder RE (2014). Model of tumor dormancy/recurrence after short-term chemotherapy. *PLoS One* 9(5), e98021

Singh R, Shankar BS, Sainis KB (2014). TGF- β 1-ROS-ATM-CREB signaling axis in macrophage mediated migration of human breast cancer MCF7 cells. *Cell Signal* 26(7), 1604-15

Chini CC, Guerrico AM, Nin V, Camacho-Pereira J, Escande C, Barbosa MT, Chini EN (2014). Targeting of NAD metabolism in pancreatic cancer cells: potential novel therapy for pancreatic tumors. *Clin Cancer Res* 20(1), 120-30

Berhane H, Epperly MW, Goff J, Kalash R, Cao S, Franicola D, Zhang X, Shields D, Houghton F, Wang H, Wipf P, Parmar K and Greenberger JS (2014). Radiologic differences between bone marrow stromal and hematopoietic progenitor cell lines from Fanconi Anemia (Fancd2(-/-)) mice. *Radiat Res* 181(1), 76-89

Berhane H, Shinde A, Kalash R, Xu K, Epperly MW, Goff J, Franicola D, Zhang X, Dixon T, Shields D, Wang H, Wipf P, Li S, Gao X, Greenberger JS (2014). Amelioration of radiation-induced oral cavity mucositis and distant bone marrow suppression in fanconi anemia Fancd2(-/-) (FVB/N) mice by intraoral GS-nitroxide JP4-039. *Radiat Res* 182(1), 35-49

Kalash R, Berhane H, Yang Y, Epperly MW, Wang H, Dixon T, Rhieu B, Greenberger JS and Huq MS (2014). Improved survival of mice after total body irradiation with 10 MV photon, 2400 MU/min SRS beam. *In Vivo* 28(1), 1-12

Knubel KH, Pernu BM, Sufit A, Nelson S, Pierce AM and Keating AK (2014). MerTK inhibition is a novel therapeutic approach for glioblastoma multiforme. *Oncotarget* 5(5), 1338-51

Foulks JM, Carpenter KJ, Luo B, Xu Y, Senina A, Nix R, Chan A, Clifford A, Wilkes M, Vollmer D, Brenning B, Merx S, Lai S, McCullar MV, Ho KK, Albertson DJ, Call LT, Bearss JJ, Tripp S, Liu T, Stephens BJ, Mollard A, Warner SL, Bearss DJ, Kanner SB (2014). A small-molecule inhibitor of PIM kinases as a potential treatment for urothelial carcinomas. *Neoplasia* 16(5), 403-12

Hahm ER, Karlsson AI, Bonner MY, Arbiser JL, Singh SV (2014). Honokiol inhibits androgen receptor activity in prostate cancer cells. *Prostate* 74(4), 408-20



- Banda M, Speyer CL, Semma SN, Osuala KO, Kounalakis N, Torres Torres KE, Barnard NJ, Kim HJ, Sloane BF, Miller FR, Goydos JS and Gorski DH (2014). Metabotropic glutamate receptor-1 contributes to progression in triple negative breast cancer. *PLoS One* 9(1), e81126
- Polkinghorn WR, Parker JS, Lee MX, Kass EM, Spratt DE, Iaquina PJ, Arora VK, Yen WF, Cai L, Zheng D, Carver BS, Chen Y, Watson PA, Shah NP, Fujisawa S, Goglia AG, Gopalan A, Hieronymus H, Wongvipat J, Scardino PT, Zelefsky MJ, Jasin M, Chaudhuri J, Powell SN and Sawyers CL (2013). Androgen receptor signaling regulates DNA repair in prostate cancers. *Cancer Discov* 3(11), 1245-53
- Linger RM, Lee-Sherick AB, DeRyckere D, Cohen RA, Jacobsen KM, McGranahan A, Brandão LN, Winges A, Sawczyn KK, Liang X, Keating AK, Tan AC, Earp HS and Graham DK (2013). Mer receptor tyrosine kinase is a therapeutic target in pre-B-cell acute lymphoblastic leukemia. *Blood*, 122(9), 1599-609
- Gomez-Casal R, Bhattacharya C, Ganesh N, Bailey L, Basse P, Gibson M, Epperly M and Levina V (2013). Non-small cell lung cancer cells survived ionizing radiation treatment display cancer stem cell and epithelial-mesenchymal transition phenotypes. *Mol Cancer* 12(1), 94
- Epperly MW, Chaillet JR, Kalash R, Shaffer B, Goff J, Franicola D, Zhang X, Dixon T, Houghton F, Wang H, Berhane H, Romero C, Kim JH and Greenberger JS (2013). Conditional radioresistance of Tet-inducible manganese superoxide dismutase bone marrow stromal cell lines. *Radiat Res* 180(2), 189-204
- Kaur G, Behrsing H, Parchment RE, Millin MD and Teicher BA (2013). Analyses of the combination of 6-MP and dasatinib in cell culture. *Int J Oncol* 43(1), 13-22
- Krishnan M, Lapierre LA, Knowles BC and Goldenring JR (2013). Rab25 regulates integrin expression in polarized colonic epithelial cells. *Mol Biol Cell* 24(6), 818-31
- Shelton JW, Waxweiler TV, Landry J, Gao H, Xu Y, Wang L, El-Rayes B and Shu HK (2013). In Vitro and In Vivo Enhancement of Chemoradiation Using the Oral PARP Inhibitor ABT-888 in Colorectal Cancer Cells. *Int J Radiat Oncol Biol Phys* 86(3), 469-76
- Kaur G, Behrsing H, Parchment RE, Millin MD and Teicher BA (2013). Analyses of the combination of 6-MP and dasatinib in cell culture. *Int J Oncol* 43(1), 13-22
- Singh B, Bogatcheva G, Washington MK and Coffey RJ (2013). Transformation of polarized epithelial cells by apical mistrafficking of epi-regulin. *Proc Natl Acad Sci USA* 110(22), 8960-5
- Fenoglio I, Ponti J, Alloa E, Ghiazza M, Corazzari I, Capomaccio R, Rembges D, Oliaro-Bosso S and Rossi F (2013). Singlet oxygen plays a key role in the toxicity and DNA damage caused by nanometric TiO₂ in human keratinocytes. *Nanoscale* 5(14), 6567-76
- Mueller KL, Madden JM, Zoratti GL, Kuperwasser C, List K and Boerner JL (2012). Fibroblast-secreted hepatocyte growth factor mediates epidermal growth factor receptor tyrosine kinase inhibitor resistance in triple-negative breast cancers through paracrine activation of Met. *Breast Cancer Res* 14(4), R104
- Cerna D, Li H, Flaherty S, Takebe N, Coleman CN and Yoo SS (2012). Inhibition of nicotinamide phosphoribosyltransferase (NAMPT) activity by small molecule GMX1778 regulates reactive oxygen species (ROS)-mediated cytotoxicity in a p53- and nicotinic acid phosphoribosyltransferase1 (NAPRT1)-dependent manner. *J Biol Chem* 287(26), 22408-17
- Bhattacharya R, Wang E, Dutta SK, Vohra PK, E G, Prakash YS and Mukhopadhyay D (2012). NHERF-2 maintains endothelial homeostasis. *Blood* 119(20), 4798-806
- O'Sullivan RP, Greenberger JS, Goff J, Cao S, Kingston KA, Zhou S, Dixon T, Houghton FD, Epperly MW, Wang H and Glowacki J (2012). Dysregulated in vitro hematopoiesis, radiosensitivity, proliferation, and osteoblastogenesis with marrow from SAMP6 mice. *Exp Hematol* 40(6), 499-509
- Erickson HK, Lewis Phillips GD, Leipold DD, Provenzano CA, Mai E, Johnson HA, Gunter B, Audette CA, Gupta M, Pinkas J and Tibbitts J (2012). The effect of different linkers on target cell catabolism and pharmacokinetics/pharmacodynamics of trastuzumab maytansinoid conjugates. *Mol Cancer Ther* 11(5), 1133-42
- Kessel DH, Price M and Reiners JJ Jr (2012). ATG7 deficiency suppresses apoptosis and cell death induced by lysosomal photodamage. *Autophagy*. 8(9), 1333-41
- Debeb BG, Cohen EN, Boley K, Freiter EM, Li L, Robertson FM, Reuben JM, Cristofanilli M, Buchholz TA and Woodward WA (2012). Pre-clinical studies of Notch signaling inhibitor RO4929097 in inflammatory breast cancer cells. *Breast Cancer Res Treat.* 134(2), 495-510
- Andrzejak M, Marie Santiago M, and Kessel D (2011). Effects of endosomal photodamage on membrane recycling and endocytosis. *Photochem Photobiol* 87(3), 699-706
- Kessel D (2011). Inhibition of endocytic processes by photodynamic therapy. *Lasers Surg Med* 43(7), 542-7
- Woolston C and Martin S (2011). Analysis of tumor and endothelial cell viability and survival using sulforhodamine B and clonogenic assays. *Methods Mol Biol* 740, 45-56
- Woodward WA, Debeb BG, Xu W and Buchholz TA (2010). Overcoming radiation resistance in inflammatory breast cancer. *Cancer* 116 (S11), 2840-2845

