

GRP Chimneys

Now available with Fast Lead System™ and pre-leaded options



GRP CHIMNEY RANGE

Our range of GRP complete chimney solutions are based on a ready to install, one-piece chimney stack. Lightweight and very easy to use, the chimney is simply lifted into position, bolted onto the roof trusses and leaded in the normal way. These chimneys can be positioned on the gable end, along the ridge or mono pitched.

Each chimney can be tailored as much or as little as required to meet your needs - we can match the pitch, the texture, the colour, the pots and the capping to suit your build.

The most popular chimneys are those based on our twenty stock designs. For each of those you can specify the brick, pot and capping details to match your development.

Our prefabricated GRP chimneys are an excellent product for house builders and developers of any size. They are a quick, simple and cost effective way of putting a chimney on a roof.

Glass Reinforced Plastic (GRP), is matrix of woven glass fibre sheets layered and set within resin. It creates a material with an excellent strength to weight ratio, and can be moulded in to almost any shape and size, with highly detailed textures, finishes and unlimited colours. Used by the automotive, marine and aerospace industries for many years, GRP has become our material of choice for our Developer Chimney range.

It is lightweight, tough, durable, totally waterproof, long lasting and can imitate brick, render and stone textures and colours perfectly. Designed with the volume house builder in mind and incorporating the Fast Lead System™ the Developer chimney saves time, money and hassle. A real fit and forget product.

replicate almost any brick face, ensuring that it blends in with the rest of the build.

Fast Lead System™

The Fast Lead System™ makes it easier, faster and more cost effective than using the traditional methods of fixing lead to prefabricated chimneys, saving you on time, materials and overall a more economic chimney system for the end user. With




















All chimneys can be supplied with an approved gas terminal and suitable flue pipes.

Please specify these requirements when placing your order.



Installation


Each chimney is supplied with a complete fixing kit and detailed fixing instructions. The chimneys can be installed immediately after the rafters are in place using telescopic fork lift or light crane.



- **Natural Stone**
- 2 Smooth Render
- 3 Reconstituted Stone
- 4 Roughcast Render

Packaging

Each unit is palletised and packed with cardboard for protection during transport and storage, ensuring that the Litestack chimneys are delivered in perfect condition.



factory or carried out on site.

All of our chimney products are supplied with a 10 year product warranty against water ingression. Please see the full terms and conditions.

the pre-leaded option, the lead is fitted in

a factory environment for an even quicker, simpler

installation and peace of mind. Our Fast Lead

System's main advantages are; Easier to fit •

Faster to fit . Less lead required . Overall

savings on time and materials . Pre-leaded in

The chimneys have undergone extensive testing by Ceram to standards approved by NHBC. Banbury is a full member of the Construction Glass fibre Manufacturers Association. With numerous advantages and benefits of our prefabricated chimneys.







ROOF POSITIONS & PITCH










Developer chimneys are available as standard for 30°, 35°, 40° and 45° roof pitches and for mid-ridge and mono-pitch roof positions. Any roof position and pitch can be produced to order.


Gable-end positions are only available in the Premium GRP range.

CAPPING OPTIONS









Developer GRP chimneys are supplied with Standard capping. Alternatively, Premium or Flaunched capping are optionally available.

These are also manufactured in GRP with a stone effect finish. A buff (Bath stone) colour is standard, but can be produced in a grey mortar colour upon request.

CORBEL DETAIL & RENDER FINISHES















GRP chimneys are available in a range of brick and render textures including: Stock • Pressed Face • Handmade • Render. These are produced to colour match any brick type, even multi's and blends.

Mortar colour and render finished colours can also be specified to ensure your stack matches the rest of the build. Different corbel detail styles are available for both brick and rendered stacks as shown.

POT OPTIONS

PRE-LEADED OPTIONS







450mm Pot

Our GRP chimneys require a standard GRP closed pot in either 300mm or 450mm height. Supplied in a terracotta colour as standard. Alternative colours available upon request.



For a quicker and simpler installation process we can supply our Developer Chimneys pre-leaded.

With the Fast Lead System™ lead pre-cut to size and securely fastened in place, our pre-leaded chimneys are the quickest, easiest and most economical chimneys to install.

Tel: 0845 688 8835 • Email: sales@banburyinnovations.co.uk • www.banburyinnovations.co.uk


GRP DEVELOPER CHIMNEY RANGE



GRP PREMIUM CHIMNEY RANGE






























Contact us now for more information or to order a sample of one of our products

Banbury Innovations (Southern) Ltd • Trading as Banbury

Unit 16 • Oakwood Road • Oak Tree Business Park • Mansfield • Nottinghamshire • NG18 3HQ

Tel: 0845 688 8835 • Fax: 0845 688 8845

Email: sales@banburyinnovations.co.uk • Web: www.banburyinnovations.co.uk