

Installing the Focus Watch Service

Open the *Run* box. Run focus with the /i argument: "C:\Program Files\HRIndustries\Focus 2\Focus.exe" /i



You should get this message:

Focus Watch Service: installed successfully
ОК



Focus will also start.

Open *Control Panel > Administrative Tools*:





Open Services:



Right-click on the Focus Watch Service and click Properties.

Services					
File Action View	Help				
← → 💽 😭 🕃] 🗟 😫 🕨 🗉 🗉 🖦				
🤹 Services (Local)	Services (Local)				
	Focus Watch Service	Name 🛆	Description	Status	
		🆓 DNS Client	Resolves a	Started	
	<u>Start</u> the service	🖏 Error Reporting Ser	. Allows erro	Started	
		🏟 Event Log	Enables ev	Started	
		🍓 Fast User Switching	. Provides m	Started	
		🏶 Fax	Enables yo		
		Service 🍄			
		🎭 Help and Support	Start	Started	
		🎇 HID Input Service	Stop	Started	
		SSL 🖏 HTTP SSL	Pause	I	
		🎇 IIS Admin	Resume	Started	
		🎇 IMAPI CD-Burning	Restart		
		Note the state of the second s	All Tasks 💦 🕨		
		Manual Installuriver Table -	Defrech	Charlend	
		Barrielic bervices	Kenesh	culled	~
		<	Properties		>
`	Extended / Standard /		Help		
Opens property sheet for	the current selection.				



In the Log On tab, provide a windows account name and password. Click Apply

eneral Log On Re	covery Dependencies		
Log on as:			
<mark>_Local System acc</mark> ✓ Allo <u>w</u> service t	ount o interact with desktop		
Ihis account:	administrator	Browse	
<u>P</u> assword:	••••		
<u>C</u> onfirm password:	••••		
<u>Y</u> ou can enable or dis Hardware Profile	sable this service for the hardwa	re profiles listed below:	
Profile 1		Enabled	
	Enabl	e Disable	

4



In the *General* tab, click *Start* to start the service. If *Startup* type is set to *Automatic*, it will also start when you reboot the computer.

Focus Watch Se	rvice Properties (Local Comput	er) 🛛 🤶 🔀
General Log On	Recovery Dependencies	
Service name:	FocusService	
Display <u>n</u> ame:	Focus Watch Service	
Description:		~
Pat <u>h</u> to executat C:\Program Files	ole: \HRIndustries\Focus 2\Focus.exe	
Startup typ <u>e</u> :	Automatic	~
Service status:	Stopped	
<u>S</u> tart	Stop Pause	<u>R</u> esume
You can specify from here. Start para <u>m</u> eters	the start parameters that apply when you	start the service
	OK Cance	a <u>A</u> pply

05/02/08