

Workroom

Essentials

Your one-stop shop for all your workroom needs. From pins and needles to everything you need to make a Roman blind.



Please note all products in the Workroom essentials section marked with this symbol (✱) are new items.



Suitable:



Suitable for straight windows.



Suitable for light weight curtains up to 6.5kg.



Suitable for light, medium and heavy weight curtains of 11kg and over.

MTM

Product is made to measure. Lead time is dependent upon your specific product requirements. Please check with your co-ordinator.



Suitable curtain weight.

Sales Aids:



Sample available on request.

Curtain Hooks

CURTAIN HOOKS



Cat No	Description	Quantity
1. 3680R	White Nylon	200
1. 3670R	White Nylon	10 display packs of 20
1. 3692R	White Nylon	1000
1. 3693R	White Nylon	20,000
1. 3694R	White Nylon	1 box of 1000



Cat No	Description	Quantity
2. WN800W0025Y	Nylon	20 display packs of 25
2. WN800W0100Y	Nylon	1 pack of 100
2. WN800WCY	White Valance Hooks	1 box of 1000
2. WN800WCF	White Valance Hooks	5000 in a bucket
WN800BNCF	Brown Curtain Hooks	5000 in a bucket




Cat No	Description	Quantity
3. 3021199	Plastic (R40)	500
3. 3021200	Plastic (R40)	12 display packs of 30
3. 3021198	Plastic (R40)	1 box of 10,000
4. 3021167	Plastic (R5)	500
4. 3021168	Plastic (R5)	12 display packs of 30



Cat No	Description	Quantity
5. 05233	Nylon	1000

PIN HOOKS



Cat No	Description	Quantity
1. 3732R	Zinc Plated	1000
1. 3733R	Zinc Plated	200



Use with Buckram to hang hand pleated headings.

Cat No	Description	Quantity
2. 3021230	Zinc Plated	400
2. 3021233	Zinc Plated	12 display packs of 25
2. 3021231	Zinc Plated	1 box of 10,000



Cat No	Description	Quantity
3. 05031	Pin-on-Hooks – Lightweight	100
4. 05030	Pin-on-Hooks – Heavy Duty	100
5. IQP00101	Pin-on-Hooks – For Use With IQP00100 Quick Pinner	1000

METAL & BRASS HOOKS




Cat No	Description	Quantity
1. 3675R	Brass	200
1. 3669R	Brass	1000
2. 3676R	Electro Brassed	200
2. 3671R	Electro Brassed	1000
3. 3679R	Zinc Plated	200
3. 3672R	Zinc Plated	1000



Cat No	Description	Quantity
4. 3021170	Brass (R7)	500
4. 3021171	Brass (R7)	12 display packs of 30
4. 3021169	Brass (R7)	10,000
5. 3021228	Zinc Plated (R67)	500
5. 3021229	Zinc Plated (R67)	12 display packs of 30
5. 3021227	Zinc Plated (R7)	1 box of 10,000

BOX & PINCH PLEAT HOOKS



Cat No	Description	Quantity
1. 3730R	Zinc Plated	200
1. 3734R	Zinc Plated	1000



Cat No	Description	Quantity
2. 3021188	Steel Zinc (R10)	500
2. 3021190	Steel Zinc (R10)	12 display packs of 30
2. 3021187	Steel Zinc (R10)	1 box of 10,000

Tridis Tape Hooks

Every Rufflette curtain hook has been designed specifically for a Rufflette curtain tape.

All hooks will fit the tape pockets exactly and ensure that the curtain is suspended correctly in relation to the track.

VALANCE HOOKS




Cat No	Description	Quantity
1. 0766R	Zinc Plated	1 pack of 200



Cat No	Description	Quantity
2. 07095	Nylon	1 pack of 500

DEEP PLEAT HOOKS



Cat No	Description	Quantity
1. 3695R	Long Neck (DP44)	100
2. 3696R	Short Neck (DP44)	100



Cat No	Description	Quantity
1. 3021210	Long Neck (DP44)	100
2. 3021209	Short Neck (DP44)	100

Long neck hooks for hanging below a pole. Short neck hooks for suspending from a track.



Cat No	Description	Quantity
3. 05026	Easy Lock Hooks – Low Heading	100

SEW ON HOOKS



Cat No	Description	Quantity
3673R	Brass	100

ACCESSORIES



Cat No	Description	Quantity
IQP00100	Quick Pinner	1
IQP00101	Pin on Hooks	1000

Cleats and Curtain Weights

CLEATS



Neat method of securing loose cords of raised Austrian/Festoon/Roman blinds.

Cat No	Description	Size	Quantity
1. 0188R	Premium White	76mm (3")	20 Loose
1. 0189R	Premium White	76mm (3")	10 display packs of 1
2. 3946R	White	76mm (3")	20 Loose
2. 3947R	White	76mm (3")	60 Loose
3. 3932R	Premium Chrome	76mm (3")	20 Loose
3. 3948R	Premium Chrome	76mm (3")	10 display packs of 1
4. 3950R	Chrome	76mm (3")	20 Loose
4. 3951R	Chrome	76mm (3")	60 Loose
5. 3930R	Premium Solid Brass	76mm (3")	20 Loose
5. 3928R	Premium Solid Brass	76mm (3")	10 display packs of 1
6. 3942R	Brass	76mm (3")	20 Loose
6. 3943R	Brass	76mm (3")	60 Loose
7. 3945R	Burnished Brass	76mm (3")	20 Loose
7. 3949R	Burnished Brass	76mm (3")	60 Loose
8. 3944R	Black	76mm (3")	20 Loose
8. 3952R	Black	76mm (3")	60 Loose

Requires 2 x 6g countersunk screws (0298R)



Complete with screws.


Cat No	Description	Size	Quantity
9. 3021249	Brass	72mm (3")	20 Loose
10. 3021258	Chrome	72mm (3")	20 Loose



Cord Holdfast

Cat No	Description	Quantity
11. 3931R	Cast Brass	20

LEADWEIGHTED TAPE



Thread through the bottom hems of curtains, shower curtains, nets and sheers to ensure fabric drapes perfectly. Supplied on handy dispenser reel.

Cat No	Description	Weight	Quantity
1. 3717R	Light Weight	25g per m	100m
2. 3718R	Medium Weight	50g per m	50m
3. 3714R	Medium/Heavy	70g per m	50m
4. 3719R	Heavy Weight	100g per m	25m



Thread through the bottom hems of curtains, shower curtains, nets and sheers to ensure fabric drapes perfectly. Supplied on handy dispenser reel.

Cat No	Description	Weight	Quantity
1. 3021355	Light Weight	25g per m	50m
2. 3021359	Medium Weight	50g per m	50m
3. 3021360	Medium Weight	70g per m	50m
4. 3021361	Heavy Weight	100g per m	25m
5. 3021362	Heavy Weight	150g per m	25m

Curtain Weights and Zipping

CURTAIN WEIGHTS



Lead Buttons

Cat No	Diameter	App. Weight per 100	Quantity
1. 3705R	19mm (3/4")	0.66 kg (1 1/2lb)	100
1. 3711R	19mm (3/4")	0.66 kg (1 1/2lb)	1000
2. 3706R	25mm (1")	1.25 kg (2 1/2lb)	100
2. 3712R	25mm (1")	1.25 kg (2 1/2lb)	1000
3. 3708R	32mm (1 1/4")	1.90 kg (4 1/2lb)	100
3. 3713R	32mm (1 1/4")	1.90 kg (4 1/2lb)	1000

Rectangular Lead Weights

Cat No	Size	App. Weight per 100	Quantity
4. 3710R	38mm x 13mm (1 1/2" x 1/2")	1 kg (2 1/4lb)	200

Fabric Covered Lead Weights

A unique fabric covered lead curtain weight. The white cover is plasticised, to avoid staining of hands and fabrics. The specially designed fabric flange enables the weights to be sewn into the curtain hem.

Cat No	Size	App. Weight per 100	Quantity
5. 3709R	38mm x 25mm (1 1/2" x 1")	1.3 kg (3lb)	100

CONTINUOUS ZIPPING



High grade continuous zipping. Suitable for light weight upholstery.

Cat No	Description	Colour	Quantity
1. 2213R	4mm Light Weight Zipping	White	200m
2. 2214R	4mm Light Weight Zipping	Beige	200m
3. 2215R	Enamelled Sliders	White	100
4. 2216R	Enamelled Sliders	Beige	100

Economy continuous zipping. Suitable for light weight upholstery.


Cat No	Description	Colour	Quantity
2070R	4mm Light Weight Zipping	White	200m
2071R	4mm Light Weight Zipping	Beige	200m
2072R	Sliders	White	100
2073R	Sliders	Beige	100



High grade Optilon zipping. Suitable for light and medium weight upholstery.

Cat No	Description	Colour	Quantity
* 5. 560441C/01712	6mm Med Weight Zipping	White	175m roll
* 6. 560441C/08542	6mm Med Weight Zipping	Beige	175m roll
* 560441C/02710	6mm Med Weight Zipping	Natural	175m roll
7. 5644R/0009	Enamelled sliders	White	100
8. 5644R/0886	Enamelled sliders	Beige	100
5644R/0089	Enamelled sliders	Natural	100


CLOSED END ZIPPING



Cat No	Description	Colour	Quantity
1. 2217R	14" Closed End Zip	White	100
2. 2218R	14" Closed End Zip	Beige	100

Fasteners

TOUCH AND CLOSE FASTENER



Hook and loop fastener. Conforms to BS7271. Hook and loop supplied on separate reels of 25m. Use for a wide range of applications, such as curtain valances, pelmets and cushion covers.

Cat No	Description	Size	Quantity
2001R	White Hook	16mm	25m
2002R	White Loop	16mm	25m
2003R	White Hook	20mm	25m
2004R	White Loop	20mm	25m
2007R	White Hook	50mm	25m
2008R	White Loop	50mm	25m
2064R	Self Adhesive White Hook	16mm	25m
2065R	Self Adhesive White Loop	16mm	25m
2005R	Self Adhesive White Hook	20mm	25m
2006R	Self Adhesive White Loop	20mm	25m
2066R	Self Adhesive White Hook	50mm	25m
2067R	Self Adhesive White Loop	50mm	25m

Buckram User Guide

BUCKRAM

An interfacing used as a stiffener for curtains, drapery, Valance headings, pelmet and tiebacks. Made from natural or synthetic fibres in different weights and widths with Fusible or Sew-In options.

HESSIAN

A thick coarse fabric produced from Jute fabric.

STARCHED

A traditional method of stiffening Hessian Fabric.

DOUBLE & STARCHED

Two Hessian fabrics bonded together producing a heavy and stiff buckram.

FUSIBLE (DOUBLE SIDED)

Impregnated with an adhesive, which when heat is applied (usually by ironing) fuses the buckram in place. Used when no visible sign of stitching is preferred and also labour saving.

SINGLE FUSIBLE

A fusible buckram but with the adhesive applied to only one side.

NON- FUSIBLE





A Stiffened article often described as Sew-in.

TRANSLUCENT

See through buckram, Produced with an open construction that does not disturb the colour appearance of the curtain heading. For use with Silks, Nets, Voiles and Muslin fabrics.



BUCKRAM



Quality buckrams for making pelmets and tiebacks for beautiful soft furnishing treatments.

Doubled and Starched Hessian Pelmet

Traditional hessian product for making pelmets and tiebacks.

Cat No	Width	Quantity
1. 3437R	30.5cm (12")	30m
1. 3438R	45.7cm (18")	30m
1. 3439R	91.4cm (36")	30m

Single Starched Hessian Pelmet

Single starched hessian product for making pelmets and tiebacks.

Cat No	Width	Quantity
2. 3486R	30.5cm (12")	30m
2. 3487R	45.7cm (18")	30m
2. 3488R	91.4cm (36")	30m

Tieback

100% polyester non-fusing, cost effective tieback buckram.

Cat No	Width	Quantity
3. 3471R	29cm (11 ¹ / ₂ ")	33m

Fusible Tieback

Labour saving, fusible cost effective tieback buckram. Washable. Cut to any shape or design of tieback. 100% polyester.

Cat No	Width	Quantity
4. 3470R	29cm (11 ¹ / ₂ ") Single sided	33m

Heavy Sew In

Heavyweight sew in buckram for use in heavyweight longer curtains.

Cat No	Width	Quantity
5. 3483R	10.2cm (4")	100m
5. 3484R	12.7cm (5")	100m
5. 3485R	15.2cm (6")	100m

Single Fusible

A low melt single sided buckram for use in pinch and goblet pleat curtains where fusible is required.

Cat No	Width	Quantity
6. 3480R	10.2cm (4")	100m
6. 3481R	12.7cm (5")	100m
6. 3482R	15.2cm (6")	100m

Fusible Curtain

Double sided fusible buckram. The traditional low melt buckram where double sided is required.

Cat No	Width	Quantity
7. 3477R	10.2cm (4")	50m
7. 3478R	12.7cm (5")	50m
7. 3479R	15.2cm (6")	50m
7. 3461R	20cm (8")	50m

Non Fusible Curtain

A standard buckram for use in pinch and goblet pleat curtains.

Cat No	Width	Quantity
8. 3474R	10.2cm (4")	100m
8. 3475R	12.7cm (5")	100m
8. 3476R	15.2cm (6")	100m
8. 3462R	20cm (8")	100m

Translucent Buckram Non Fusible

Used as curtain header for lightweight sheers and voiles.

Cat No	Width	Quantity
9. 3490R	7.7cm (3")	100m
9. 3496R	12.7cm (5")	100m

Eyelet Buckram

A non-fusible eyelet reinforcing buckram for use with metal and plastic eyelets.

Cat No	Width	Quantity
10. 3491R	7.7cm (3")	100m
10. 3491R/5	12.7cm (5")	100m


**Non Fusible Buckram**

For hand-sewn curtain headings. Stiffened.

Cat No	Width	Quantity
3021348	10cm (4")	100m
3021349	12.5cm (5")	100m

Pelmet fix, Stiffener and Buttons

PELMET FIX




Pelmet Fix with Velour

Cat No	Width	Quantity
1. 3440R	30cm (12")	25m
1. 3441R	40cm (16")	25m

Pelmet Fix Double Sided

Cat No	Width	Quantity
2. 3442R	30cm (12")	25m
2. 3444R	60cm (24")	25m

TIEBACK AND PELMET STIFFENER



Pelmet / Tieback Stiffener

Iron-on interlining for pelmets and tiebacks. Suitable for most fabric weights. Can be fused using a steam iron or a dry iron and a damp cloth. Washable and dry-cleanable. 100% polyester. White.

Cat No	Width	Quantity
1. S52090	90cm	30m

Extra Heavy Pelmet / Tieback Stiffener

Extra heavy iron-on interlining for pelmets and tiebacks requiring a high level of stability. Can be fused using a steam iron or a dry iron and a damp cloth. Washable and dry-cleanable. 60% viscose, 40% polyester. Unbleached.

Cat No	Width	Quantity
2. S133030	30cm	25m
3. S133045	45cm	25m
4. S133090	90cm	25m

EASY COVER BUTTONS



Easy-to-use cover buttons. Clip-on back which secures the fabric. Ideal for adding a finishing touch to fabric tiebacks, pelmets, valances, pinch pleat headings, cushions and blinds.

Cat No	Description	Diameter	Quantity
1. 323120	Nickel Plated	19mm	100
2. 323121	Nickel Plated	22mm	100
3. 323122	Nickel Plated	29mm	100
4. 323246	Polypropylene	22mm	100


POLYESTER WADDING



Polyester wadding has a wide range of uses from fabric tiebacks to quilting and some upholstery applications. Available vacuum packed in 25 metre rolls. The wadding can be washed or dry cleaned, and conforms to BS5852 part 2 source 2.

Cat No	Weight	Width	Quantity
WAD137070	70g (2 oz) per sq m	137cm (54")	25m
WAD137135	135g (4 oz) per sq m	137cm (54")	25m
WAD137200	200g (6 oz) per sq m	137cm (54")	25m
WAD137270	270g (9 1/2 oz) per sq m	137cm (54")	25m
WAD152135	135g (4 oz) per sq m	152cm (60") single bed	270cm (106")
WAD203135	135g (4 oz) per sq m	203cm (80") double bed	270cm (106")

NETTED COTTON PIPING CORD



Use for piping pelmets, tiebacks, cushion covers, valances, etc. Particularly beneficial when using with lightweight fabric – takes away the 'ribbed' effect seen on some fabrics when using standard cotton piping, as the netted version produces a nice smooth finish. Can be cut to size easily. Pre-shrunk cotton.

Cat No	Diameter	Quantity
1. 2242R	3mm	800m
2. 2243R/550	4mm	550m
3. 2244R	5mm	400m
4. 2255R	6mm	250m

COTTON PIPING CORD



100% cotton, pre-shrunk. Use for piping cushion covers, tiebacks, valances.

Cat No	Description	Diameter	Quantity
1. 2247R	No. 2	5mm	1kg ball (125m approx)
2. 2249R	No. 3	4mm	1kg ball (135m approx)
3. 2248R	No. 4	3mm	1kg ball (190m approx)

100% cotton, non pre-shrunk.

Cat No	Description	Diameter	Quantity
4. 2259R	No. 5	5mm	1kg ball (130m approx)
5. 2262R	No. 4	4mm	1kg ball (220m approx)
6. 2263R	No. 3	3mm	1kg ball (260m approx)



100% cotton piping cord

Cat No	Description	Diameter	Quantity
3021288	No. 3	3mm	80m per box
3021289	No. 4	4mm	50m per box
3021290	No. 5	5mm	30m per box
3021291	No. 6	6mm	25m per box

WEBBING



Medium weight natural cotton webbing, for theatre curtains, edging carpets, lifting straps and other general haberdashery uses.

Cat No	Description	Width	Quantity
1. 3654R	Natural	25mm (1")	33m
2. 3655R	Natural	38mm (1 1/2")	33m
3. 3656R	Natural	51mm (2")	33m


ACCESSORIES



Cat No	Description	Quantity
021397	Loose Cover Twist Pins	200

Angle Brackets and Equipment

BRACKETS AND TRACK SPACERS



Slotted Fluted Angle Brackets

For pelmet boards, shelving etc. Slots 25mm (1") long. Requires 4 x 10g countersunk screws per bracket.

Cat No	Description	Size	Quantity
1. 3774R	Zinc Plated	102x76x20mm (4"x3"x3/4")	20
2. 3780R	White	102x76x20mm (4"x3"x3/4")	20
3. 3775R	Zinc Plated	127x102x20mm (5"x4"x3/4")	20
4. 3781R	White	127x102x20mm (5"x4"x3/4")	20
3782R	Zinc Plated	152x127x20mm (6"x5"x3/4")	20
3783R	White	152x127x20mm (6"x5"x3/4")	20

Drilled Fluted Angle Brackets

For pelmet boards, shelving etc.

Requires 4 x 8g countersunk screws per bracket (except 3773R which requires 4 x 10g countersunk screws).

Cat No	Description	Size	Quantity
5. 3770R	Zinc Plated	76x51x16mm (3"x2"x5/8")	20
6. 3771R	Zinc Plated	102x76x20mm (4"x3"x3/4")	20
7. 3772R	Zinc Plated	127x102x20mm (5"x4"x3/4")	20
8. 3773R	Zinc Plated	152x127x20mm (6"x5"x3/4")	20

Centre Brackets

Requires 4 x 10g countersunk screws per bracket.


Cat No	Description	Projection	Quantity
9. 3776R	Zinc Plated	95mm (3 ³ / ₄ ")	20
10. 3777R	White	95mm (3 ³ / ₄ ")	20
11. 3778R	Zinc Plated	152mm (6")	20
12. 3779R	White	152mm (6")	20

Track Spacers

White plastic. Used in conjunction with top fixed curtain tracks for additional curtain heading clearance. Allows clearance for angle brackets above track when fitting to pelmet top boards.

Cat No	Size	Quantity
13. 1145R	20mm (3/4") diam x 10mm (3/8") deep	100

SCISSORS AND SHEARS



A range of quality lightweight scissors and shears suitable for most applications. High quality surgical grade stainless steel blades, with chemical and heat resistant ergonomically designed plastic handles. Dishwasher proof.


Cat No	Description	Size	Quantity
1. 1691R	Dressmaking Shear	8 ¹ / ₂ "	1
2. 1695R	Dressmaking Shear Left Handed	8 ¹ / ₂ "	1
3. 1692R	Fabric/Carpet Craft Shear	10"	1
4. 1693R	General Purpose Scissor	6"	1



A range of nickel or chrome plated quality scissors and shears offers extra sharpness and corrosion protection. These scissors are designed with the professional in mind.

Cat No	Description	Size	Quantity
1. 1694R	Chrome Plated Threadclips	4 ¹ / ₂ "	1
2. 1696R	Chrome Plated Side Bent Shears	10"	1
3. 1697R	Nickel Plated Side Bent Shears	8 ¹ / ₄ "	1
4. 1698R	Nickel Plated Side Bent Shears	10 ¹ / ₂ "	1
5. 1700R	Pinking Shears	8 ¹ / ₂ "	1

SCISSORS AND SHEARS

**JANOME****Tailor's Shears**

Soft 'n' sharp 10" tailor's shears with high quality serrated blade and unique softgrip handle for comfort.

Cat No	Description	Size	Quantity
1. XN5250S	Soft 'n' Sharp Tailor's Shears	10"	1

Dressmaking/Multi-use Scissor

Soft 'n' sharp 8" dressmaking/multi-use scissor with high quality serrated blade and unique softgrip handle for comfort.

Cat No	Description	Size	Quantity
2. XN5210S	Soft 'n' Sharp Tailor's Dressmaking/Multi-Use Scissor	8"	1

TAPE MEASURE


**ROLLS**

5m (16') tape measure.

Cat No	Description	Quantity
1699R	5m (16') Tape Measure	1

- metric and imperial dimensions
- automatic tape return
- push lock button
- belt clip
- self-zeros when hooked into glider
- side hook easily removed/attached


CUTTING MAT

**JANOME**

A1 size cutting mat with self-healing surface to prolong the life of roller cutter knife blades. Double sided for extra life. Metric measurements on one side and Imperial on the other.

Cat No	Description	Size	Quantity
XRM1	A1 Self Healing Cutting Mat	594mm x 841mm	1

ACRYLIC RULER

**JANOME**

See-through acrylic ruler board with metric measurements for measuring and cutting. Use with cutting mat. Large 60cm guide.

Cat No	Description	Quantity
XR60	Metric Ruler	1

Sundries


MACHINE NEEDLES



MILWARD
Quality Sewing Supplies

Cat No	Size	Quantity
2141102	70	Pack of 5
2141103	80	Pack of 5
2141104	90	Pack of 5

GLASS HEADED PINS



Assorted colours, enhancing visibility in use. 30mm x 0.65mm. Use for tacking hems.

Cat No	Quantity
029157	1000

DAISY HEADED PINS



Cat No	Description	Quantity
028520	Daisy Headed Pins	1 Box of 250


PINS



Nickel plated steel pins. 26mm x 0.65mm. Many uses, including tacking hems.

Cat No	Size	Quantity
024158	26mm x 0.65mm	500g box

HAND SEWING NEEDLES



MILWARD
Quality Sewing Supplies

Cat No	Size	Quantity
2121108	7	1 pack of 10
2121121	3/9	1 pack of 10
2121120	5/10	1 pack of 10

POLY TUBING



Suitable for wrapping finished curtains.

	Cat No	Description	Size	Quantity
*	0610R	Clear Poly Tubing	18"	160m
*	0611R	Clear Poly Tubing	24"	160m
*	0612R	Clear Poly Tubing	36"	160m

MSL LUBRICANT



A multi purpose lubricant ideal for improving the efficiency of all tracks especially where gliders are used, and for hundreds of other lubricating jobs. Ideal for both new and existing installations.

	Cat No	Description	Size	Quantity
	3447R	Domestic Sprayers	200ml	1 pack of 12
	3446R	Commercial Sprayers	400ml	1 pack of 1

FABRISMOOTH FABRIC DECREASANT



Excellent for removing fold and crease marks in new and newly cleaned curtain and upholstery fabrics and clothing. Especially effective in removing pressure marks in velvet to ensure perfect hanging. Ideal for use with all water absorbent fabrics with the exception of light silks and taffeta.

Will not shrink, discolour or harm colourfast fabric.

Product can be stored for up to 2 years under dry conditions. The date is shown on neck of the bottle.

	Cat No	Description	Size	Quantity
	3493R	Trigger Spray	500ml	10

FLAME RETARDANT SPRAY



Flame retardant spray will treat a wide range of fabric types ie. cotton, polycotton, polyester etc. Conforms to BS 5867 Part 2, Types A & B. 1 Litre will treat approx 2.5 sq m of fabric. Date on product. Can be kept 2 years under dry conditions.

	Cat No	Description	Size	Quantity
	3494R	Trigger Spray	1 litre	4
	3495R	Refill Container	5 litre	1

Cushions / Fasteners

CUSHION PADS



A range of High Quality Superfill Feather and Polyester filled cushion pads. These Superfill Feather cushions contain on average 100gm more curled white feathers per cushion than before to make them "plumper" - which gives a fuller finish to the cushion. Each feather cushion is supplied within a 100% cambric cover. Polyester cushion pads contain upholstery grade hollow fibre polyester within a white polypropylene cover. All cushions comply with BS5852 part 2 source 2.


Cat No	Description	Size	Weight	Quantity
CPWF16	Superfill Feather	40cm x 40cm (16"x16")	510g	1 pack of 6
CPWF18	Superfill Feather	46cm x 46cm (18"x18")	720g	1 pack of 6
CPWF20	Superfill Feather	51cm x 51cm (20"x20")	960g	1 pack of 4
CPWF24	Superfill Feather	61cm x 61cm (24"x24")	1500g	1 pack of 4
CPHF16	Hollow Fibre (Polyester)	40cm x 40cm (16"x16")	210g	1 pack of 6
CPHF18	Hollow Fibre (Polyester)	46cm x 46cm (18"x18")	320g	1 pack of 6
CPHF20	Hollow Fibre (Polyester)	51cm x 51cm (20"x20")	430g	1 pack of 4
CPHF24	Hollow Fibre (Polyester)	61cm x 61cm (24"x24")	650g	1 pack of 4



Bolster

Cat No	Description	Size	Weight	Quantity
HFB016	Hollow Fibre Polyester	16"x8"	350g	1 pack of 2
HFB018	Hollow Fibre Polyester	18"x8"	390g	1 pack of 2
FFB016	Superfill Feather Bolster	16"x8"	760g	1 pack of 2
FFB018	Superfill Feather Bolster	18"x8"	1145g	1 pack of 2

TOUCH AND CLOSE FASTENER



Velcro®

A touch and it's securely closed, just peel and it's easily opened. Hook and loop supplied on separate reels. Useful applications include curtains, valances and pelmets, loose covers, curtain lining, carpets etc.

Sew On

Cat No	Description	Size	Quantity
2220R	White Hook	15mm	25m
2221R	White Loop	15mm	25m
2222R	Ecru Hook	15mm	25m
2223R	Ecru Loop	15mm	25m
2228R	White Hook	20mm	25m
2229R	White Loop	20mm	25m
2230R	Ecru Hook	20mm	25m
2231R	Ecru Loop	20mm	25m
2236R	White Hook	50mm	25m
2237R	White Loop	50mm	25m

Self Adhesive

Cat No	Description	Size	Quantity
2240R	White Hook	20mm	25m
2241R	White Loop	20mm	25m
2253R	White Hook	50mm	25m
2254R	White Loop	50mm	25m

Velcro® is a registered trademark of Velcro Industries B.V

EYELET PRESS & SELF ASSEMBLY BENCH



- Steel pinions and rams
- Adjustable arm lever
- Measuring device for positioning of eyelets
- Optional self assembly tubular steel bench

Medium duty (1 ton pressure) for occasional use.

Cat No	Description	Quantity
3788R	Eyelet Machine (1 ton)	1
3791R	Self Assembly Bench	1



9 colour options, produced and finished in the UK. 40mm eyelets available in top quality brass.

Cat No	Description	Size	Quantity
1. 3793R/01	Antique Brass Eyelets	40mm	100
2. 3793R/02	Oxy Black Eyelets	40mm	100
3. 3793R/03	Brass Eyelets	40mm	100
4. 3793R/04	Nickel Eyelets	40mm	100
5. 3793R/05	Chrome Eyelets	40mm	100
6. 3793R/06	Antique Nickel Eyelets	40mm	100
7. 3793R/07	Bright Gunmetal Eyelets	40mm	100
8. 3793R/08	Satin Nickel Eyelets	40mm	100
9. 3793R/09	Antique Copper Eyelets	40mm	100

40mm steel eyelets

Cat No	Description	Size	Quantity
1. 3787R/01	Antique Brass Eyelets	40mm	100
2. 3787R/02	Oxy Black Eyelets	40mm	100
4. 3787R/04	Nickel Eyelets	40mm	100
5. 3787R/05	Chrome Eyelets	40mm	100
6. 3787R/06	Antique Nickel Eyelets	40mm	100
7. 3787R/07	Bright Gunmetal Eyelets	40mm	100
8. 3787R/08	Satin Nickel Eyelets	40mm	100
9. 3787R/09	Antique Copper Eyelets	40mm	100
3. 3787R/10	Satin Brass Eyelets	40mm	100

50mm eyelets available in top quality brass.

Cat No	Description	Size	Quantity
* 1. 3799R/01	Antique Brass Eyelets	50mm	50
* 4. 3799R/04	Nickel Eyelets	50mm	50
* 5. 3799R/05	Chrome Eyelets	50mm	50
* 8. 3799R/08	Satin Nickel Eyelets	50mm	50


66mm eyelets available in top quality brass.

Cat No	Description	Size	Quantity
1. 3796R/01	Antique Brass Eyelets	66mm	20
2. 3796R/02	Oxy Black Eyelets	66mm	20
3. 3796R/03	Brass Eyelets	66mm	20
4. 3796R/04	Nickel Eyelets	66mm	20
5. 3796R/05	Chrome Eyelets	66mm	20
6. 3796R/06	Antique Nickel Eyelets	66mm	20
7. 3796R/07	Bright Gunmetal Eyelets	66mm	20
8. 3796R/08	Satin Nickel Eyelets	66mm	20
9. 3796R/09	Antique Copper Eyelets	66mm	20

EYELETS



EYELET TOOLS



New Combination tool for 40mm eyelets. This new tool cuts the fabric and closes the eyelet in one action.

Cat No	Description	Quantity
1. 3792R	40mm Combination Tool	1

Cutting and Closing dies (easy change) for 66mm eyelets.

Cat No	Description	Quantity
* 2. 3794R	66mm Tools	1
* 3798R	50mm Tools	1

EYELETS



11mm eyelets which can be used to create contemporary curtain headings, for example when used in conjunction with curtain wire. Also used for fabric tiebacks. Packs contain assembly tool and full instructions.

Cat No	Description	Quantity
541370	11mm Nickel	5 packs of 15
541371	11mm Brass	5 packs of 15

Sewing Threads

	A	B	C	D
2000	•	•	•	•
1000	•	•	•	•
9503	•			
9502	•			
9511	•			
9030	•		•	
9054	•			
9052	•	•	•	
7030	•			
8054	•			
6549	•	•		
6079	•			
6578	•		•	
6479	•			
5530	•			
4054	•			
5053	•	•	•	
5055	•			
5083	•			
4082	•			
4053	•			
4578	•	•		
3082	•	•	•	
3577	•			
3551	•			
3083	•			
2530	•	•	•	
1056	•	•		
1033	•	•	•	
4000	•	•	•	

	A	B	C	D
1006	•	•	•	
2115	•	•		
4115	•	•		
3579	•			
4113	•			
5194	•			
6690	•			
4151	•			
6192	•			
6150	•			
5609	•			
6148	•			
8646	•			
9548	•			
9078	•			
9106	•		•	
9604	•	•		
9183	•	•	•	
8181	•			
4610	•	•		
7184	•			
8185	•			
9229	•			
8681	•			
8727	•	•		
8230	•	•	•	
5185	•			
8630	•			
8281	•			

	A	B	C	D
8778	•			
6231	•			
7780	•			
4643	•			
4188	•	•		
3609	•			
2574	•			
2078	•			
1054	•			
1579	•			
1084	•			
1094	•			
2116	•			
3694	•			
3693	•			
7911	•			
6349	•	•		
3193	•	•		
5289	•			
7287	•			
7288	•			
5585	•			
8783	•			
6235	•			
6685	•	•		
8233	•			
8232	•			
8644	•			
9145	•			
9108	•			

	A	B	C	D
7571	•			
7540	•			
6540	•			
7539	•			
8564	•			
8023	•			
9192	•			
7629	•			
8670	•			
6673	•			
8172	•			
8177	•			
6175	•			
6675	•			
5177	•			
4135	•			
3542	•			
2543	•			
3546	•			
2047	•			
2546	•			
2646	•			
1542	•			
1511	•			
2511	•			
2049	•			
2075	•			
3572	•	•	•	
3631	•			

Sewing Threads

	A	B	C	D
2637	•			
3678	•			
6226	•			
7725	•			
4609	•			
7226	•			
5180	•			
4569	•			
7568	•			
8637	•			
9570	•			
7138	•			
5569	•			
9571	•			
9643	•			
7091	•			
8088	•			
8620	•			
7699	•			
5616	•			
7198	•			
6197	•			
5118	•			
5202	•			
6699	•			
7297	•			
4200	•			
3200	•			
3583	•	•	•	
2555	•			

	A	B	C	D
8061	•	•		
8122	•	•		
2583	•			
1038	•			
3042	•			
3041	•			
2539	•			
1039	•			
2066	•			
3094	•			
2561	•			
5038	•			
4625	•			
4624	•			
5168	•			
4093	•			
2040	•			
3096	•			
4066	•			
4095	•	•		
4042	•	•		
6131	•			
6628	•			
6171	•			

	A	B	C	D
7171	•			
7628	•			
8132	•	•		
4628	•			
6563	•			
8097	•	•		
9068	•	•	•	
9507	•	•	•	
8017	•			
8055	•			
8057	•			
8048	•			
6085	•	•		
5152	•			
6692	•			
7037	•			
5556	•			
3556	•			
4060	•			
3059	•			
3033	•			
3035	•			
2033	•			
2015	•	•		

	A	B	C	D
2507	•			
2505	•			
2006	•			
3009	•			
3002	•	•		
5019	•			
4018	•			
4520	•			
5024	•			
6023	•			
4009	•			
4017	•			
4016	•			
6513	•			
6034	•			
6005	•			
5015	•			
6020	•			
7021	•			
5005	•	•	•	
6002	•			
7033	•			
7509	•			
8022	•			



The 221 colours are available in the following sizes (please refer to the grid on the right of each colour swatch):

- A: **DUET01** Denotes 100 metre spools available
- B: **DUET02** Denotes 200 metre spools available
- C: **DUET05** Denotes 500 metre spools available
- D: **DUET10** Denotes 1000 metre spools available

The colours shown are intended as a guide only, due to the limitations of the printing process.
Product codes shown on following page.

Sewing Threads

DUET THREAD



Coats Duet
brilliant performance

100% Polyester thread which will sew beautifully any type of fabric. The shade selection has been created specially for Hallis Hudson.

100m SPOOLS DUET01/COL

200m SPOOLS DUET02/COL

Economy length spools.

500m SPOOLS DUET05/COL

Economy length spools.

1,000m SPOOLS DUET10/COL

Longer, workroom spools, available in white and black.

'MOON' SEWING THREAD



100% spun polyester sewing thread. Ideal for synthetics and mixed-fibre fabrics. Ticket 75 – perfect for curtains. Bulk cone offers excellent economy and good sewability. Available in 5 widely used workroom shades.

Cat No	Colour	Quantity
6307/BLACK	Black	5,000yd cone (4,572m)
6307/NATURAL	Natural	5,000yd cone (4,572m)
6307/WHITE	White	5,000yd cone (4,572m)
6307/M041	Beige	5,000yd cone (4,572m)
6307/M070	Ivory	5,000yd cone (4,572m)

TRE CERCHI SEWING THREAD



A 3-Ply mercerised sewing thread made from long staple cotton. It is lustrous in appearance & produces a highly desirable result.

Cat No	Colour	Quantity
1. 7805040/1716	White	10 x 500m
2. 7805040/UNBLD	Unbleached	10 x 500m
3. 7805040/4417	Silver Sand	10 x 500m
4. 7805040/1212	Ivory	10 x 500m
5. 7805040/9750	Black	10 x 500m

INVISIBLE THREAD



100% polyamide transparent sewing thread. Not recommended for seams directly in contact with skin.

Cat No	Colour	Quantity
4524000/01006	Clear	10 x 200m
4524000/06513	Smoke	10 x 200m

Pull Cords & Weights

CORD WEIGHTS



Polished Brass Cord Weights

With white protective rubber rings.

Cat No	Description	Quantity
1. 3500R	43g (1 ¹ / ₂ oz)	1 pair
1. 3546R	43g (1 ¹ / ₂ oz)	10 loose
2. 3501R	85g (3oz)	1 pair
2. 3503R	85g (3oz)	10 loose

Chrome Cord Weights

With white protective rubber rings.

Cat No	Description	Quantity
3. 3502R	43g (1 ¹ / ₂ oz)	1 pair
3. 3548R	43g (1 ¹ / ₂ oz)	10 loose
4. 3515R	85g (3oz)	1 pair
4. 3523R	85g (3oz)	10 loose

White Cord Weights

Cat No	Description	Quantity
1530R	85g (3oz)	10 loose
5. 3530R	43g (1 ¹ / ₂ oz)	1 pair
5. 3528R	43g (1 ¹ / ₂ oz)	10 loose

Contemporary Nickel Cord Weights

Cat No	Description	Quantity
6. 3507R	25g (⁹ / ₁₀ oz)	10 loose

Contemporary Brass Cord Weights

Cat No	Description	Quantity
7. 3510R	25g (⁹ / ₁₀ oz)	10 loose

Contemporary Burnished Brass Cord Weights

Cat No	Description	Quantity
8. 3514R	25g (⁹ / ₁₀ oz)	10 loose

Contemporary Black Cord Weights

Cat No	Description	Quantity
9. 3526R	25g (⁹ / ₁₀ oz)	10 loose

Cone Cord Weights

Cat No	Description	Weight	Quantity
10. 3580R	Polished brass	25g (⁹ / ₁₀ oz)	10 loose
11. 3581R	Matte brass	25g (⁹ / ₁₀ oz)	10 loose
12. 3582R	Chrome	25g (⁹ / ₁₀ oz)	10 loose
13. 3583R	Satin nickel	25g (⁹ / ₁₀ oz)	10 loose
14. 3584R	Black	25g (⁹ / ₁₀ oz)	10 loose

Beehive Cord Weights

Cat No	Description	Weight	Quantity
15. 3585R	Polished brass	44g (1 ¹ / ₂ oz)	10 loose
16. 3586R	Burnished brass	44g (1 ¹ / ₂ oz)	10 loose
17. 3587R	Chrome	44g (1 ¹ / ₂ oz)	10 loose
18. 3588R	Satin nickel	44g (1 ¹ / ₂ oz)	10 loose
19. 3589R	Polished nickel	44g (1 ¹ / ₂ oz)	10 loose

For blind cord please see page 73

Blind Kits & Components

SPRING ROLLER BLIND KIT



Wood spring roller with self adhesive strip, universal brackets and screws, cap, end pin, lathe, tacks, acorn, knot holder and cord. Suitable for most weights of fabric for blinds.

Cat No	Width	Quantity
0900R	610mm (24")	1
0901R	900mm (35")	1
0902R	1200mm (47")	1
0903R	1500mm (59")	1
0904R	1800mm (71")	1

VALUE ROMAN BLIND KITS



Can be cut down easily with cutting jig. Fully assembled profile. Kit includes bottom bar and 6 x fibre rods. Includes chain safety device. Max weight 5kg

Cat No	Description	Width	Quantity
* 0932R/090	Value Roman Blind Kit	90cm (35")	1
* 0932R/120	Value Roman Blind Kit	120cm (47")	1
* 0932R/150	Value Roman Blind Kit	150cm (59")	1
* 0932R/180	Value Roman Blind Kit	180cm (70")	1
* 0932R/210	Value Roman Blind Kit	210cm (83")	1
* 0932R/250	Value Roman Blind Kit	250cm (98")	1

NEW

VALUE ROMAN BLIND PROFILE



Can be cut down easily with cutting jig. Fully assembled profile. Kit includes chain safety device. Max weight 5kg

Cat No	Description	Width	Quantity
* 0931R/090	Value Roman Blind Profile	90cm (35")	1
* 0931R/120	Value Roman Blind Profile	120cm (47")	1
* 0931R/150	Value Roman Blind Profile	150cm (59")	1
* 0931R/180	Value Roman Blind Profile	180cm (70")	1
* 0931R/210	Value Roman Blind Profile	210cm (83")	1
* 0931R/250	Value Roman Blind Profile	250cm (98")	1

NEW

ROMAN BLIND KITS



Specially designed components to allow a high quality Roman blind to be made. Includes batten track with touch and close tape attachment, thick cord, thin cord, screws and plugs, silver coloured cord connector, plastic cleat, plastic rings, small screw eyes, large screw eye, plastic bottom lathe, plastic bars. Full instructions on pack. Max Drop 1830mm (72")

Cat No	Width	Quantity
0942R	900mm (35")	1
0943R	1200mm (47")	1
0945R	1800mm (70")	1

ROMAN BLIND KIT - CORD OPERATED

**Specification**

- Profile - weight 180gm/m
- Profile - white
- Profile - size 23mm x 8mm
- Rods - 4mm white
- Brackets - wall and ceiling



Austrian/Roman and Festoon - Cord Operated Workroom/Contract Blind Kits. Ideal for light to medium weight applications. Apart from your fabric, everything is included.

Contents: White Aluminium profile (23mm x 8mm), Touch and Close tape, Roll Up tape, 4mm Fibreglass Rods white, Aluminium weight bar, screws and plugs for wall or ceiling fix. Complete instructions in pack.

Cat No	Description	Width	Quantity	Cat No	Description	Width	Quantity
0909R/60	Cord	60cm (23 ¹ / ₂ "	1	0909R/60/5	Cord	60cm (23 ¹ / ₂ "	5
0909R/90	Cord	90cm (35"	1	0909R/90/5	Cord	90cm (35"	5
0909R/120	Cord	120cm (47"	1	0909R/120/5	Cord	120cm (47"	5
0909R/150	Cord	150cm (59"	1	0909R/150/5	Cord	150cm (59"	5
0909R/180	Cord	180cm (70"	1	0909R/180/5	Cord	180cm (70"	5


ROMAN BLIND CORD OPERATED COMPONENTS



Cat No	Description	Size	Quantity
1. 0971R/300	Profile White	300cm	5 Lengths
1. 0971R/600	Profile White	600cm	5 Lengths



Cat No	Description	Size	Quantity
2. 0973R	Universal Bracket White	-	100
3. 0974R	Universal Bracket with Clamp	4.5cm	40
4. 0975R	Universal Bracket with Clamp	8cm	20



Cat No	Description	Size	Quantity
5. 0976R	Cord Lock	-	20
6. 0977R	Cord Guide (8 Cords)	-	50
7. 0978R	Profile End Cap	-	100



Cat No	Description	Size	Quantity
8. 0980R	Profile Jointer	-	10



Cat No	Description	Size	Quantity
9. 0988R	Adjustable Toggle	-	100

Blind Kits & Components

ROMAN BLIND KIT - CHAIN OPERATED



Specification

- Profile - weight 180gm/m
- Profile - white
- Profile - size 23mm x 8mm
- Rods - 4mm white
- Brackets - wall and ceiling



Austrian/Roman and Festoon - Chain Operated Workroom/Contract Blind Kits. Ideal for light to medium weight applications. Apart from your fabric, everything is included.


Contents: White Aluminium profile (23mm x 8mm), Touch and Close tape, Roll Up tape, 4mm Fibreglass Rods white, Aluminium weight bar, screws and plugs for wall or ceiling fix. Complete instructions in pack.

Cat No	Description	Width	Quantity	Cat No	Description	Width	Quantity
0928R/60	Chain	60cm (23 ¹ / ₂ "	1	0928R/60/5	Chain	60cm (23 ¹ / ₂ "	5
0928R/90	Chain	90cm (35"	1	0928R/90/5	Chain	90cm (35"	5
0928R/120	Chain	120cm (47"	1	0928R/120/5	Chain	120cm (47"	5
0928R/150	Chain	150cm (59"	1	0928R/150/5	Chain	150cm (59"	5
0928R/180	Chain	180cm (70"	1	0928R/180/5	Chain	180cm (70"	5

ROMAN BLIND CHAIN OPERATED COMPONENTS



Cat No	Description	Size	Quantity
1. 0971R/300	Profile White	300cm	5 Lengths
1. 0971R/600	Profile White	600cm	5 Lengths



Cat No	Description	Size	Quantity
2. 0973R	Face/Ceiling Bracket	-	100
3. 0974R	Face/Ceiling Bracket Lever Lock	4.5cm	40
4. 0975R	Face/Ceiling Bracket Lever Lock	8cm	20




Cat No	Description	Size	Quantity
5. 0962R	Standard Chain Housing	-	10
5. 0963R	Geared Chain Housing	-	10
6. 0964R	Tape Housing	-	10



Cat No	Description	Size	Quantity
7. 0967R	Movement Axis	5mm x 5mm	20



Cat No	Description	Size	Quantity
8. 0980R	Profile Jointer	-	10



Cat No	Description	Size	Quantity
9. 0969R	Metal Chain Jointer	-	100
10. 0970R	Heavy Duty Bottom Clip	-	100

ROMAN BLIND CORD OPERATED COMPONENTS




12

Cat No	Description	Size	Quantity
12.0988R	Adjustable Toggle	-	100



13

Cat No	Description	Size	Quantity
13.0965R	Endless Chain White	200cm	10
13.0966R	Endless Chain White	250cm	10



14

Cat No	Description	Size	Quantity
14.0968R/200	Metal Chain Loop	200cm	1
14.0968R/250	Metal Chain Loop	250cm	1
14.0968R/300	Metal Chain Loop	300cm	1



15

Cat No	Description	Size	Quantity
15.0989R/200	Brass Chain Loop	200cm	1
15.0989R/250	Brass Chain Loop	250cm	1
15.0989R/300	Brass Chain Loop	300cm	1

SYSTEM 2020



2020/MTM



MTM



LIGHT

Specification: Chain operated headrail system for Austrian/Roman/Festoon blinds. For light to medium applications. For full details and accessories see page 189

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

SYSTEM 2120



2120/MTM



MTM



HEAVY



8Kgs

Specification: Chain operated headrail system for Austrian/Roman/Festoon blinds. For medium to heavy weight applications (maximum 8kg). For full details and accessories see page 189

Left or right hand pull. Blinds weighing up to 8kg can be effortlessly operated.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

SYSTEM 2320 CORD OR CHAIN OPERATED HEADRAIL



2320/MTM



NEW

MTM




2.5Kgs

Specification: Chain operated Roman blind system for residential and contract applications. For full details and accessories see page 189

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Blind Kits & Components

ENCLOSED PROFESSIONAL ROMAN BLIND KITS




Enclosed Headrail kit including:

- Aluminium Housing complete with Velcro faced fastening
- Control Chain housing complete with endless chain loop and end cap
- Conical Tape rolls pre-loaded with 1.5mm cord & control rods
- Aluminium bottom bar
- Everything included apart from fabric

Cat No	Description	Width	Quantity
0929R/090	Blind Kit	90cm (35")	1
0929R/120	Blind Kit	120cm (47")	1
0929R/150	Blind Kit	150cm (59")	1
0929R/180	Blind Kit	180cm (70")	1
0929R/210	Blind Kit	210cm (83")	1

ENCLOSED PROFESSIONAL ROMAN BLIND COMPONENTS



Rolls ROMAN BLIND HEADER RAIL

Cat No	Description	Size	Quantity
0930R/060	Professional Profile	60cm	1
0930R/090	Professional Profile	90cm	1
0930R/120	Professional Profile	120cm	1
0930R/150	Professional Profile	150cm	1
0930R/180	Professional Profile	180cm	1
0930R/210	Professional Profile	210cm	1
0930R/250	Professional Profile	250cm	1



Cat No	Description	Size	Quantity
2. 0982R/580	Enclosed Profile	580cm	4



Cat No	Description	Quantity
3. 0984R	Enclosed Standard Chain Housing 1:1 incl. end cap	10



Cat No	Description	Quantity
4. 0985R	Enclosed Geared Chain Housing 1:4 incl. end cap	10

ENCLOSED PROFESSIONAL ROMAN BLIND COMPONENTS



Cat No	Description	Quantity
5. 0986R	Pre-loaded cord spool incl. 2.6m drop of 1.5mm cord	20




Cat No	Description	Quantity
6. 0987R	Brass Retaining Ring (1 needed per track)	50
7. 0983R	Face/Ceiling Enclosed Profile Bracket	50



Cat No	Description	Size	Quantity
8. 0967R	Movement Axis/Control Rods	5mm x 5m	20



Cat No	Description	Quantity
9. 0988R	Adjustable Toggle	100



Cat No	Description	Size	Quantity
10. 0965R	Endless Chain White	200cm	10
10. 0966R	Endless Chain White	250cm	10



Cat No	Description	Size	Quantity
11. 0968R/200	Metal Chain Loop	200cm	1
11. 0968R/250	Metal Chain Loop	250cm	1
11. 0968R/300	Metal Chain Loop	300cm	1



Cat No	Description	Size	Quantity
12. 0989R/200	Brass Chain Loop	200cm	1
12. 0989R/250	Brass Chain Loop	250cm	1
12. 0989R/300	Brass Chain Loop	300cm	1

SYSTEM 2330 CHAIN OPERATED (1:4 GEARED) ROMAN BLIND SYSTEM



2330/MTM



NEW

MTM



4.5Kgs

Specification: Chain operated (1:4 geared) roman blind system for residential and contract applications. Extremely smooth and easy operation even in large dimensions. Left or right hand operation. The weight of the blind including the bottom weight and cross rods (if hard fold) should not exceed 4.5kg. Easy ceiling or wall fix to all surfaces. Side guide option available. Plastic or steel operating chain options available. Easy cleaning / maintenance through new cord release mechanism. Chain drop 1.5m. Maximum width 3m. Maximum drop 3m.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Fittings:	Description	Quantity
Cat No		
2343	Universal Bracket	1 pack of 1
2616	Top Fix Bracket	1 pack of 1

SYSTEM 2350 ELECTRICALLY OPERATED SYSTEM



2350/MTM



NEW

MTM



15Kgs

Specification: Electrically operated Roman blind system for residential and contract applications. A revolutionary cord release mechanism combined with velcro tape fixing makes maintenance and cleaning of fabric very easy. Maximum dimensions are 6 m for the width, and 6 m for the height. The weight of the blind including the bottom weight and cross rods (if hard fold) can go up to 15 kg. Easy ceiling or wall fix to all surfaces. Motor concealed in headbox. Can be operated by fixed switch or Silent Gliss radio control system 9940/0450. Wiring diagram available.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Blind Accessories

ROMAN BLIND RODS



Cat No	Description	Size	Quantity
1. 2246R/300	Fibreglass	4mm x 3m	20 lengths x 3m
1. 2246R/300/100	Fibreglass	4mm x 3m	100 lengths x 3m
2. 2275R/300	Translucent	4mm x 3m	20 lengths x 3m
2. 2275R/300/100	Translucent	4mm x 3m	100 lengths x 3m




Cat No	Description	Size	Quantity
3. 3021304	White PVC	4mm x 122cm	1 pack of 4
3021305	Translucent PVC	4mm x 122cm	1 pack of 4



Cat No	Description	Size	Quantity
4. 0979R/300	Aluminium Bottom Bar	300cm	5 Lengths
4. 0979R/600	Aluminium Bottom Bar	600cm	5 Lengths
5. 0972R/300	Translucent Bottom Bar	300cm	5 Lengths

ACORNS



Cat No	Description	Quantity
1. 3901R	Premium Varnished Boxwood	25
1. 3903R	Premium Varnished Boxwood	100
2. 3916R	Electro Brassed	1
2. 3905R	Electro Brassed	10 Boxed
3. 3917R	White Enamelled	1
3. 3906R	White Enamelled	10 Boxed
4. 3904R	White Plastic	100
5. 3908R	Nickel Finish	10 Boxed



Provide a neat appearance to the ends of Austrian, Festoon and Roman blind cords.

Cat No	Description	Quantity
6. 3021251	Wood	40

ACCESSORIES



Cat No	Description	Quantity
1. 3918R	Electro-Brassed Cord Connectors	50
1. 3924R	Electro-Brassed Cord Connectors	10 Boxed
2. 3919R	White Enamelled Cord Connectors	50
2. 3925R	White Enamelled Cord Connectors	10 Boxed
3. 3926R	Nickel Cord Connectors	50
3. 3927R	Nickel Cord Connectors	10 Boxed
4. 3923R	Porcelain cord guide	50
4. 3929R	Porcelain cord guide	10 Boxed

FABRIFIX



FABRIDIP



- | | |
|---|--------------------|
| 1. 0910R Fabrifix | Quantity 12 |
| A 500ml. trigger spray containing a unique solution which stiffens most fabrics making them suitable to create your roller, Roman or roll up blind. The fabric will be easy to cut and resistant to fraying. Each sprayer contains sufficient solution to treat 25 square feet of fabric (dependent upon thickness and absorbency). For natural fabrics only. If Scotchguard or flame proofed will not allow the product to soak in to stiffen. | |
| 2. 0940R Fabridip | Quantity 12 |
| For natural fabrics only. If Scotchguard or flame proofed will not allow the product to soak in to stiffen. | |

VINE EYES



Vine Eyes

Vine Eyes can be used as cord guides with Austrian, Festoon and Roman blinds, or as cord guides for curtain tracks fitted to a top board and with external cording systems.

Cat No	Description	Size	Quantity
1. 3736R	Brass Plated	37mm (1 ³ / ₁₆ "	100
2. 3738R	Brass Plated	60mm (2 ¹ / ₂ "	100



Screw Eyes

Screw into underside of batten to guide vertical cords of Austrian/Festoon/Roman blinds.

Cat No	Description	Size	Quantity
3. 3021250	Brass	37mm (1 ¹ / ₂ "	100

AUSTRIAN, FESTOON AND ROMAN BLIND CORD

**Austrian, Festoon and Roman Blind Cord - Nylon**

Heat-treated blind cord to prevent unravelling. Use in conjunction with Austrian, Festoon and Roman blind tapes - see pages 34 and 35. Minimum stretch.

Cat No	Description	Quantity
1. 3937R	1mm 100% Nylon (not plaited)	400m spool

Austrian, Festoon and Roman Blind Cord

Use in conjunction with Austrian, Festoon and Roman blind tapes - see pages 34 and 35. Minimum stretch.

Cat No	Description	Quantity
2. 0176R	1mm 100% Polyester	200m spool
3938R	1mm 100% Polyester Beige	200m spool
* 3939R	1.3mm 100% Polyester Beige	200m spool

**Austrian Blind Cord**

Heat-treated blind cord to prevent unravelling. Use with Rufflette Austrian blind tape - see page 35.

Cat No	Description	Quantity
3040010	1mm 100% Nylon	400m carton

CORD TIDIES



Cat No	Description	Quantity
3934R	Cord Tidies	100



Holds unsightly curtain tape cords neatly out of view when pleated but releases them quickly for cleaning.

Cat No	Description	Quantity
3021247	Cord Tidies	6 packs of 4
3021246	Cord Tidies	Box of 5,000

PLAITED NYLON CORD



For cording tracks. Very strong, minimum stretch.

Cat No	Colour	Size	Diameter	Breaking Strain	Quantity
3421R/1	White	2	2mm (1/10")	90 kg	100m
3422R/1	White	3	2.5mm (7/64")	130 kg	100m
3431R	White	3	2.5mm (7/64")	130 kg	500m
3423R	White	4	3mm (1/8")	160 kg	100m
3432R	White	4	3mm (1/8")	160 kg	500m
3425R	White	6	4mm (1/6")	225 kg	100m


SAFETY CLIPS



Cat No	Description	Quantity
1. 0933R	Safety Clip	10




Cat No	Description	Quantity
2. SBCCRK.ND	Safety Clip	1
2. SBCCRK100.ND	Safety Clip	100



Cat No	Description	Quantity
3. 0998	Safety Clip	1

Curtain and Blind Rings

HOLLOW BRASS RINGS



Cat No	Size No	Inside Diameter	Outside Diameter	Quantity
1. 3697R	508	9.5mm (3/8")	13mm (1/2")	200
1. 3698R	508	9.5mm (3/8")	13mm (1/2")	1000
2. 3685R	510	11mm (7/16")	16mm (5/8")	200
2. 3701R	510	11mm (7/16")	16mm (5/8")	1000
3. 3699R	512	15.5mm (5/8")	19mm (3/4")	200
3. 3700R	512	15.5mm (5/8")	19mm (3/4")	1000
4. 3687R	514	17mm (11/16")	22mm (7/8")	200
4. 3703R	514	17mm (11/16")	22mm (7/8")	1000
5. 3688R	516	20mm (3/4")	25mm (1")	200
5. 3704R	516	20mm (3/4")	25mm (1")	1000
6. 3690R	520	27mm (1 1/8")	32mm (1 3/4")	200
6. 3707R	520	27mm (1 1/8")	32mm (1 3/4")	1000

SPLIT RINGS



Medium		Description	Size	Quantity
Cat No		Brass Plated	19mm (R23)	400
3021192		Brass Plated	19mm (R23)	6 display packs of 10
3021196		Brass Plated	19mm (R23)	

'D' RINGS



Cat No	Description	Diameter	Quantity
1. 3686R	Brass Plated	30mm (1 1/4")	200
1. 3684R	Brass Plated	30mm (1 1/4")	1000
2. 3553R	Nickel/Chrome	25mm (1")	200
2. 3554R	Nickel/Chrome	25mm (1")	5 x 200
3. 3555R	Brass Plated	25mm (1")	200
3. 3556R	Brass Plated	25mm (1")	1000



Cat No	Description	Size	Quantity
3021182	Brass Plated	25mm (1")	300

BLIND RINGS



Austrian/Festoon Blind Rings

Sewn at intervals to Rufflette Dainty Tape, allows blind cord to be threaded through to lower and raise festoon blinds. Also for Italian string curtains/swags.

Cat No	Description	Inside Diameter	Quantity
3021184	White Plastic	10mm	1000
3021191	White Plastic	10mm	6 display packs of 50

