

PVC Contract Tracks

SOLOGLYDE



Specification: Track only. Easily trimmed to size or joined for longer lengths. Can be corded on straight runs.

Fittings Wall and ceiling fix. Depth of track: 29mm. Recommended make-up for Sologlyde track:

- 12 gliders per metre.
- 1 fixing bracket every 30cm.
- 2 end stops.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Cat No	Size (cm)
WS101W0300T	300
WS101W0375T	375
WS101W0500T	500
WS101W3000R	3000



Cat No	Description	Quantity
1. WS182WCL	Glider	1 pack of 250
2. WS210WCB	Leverlock Bracket with Lever-top and Face Fixing	1 pack of 100
3. WS290WCB	Leverlock End Stop with Lever	1 pack of 100



4. Fitting Sets	For tracks up to	End stops	Brackets & screws	Gliders
WS102W0300C	300cm	2	11	38
WS102W0375C	375cm	2	13	46
WS102W0500C	500cm	2	17	62

See page 169 for track accessories

In-house bending service ...
when attention to detail
really matters



PREMIER UNCORDED & CORDED




PCT00/Size




Specification: White plastic track only.
Roller gliders aid the smooth, quiet travel of curtains.
Wall and ceiling fix. Depth of track: 28mm.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 10

Cat No **Size (cm)**
PCT00/300 300
PCT00/500 500




Cat No	Description	Quantity
1. PCA00001	Roller Gliders	1 pack of 500
2. PCA00002	Base Brackets	1 pack of 500
3. PCA00003	Mounting Brackets	1 pack of 500
4. PCA00004	Masterslides	1 pack of 40
5. PCA00005	Overlap Arms	1 pack of 40
6. PCA00006	End Stops	1 pack of 50 pairs



Cat No	Description	Quantity
7. PCA00007	Pulley Sets	1 pack of 20 sets
8. PCA00008	Insert Pulleys	1 pack of 50 pairs
9. PCA00009	Splice Bracket & Cover	1 pack of 20 pairs
10. 20085	White Cord Tension Pulley	1 pack of 20

See page 168 for track accessories

DELUXE



Specification: Track only. Easily trimmed to size. Can be corded for straight runs.
Wall and ceiling fix. Depth of track: 28mm.

Fittings: Recommended make-up for Deluxe Track:
12 gliders per metre.
1 fixing bracket every 0.45m.
2 end stops.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Cat No **Size (cm)**
WD101W0300T 300
WD101W0375T 375
WD101W0500T 500



Cat No	Description	Quantity
1. WD182WCA	Glider	1 pack of 500
2. WD315WCB	Leverlock Bracket with Lever-Top and Face Fixing	1 pack of 100
3. WD290WCB	End Stop	1 pack of 100




4. Fitting Sets					
Cat No	For tracks up to	End stops	Brackets & screws	Gliders	Quantity
WD102W0300C	300cm	2	7	36	1 Box
WD102W0375C	375cm	2	9	44	1 Box
WD102W0500C	500cm	2	12	60	1 Box

See page 169 for track accessories

PVC Contract Tracks

NYLONGLYDE



Specification: Track only. Easily trimmed to size or joined for longer lengths. Can be corded.

Fittings: Wall and ceiling fix. Depth of track: 15mm.
Recommended make-up for Nylonglyde track:
12 gliders per metre.
1 fixing bracket every 30cm.
2 end stops.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Cat No
WN101W0300T 300 (Rail Only)
WN101W0375T 375 (Rail Only)
WN101W0500T 500 (Rail Only)



Cat No	Description	Quantity
1. WN182WCA	Glider	1 pack of 500
2. WN210WCB	Bracket – Top and Face Fixing	1 pack of 100
3. WN290WCB	End Stop	1 pack of 100




4. Fitting Sets	Cat No	For tracks up to	End stops	Brackets & screws	Gliders
	WN102W0300C	300cm	2	13	44
	WN102W0375C	375cm	2	13	44
	WN102W0500C	500cm	2	17	60

See page 169 for track accessories

FURNIGLYDE



WF101W0500T



Specification: PVC track suited for use in awkward and discreet applications. For use with lightweight curtains and nets up to 6.8kgs. Wall or ceiling fix without the use of brackets. Can be trimmed to size and bent for bay windows face fixing only. Gliders will need to be used if installing Furniglyde into a bay window.

Packing: Jetran
Quantity: 1 pack of 1

Cat No
WF101W0500T 500 (Rail Only)

Cat No	Description	Quantity
WF208WCA	White Swivel Glider	1 box of 500
WF206WCA	White Button Hook	1 box of 500
WF208NCA	Brown Swivel Glider	1 box of 500
WF290WCB	White End Stop & Screw Eye	1 box of 100
WF103WCB	White Plastic Sliders	1 box of 100

SUPERGLIDE



Specification: Siliconised aluminium track only. Can be corded.
Not recommended for reverse bends.
Top or face fix. Depth of track: 27mm.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1


Cat No	Colour	Size (cm)
1505R	White	500
1510R	Gold	500
1515R	Silver	500

**Fitting Sets**

Cat No	For tracks up to	End stops	Brackets & screws	Gliders	Runners	Quantity
1. 1520R	500cm	2 pairs	12	–	60	1 pack of 1 set
2. 1525R	500cm	2 pairs	12	60	–	1 pack of 1 set

**3. Brackets**

Cat No	Description	Quantity
1531R	Prepacked, with Screws	10 packs of 2
1541R	Loose, with Screws	1 pack of 50
1551R	Loose, without Screws	1 pack of 500

**Runners and Gliders**

Cat No	Description	Quantity
4. 1542R	Loose Wheeled Runner	1 pack of 100
5. 1534R	Glider – Prepacked	10 packs of 10
1532R	Glider – Loose	1 pack of 100
1552R	Glider – Bulk	1 pack of 1000
6. 1536R	Master Gliders/Overlap Set	1 pack of 1 pair

**Endcaps and bridge**

Cat No	Description	Quantity
7. 1540R	Endcaps – Loose	1 pack of 50
8. 1528R	Bridge	1 pack of 1

**Joint Cover**


Cat No	Description	Quantity
9. 1524R	White	1 pack of 10
10. 1547R	Silver	1 pack of 10
11. 1548R	Gold	1 pack of 10

**Cording Sets**

Cat No	Description	Quantity
12. 1545R	Cording Set with Weights Includes Pulleys (1 pair), Mastergliders and Overlap Set, Cord Weights (2), Cord Separator (1), Cord (20m)	1 pack of 1 set
13. 1546R	Endless Cording Set Includes Pulleys (1 pair), Mastergliders and Overlap Set, Cord Compensator (1), Cord (20m)	1 pack of 1 set

**Cord and Cord Control**

Cat No	Description	Quantity
1. 1530R	Cord Weight	1 pack of 10
2. 1527R	End Pulleys	1 pack of 1 pair
3. 1526R	Centre Pulley	1 pack of 1
4. 1529R	Cord Compensator	1 pack of 1

**Extension Brackets**

In white coated steel. All sizes are drilled at intervals to allow for multi-layered applications.

Cat No	Description	Quantity
5. 1555R	75mm Projection Includes Screws (2), Wallplugs (2), Nut (1) and Bolt (1) Per Bracket	1 pack of 5 pairs
6. 1556R	115mm Projection (extra hole 38mm from wall) Includes Screws (2), Wallplugs (2), Nuts (2) and Bolts (2) Per Bracket	1 pack of 5 pairs
7. 1557R	150mm Projection (extra hole 38mm from wall) Includes Screws (2), Wallplugs (2), Nuts (3) and Bolts (3) Per Bracket	1 pack of 5 pairs
8. 1558R	225mm Projection (extra hole 38mm from wall) Includes Screws (2), Wallplugs (2), Nuts (3) and Bolts (3) Per Bracket	1 pack of 5 pairs
9. 0815R	Valance Extension Clip	10 packs of 2

Runners and Gliders made of nylon for strength and smooth movement. Wheeled runner has an aluminium axle for durability, and is recommended for use on corded Superglide.

Metal Contract Tracks

MSL LUBRICANT




A multi purpose lubricant ideal for improving the efficiency of all tracks especially where glides are used, and for hundreds of other lubricating jobs. Ideal for both new and existing installations.

Cat No	Description	Quantity
1. 3447R	Domestic Sprayers 200ml	1 pack of 12
2. 3446R	Commercial Sprayers 400ml	1 pack of 1

REGULAR



integra




Specification: White steel track only. Can be corded.
Face or top fix. Depth of track: 19mm.

Packing: Packed to ensure safe transit.

Quantity: 1 pack of 1

Cat No	Size (cm)
05121/8	244
05121/12	366
05121/16	488
05121/MTM	MTM




Cat No	Description	Quantity
1. 05011	Cord Weights	1 pack of 1 pair
2. 05076	End Pulleys	1 pack of 1 pair
3. 05077	Ball Bearing End Pulleys	1 pack of 1 pair
4. 20085	White Cord Tension Pulley	1 pack of 20
5. 05275	Ball Bearing Insert Pulley	1 pack of 1
6. 05278	Lock Slide	1 pack of 1



Cat No	Description	Quantity
7. 05280/1	Cord	1 pack of 100m
05280/5	Cord	1 pack of 500m
8. 05013	Curved Master slides	1 pack of 1 pair
05014/MET	Straight Metal Master Slides	1 pack of 1 pair
9. 05029	Support Stirrup	1 pack of 1
10. 07095	Valance Hooks	1 pack of 500
11. 20083	Plain Slide	1 pack of 500



Cat No	Description	Quantity
12. 05017	Ceiling Support	1 pack of 1
13. 05080	Support 3.75–6.25cm	1 pack of 1
05046	Support 6.25–8.75cm	1 pack of 1
14. 05273	1 Slot Support 3.75–6.25cm	1 pack of 1



Cat No	Description	Quantity
15. 05078	End Brackets 3.75–6.25cm	1 pack of 1 pair
16. 05079	End Brackets 6.25–8.75cm	1 pack of 1 pair
17. 05234	Double Rod Brackets	1 pack of 1 pair
18. 05235	Double Rod Support 12.5cm Projection	1 pack of 1
05035	Pendulum Slide	1 pack of 100
19. 05283	Splice	1 pack of 1

Cat No	Description	Quantity
05286	Rail Bending Set – Steel Bending Arch (1), Spring Steel Filler (1), Nylon Filler (2), Hook (1), Instruction Leaflet (1)	1 pack of 1
05288	Cutter for Regular Rail	1 pack of 1
05217	Fillers Set – Nylon Strip (2), Steel Strip (1)	1 pack of 1
05302	Extension Plate	1 pack of 1
20085	White Cord Tension Pulley	1 pack of 20

DOUBLE DUTY



05172/16

MTM




Specification: Pre-notched white steel rail only. Can be corded. Can be bent using rail bending set.
Face or top fix. Depth of track: 25mm.
Also available un-notched **05171/16** for straight runs.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1


Size (cm) 488




Cat No	Description	Quantity
1. 05281/1	Cord	1 pack of 100m
05281/10	Cord	1 pack of 1000m



Cat No	Description	Quantity
2. 20085	White Cord Tension Pulley	1 pack of 20
3. 05161	Ball Bearing End Pulley	1 pack of 1 pair
4. 05011	Cord Weight	1 pack of 1 pair
5. 05276	Ball Bearing Insert Pulley	1 pack of 1



Cat No	Description	Quantity
6. 05013	Curved Master Slides	1 pack of 1 pair
7. 05051	Pendulum Slides	1 pack of 500
8. 20083	Plain Slides	1 pack of 500
9. 05279	Lock Slides	1 pack of 1



Cat No	Description	Quantity
10. 05162	End Brackets 3.75–6.25cm	1 pack of 1 pair
11. 05163	End Brackets 6.25–8.75cm	1 pack of 1 pair
12. 05164	Support 3.75–6.25cm	1 pack of 1
13. 05165	Support 6.25–8.75cm	1 pack of 1
14. 05271	1-Slot Support 3.75–6.25cm	1 pack of 1
15. 05183	Double Rod End Brackets 12.7cm Projection	1 pack of 1 pair
16. 05222	Double Rod Support 12.7cm Projection	1 pack of 1
17. 05224	Splice	1 pack of 1

Cat No	Description	Quantity
05287	Rail Bending Set – Steel Bending Arch (1), Spring Steel Filler (3), Nylon Filler (1), Hook (1) Instruction Leaflet (1)	1 pack of 1
05289	Rod notcher for Double Duty	1 pack of 1
05292	Steel Tension Pulley	1 pack of 1
05218	Filler Set – Nylon Strip (2), Steel Strip (2)	1 pack of 1
05014/MET	Straight Metal Master Slides	1 pack of 2
05293	Intermediate Support Cover	1 pack of 500
05302	Extension Plate	1 pack of 1

DISCREET FACE FIX




Specification: White aluminium rail.
Ready assembled lengths.


Cat No	Description	Size (cm)	Quantity
07073/4	Discreet Face Fix Rail 1.3m	130cm	1 pack of 1
07073/6	Discreet Face Fix Rail 1.9m	190cm	1 pack of 1
07073/8	Discreet Face Fix Rail 2.5m	250cm	1 pack of 1
07073/10	Discreet Face Fix Rail 3.1m	310cm	1 pack of 1
05062	Lubri-Slide		1 pack of 500
05063	End Stops		1 pack of 100

Metal Contract Tracks

DISCREET TOP FIX



integra




Specification:	Cat No	Description	Size (cm)	Quantity
White aluminium rail. Ready assembled lengths.	07074/4	Discreet Face Fix Rail 1.3m	130cm	1 pack of 1
	07074/6	Discreet Face Fix Rail 1.9m	190cm	1 pack of 1
	07074/8	Discreet Face Fix Rail 2.5m	250cm	1 pack of 1
	07074/10	Discreet Face Fix Rail 3.1m	310cm	1 pack of 1
	05062	Lubri-Slide		1 pack of 500
	05063	End Stops		1 pack of 100

ALUGLIDE



integra




Specification:	Packing:	Quantity:	Cat No	Size (cm)
Aluminium rail only with White finish. Bendable by hand, ideal for bay windows and tight bends.Face or top fix. Depth of track 30mm. Can be bent easily by hand. Track is suitable for contract fitting. Can be reverse bent.	Packed to Ensure Safe Transit.		AGC00366	366
			AGC00488	488

Accessories:	Cat No	Description	Quantity
	AGC00001	Brackets	1 pack of 100
	AGC00003	End Stop	1 pack of 100
	AGC00004	Extension Brackets	1 pack of 10
	AGC00005	End Cap	1 pack of 100
	07085	Gliders	1 box of 1000

SUPREME GLIDE




WA975W0500T



Specification:	Packing:	Quantity:	Cat No	Size (cm)
Durable aluminium uncorded track. Quick release lever lock brackets. Can be bent into bay windows. Can be trimmed to size.	Jetran		WA975W0500T	500 (Rail Only)
		1 pack of 1		

Accessories:	Cat No	Description	Quantity
	WL190WCB	Endstops (Bulk)	1 box of 50
	WL182WCA	Roller Gliders	1 pack of 500
	WD315WCB	Leverlock Bracket	1 pack of 100

ULTRAGLIDE CONTRACT




Specification: Pre-corded, telescopic, white painted rolled steel track. Ball bearing pulley sets and silicon enriched on/off gliders. As packed, top fix only (longer lengths need accessory **05190**). To face fix requires accessories **05188** and **05189**.
Depth of track: 26mm.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 10
Fittings:

Cat No	Size (cm)
ULC00076	76 - 122
ULC00122	122 - 218
ULC00168	168 - 305
ULC00218	218 - 381



Cat No	Description	Quantity
05188	End Brackets	1 pack of 1 pair
05189	Support	1 pack of 1
05190	Ceiling Support	1 pack of 1
20083	Plain Slides	1 pack of 500
20085	White Cord Tension Pulley	1 pack of 20
05293	Intermediate Support Cover	1 pack of 50

SYSTEM 1011



1011/MTM



Specification: Hand operated 8mm discreet track for recessing. Standard colour satin silver, aluminium, others special order. Profile available in 6m lengths. For fitting and recessing in wood only. Quick fitting tool with 7550 centre tool and 3019 (12mm) / 3025 (18mm) screws

Packing: Protective shipping packaging
Quantity: 1 pack of 1
Size (cm): Any length up to 600. Spliced for 600+



Cat No	Description	Quantity
1. 3533/100	Gliders	1 pack of 100
3534	Gliders in Strip Form	1 Box of 1000
2. 3016/100	Endstop	1 pack of 100
3. 3032	Spring stop	1 pack of 10

SYSTEM 1012



1012/MTM



Specification: Hand operated ceiling fix 12mm track. Standard colours silver and bronze, others special order. Profile available in 6m lengths. Fits to wood and concrete. When fitting to concrete special support requires (**3112**).

Packing: Protective shipping packaging
Quantity: 1 pack of 1
Size (cm): Any length up to 600. Spliced for 600+



Cat No	Description	Quantity
1. 3533/100	Gliders	1 pack of 100
3534	Gliders in Strip Form	1 Box of 1,000
2. 3016/100	Endstop	1 pack of 100
3. 3032	Spring Stop	1 pack of 10
4. 3112	Concrete Fixing Clamp	1 pack of 100

Metal Contract Tracks

SYSTEM 6021 SAFETY CURTAIN TRACK



6021



Specification: White wall fix safety curtain track. Discreet hand drawn for contract applications. No gap between profile and wall. 6021 profile is not pre-drilled. Blue glider supplied for leading edge of curtain designed to separate at a heavier weight (8-10kg) as more pressure is applied here when curtains are operated

Packing: Protective shipping packaging
Quantity: Bulk only
Size (cm): Any length up to 6m

SYSTEM 6290 SAFETY CURTAIN TRACK



6290



Specification: White ceiling fix safety curtain track. Discreet hand drawn for contract applications. No gap between profile and ceiling. Profile is not pre-drilled. Profile fixed using self drilling screws. Blue glider supplied for leading edge of curtain designed to separate at a heavier weight (8-10kg) as more pressure is applied here when curtains are operated

Packing: Protective shipping packaging
Quantity: Bulk only
Size (cm): Any length up to 6m



Wave™ Cat No: 6349

The curtain heading system from Silent Gliss. Available in 50m rolls.

The curtain system Wave® Standard comprises of four basic elements:

Glider Cords (60mm & 80mm), Curtain Heading Tape, Iron on Hemming Tape and Curtain Hooks

How Wave® Works

A specially designed glider cord is contained within the curtain track. This limits the extension of the curtain fabric, creating a smooth and continuous wave effect. When opened, the system enables the curtains to stack back neatly and straight.

The fullness and wave depth of the curtain depends on the selected glider cord and the applied spacing between the curtain hooks. The stack depth varies between 8cm and 14cm.

Enhanced Wave®

There are parts available which can further enhance the look of Wave® when using the 80mm glider cord. The key part of this enhanced system is an extension arm which ensures the first and last waves of each curtain are the same size and shape as the others (rather than slightly smaller). Other parts include an adjustable brake (hand operated systems only) to prevent the curtain 'creeping' closed.

When buying the system complete with curtains, they come with additional fabric side weights to give a precise and controlled finish to the base of the curtain.

Wave® Standard is available with the following Silent Gliss curtain track systems:

Hand drawn curtain tracks:

3840, 6130 and 6100


Cord operated curtain tracks:

3840 and 6120

Motorised curtain track systems:

5300 and 5400

SYSTEM 1021



1021/Size

3
DAYS

MTM



Specification: Hand operated aluminium track only.
Supplied in satin silver, white, bronze or gold.
Wall fix. Mounting to wood. Depth of track: 15mm.

Packing: Packed to ensure safe transit.

Quantity: 1 pack of 1

Size (cm) From 125 to 600 in 25cm increments.

Standard profile lengths also available

Silver 125cm - 600cm lengths

White 125cm - 600cm lengths


Bronze 125cm - 600cm lengths

Gold 125cm - 600cm lengths



Cat No	Description	Quantity
1. 3533/100	Gliders	1 pack of 100
2. 3016/1	Endstop	1 pack of 1
3016/100	Endstop	1 pack of 100
3. 3571/100	Hooks	1 pack of 100
4. 3570/10	Rotating Glider	1 pack of 10
3570/100	Rotating Glider	1 pack of 100
5. 3032	Spring Stop	1 pack of 10
6. 3070/1	Twist Eye End Stop	1 pack of 1
6835A	Special Round Head Screw 12mm No 4	1 pack of 100
3534	Gliders in strip form	1 Box of 1000

SYSTEM 1025



1025/Size

3
DAYS

MTM



Specification: Ceiling Fix aluminium track only.
Supplied in satin silver, white, bronze or gold.
Top fix. Depth of track: 14mm.

Packing: Packed to ensure safe transit.

Quantity: 1 pack of 1

Size (cm) From 125 to 600 in 25cm increments.

Standard profile lengths also available

Silver 125cm - 600cm lengths

White 125cm - 600cm lengths

Bronze 125cm - 600cm lengths

Gold 125cm - 600cm lengths



Cat No	Description	Quantity
1. 3533/100	Gliders	1 pack of 100
2. 3016/1	Endstop	1 pack of 1
3016/100	Endstop	1 pack of 100
3. 3571/100	Hooks	1 pack of 100
4. 3570/10	Rotating Glider	1 pack of 10
3570/100	Rotating Glider	1 pack of 100
5. 3032	Spring Stop	1 pack of 10
6. 3070/1	Twist Eye End Stop	1 pack of 1
6835A	Special Round Head Screw 12mm No 4	1 pack of 100
3534	Gliders in strip form	1 pack of 1000

Metal Contract Tracks

SYSTEM 1200

WHITE



BLACK



SILVER



GUNMETAL



BRUSHED ALUMINIUM



ANTHRACITE



CHROME EFFECT

1200/Colour/Size/MTM



3
DAYS

MTM



MEDIUM

Specification: Hand operated aluminium curtain track. Outstanding gliding properties as glider moves on profile edge, minimizing friction. The eye of the glider is thrown forward to avoid friction with curtain heading yet remains in perfect balance. The quick-clip gliders 3933 can be easily added or removed without taking track down or apart. Gliders can be easily added or removed without removing the track or taking it apart. Wall or ceiling fix. Optional magnetic gliders are available for pair stack curtains.

Packing: Clear polythene sleeve containing all fittings and full instructions.

Quantity: 1 pack of 1


Colour

White	From 125 to 600 in 25cm increments.
Black	From 125 to 600 in 25cm increments.
Gunmetal	From 125 to 600 in 25cm increments.
Anthracite	From 125 to 600 in 25cm increments.
Silver	From 125 to 600 in 25cm increments.
Brushed Aluminium	From 125 to 400 in 25cm increments.
Chrome Effect	From 125 to 400 in 25cm increments.

Standard profile lengths also available

White only 500cm and 600cm lengths

Cat No	Size (cm)
1200/MTM	125-600cm
1200WRO/500	500cm
1200WRO/600	600cm



Cat No	Description	Quantity
1. 3933	Gliders	1 pack of 1000
2. 3986	End Cover	1 pack of 100
3. 3175	Universal Bracket	1 pack of 100
4. 3947/1	Magnetic Glider	1 pack of 2
5. 3176/100	Top Fix Bracket	1 pack of 100

SYSTEM 1225



1225/Size



3
DAYS

MTM



MEDIUM

Specification: Hand operated aluminium curtain track. Gliders can be easily added or removed without removing the track or taking it apart. Ceiling fix. Outstanding gliding properties as glider moves on profile edge, minimizing friction. The eye of the glider is thrown forward to avoid friction with curtain heading yet remains in perfect balance. The quick-clip gliders 3933 can be easily added or removed without taking track down or apart.

Packing: Clear polythene sleeve containing all fittings and full instructions.

Quantity: 1 pack of 1

Size (cm) From 125 to 600 in 25cm increments.

Standard profile lengths also available

White only 125cm - 600cm lengths

Cat No	Size (cm)
1225/MTM	125-600cm
1225/500	500cm
1225WRO/600/1	600cm (Rail Only)



Cat No	Description	Quantity
1. 3933	Gliders	1 pack of 1000
2. 3984	End Cover	1 pack of 1
3. 3947/1	Magnetic Glider	1 pack of 2

SYSTEM 1221



1221



MTM



Specification: Robust wall fix hand operated curtain track. Outstanding gliding properties as glider moves on profile edge, minimizing friction. The eye of the glider is thrown forward to avoid friction with curtain heading yet remains in perfect balance. The quick-clip gliders 3933 can be easily added or removed without taking track down or apart. Discreet direct to wall fixing to all surfaces. System 1221 is not pre-drilled to avoid impairing appearance from the room.

Packing: Packed to ensure safe transit
Quantity: 1 Pack of 1
Cat No
1221/MTM
1221/500
1221/600
Size (cm)
 Any length up to 6m Spliced for 6m+
 500cm
 600cm



Cat No	Description	Quantity
1. 3933	Gliders	1 pack of 1000
2. 3984	End Cover	1 pack of 1
3. 3947/1	Magnetic Glider	1 pack of 2

SYSTEM 1280




1280/Size



Specification: Hand operated White Powder Coated Curtain Track. Wall and ceiling fix. Patented roller gliders on rim of front channel with very little friction for smooth and easy operation. Optional overlap arms are available

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1


Cat No
1280/MTM
1280WRO/600
Size (cm)
 125-600cms
 600 (Rail Only)




Cat No	Description	Quantity
3630W/1	Universal Bracket White	1 pack of 1
3630W/10	Universal Bracket White	1 pack of 10
3630W/100	Universal Bracket White	1 pack of 100
3603/1	Top Fix Bracket White	1 pack of 1
3603/10	Top Fix Bracket White	1 pack of 10
3603/100	Top Fix Bracket White	1 pack of 100
1. 3922	Roller Gliders	1 pack of 1000
2. 3975	Overlap	1 pack of 1
3985	Endcover White	1 pack of 100
3620	Connecting Bridge	1 pack of 1
3. 3947/1	Magnetic Gliders	1 pack of 1 pair
3936A	Overlap Arm for Bent Track	1 pack of 1

Metal Contract Tracks

SYSTEM 1080



1080/Size


3
DAYS

MTM


MEDIUM


Specification: Hand operated, aluminium track. Standard colours ex-stock are silver and white. Available to order in gold, bronze, black and cream. Wall or ceiling fix. Can be supported from hanger rods. Depth of track: 23mm.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size (cm) From 125 to 600 in 25cm increments.


Cat No	Description	Size (cm)
1080WRO/500	Rail Only White	500
1080WRO/600/1	Rail Only White	600
1080ARO/500	Rail Only Silver	500
1080ARO/600/1	Rail Only Silver	600
1080BZRO/600/1	Rail Only Bronze	600
1080GDRO/600/1	Rail Only Gold	600
1080CRRO/600/1	Rail Only Cream	600
1080BLRO/600/1	Rail Only Black	600



Cat No	Description	Quantity
1. 3533/100	Glider	1 pack of 100
3533/outer	Glider	25 packs of 25
3534	Glider	1 pack of 1000
2. 3570/10	Rotating Glider	1 pack of 10
3570/100	Rotating Glider	1 pack of 100
3. 3571/100	Hooks	1 pack of 100
4. 6146/12	Nylon Hook	1 pack of 12
6146/100	Nylon Hook	1 pack of 100



Cat No	Description	Quantity
5. 3603/1	Top Fix Bracket White	1 pack of 1
3603/10	Top Fix Bracket White	1 pack of 10
3603/100	Top Fix Bracket White	1 pack of 100
6. 3630W/1	Universal Bracket White	1 pack of 1
3630W/10	Universal Bracket White	1 pack of 10
3630W/100	Universal Bracket White	1 pack of 100
7. 3660	Long Nylon Universal Bracket	1 pack of 1
8. 3626/10	Return Fixing Bracket	1 pack of 10



Cat No	Description	Quantity
9. 3016/1	Endstop	1 pack of 1
3016/100	Endstop	1 pack of 100
10. 3638	Reinforced Corner Piece for Pelnets	1 pack of 1
11. 3070/1	Twist Eye Endstop	1 pack of 1
3070/10	Twist Eye Endstop	1 pack of 10
3070/100	Twist Eye Endstop	1 pack of 100
12. 3615	Clamp/Insert for Pelmet System	1 pack of 1
13. 3620	Connecting Bridge	1 pack of 1
14. 3602	Nylon Wall Support	1 pack of 1
15. 3618	Metal Wall Support	1 pack of 1
3667/1	End Cover	1 pack of 1
3667W/10	End Cover	1 pack of 10

Metal Contract Tracks

SYSTEM 1090



1090/MTM



Specification: Hand operated aluminium track. Standard colours are Satin Silver, White and Bronze. Wall and ceiling fix. Double fixing possible for two parallel tracks using a single screw.
Depth of track: 12mm.
Bracket projection: 35mm

Packing:	Protective shipping packaging	
Quantity:	1 pack of 1	
Cat No	Description	Size (cm)
1090WRO/500	Rail Only White	MTM
1090WRO/600	Rail Only White	MTM
1090ARO/500	Rail Only Silver	MTM
1090ARO/600	Rail Only Silver	MTM
1090BZRO/600	Rail only Bronze	MTM



Cat No	Description	Quantity
1. 3533/100	Glider	1 pack of 100
3534	Glider	1 pack of 1000
2. 3570/10	Rotating Glider	1 pack of 10
3570/100	Rotating Glider	1 pack of 100
3. 3175	Universal Bracket	1 pack of 100
4. 3016/1	Endstop	1 pack of 1
3016/100	Endstop	1 pack of 100
5. 3070/1	Twist Eye Endstop	1 pack of 1
3070/10	Twist Eye Endstop	1 pack of 10
3070/100	Twist Eye Endstop	1 pack of 100
1348R	Round Head Screws	1 Box of 100
3113	Double Track Fixing Plate (5cm)	1 pack of 10
3115	Double Track Fixing Plate (7cm)	1 pack of 10

SYSTEM 3000



3000/COL/SIZE




Specification: Corded aluminium track. Can be forward and reverse bent and corded from one end for medium curtains. Enclosed cord channels ensure that the cord cannot slip out making it the perfect choice for bay windows. Can be corded from either end to increase weight carriage or where one curtain is wider than the other. Wall and ceiling fix.
Depth of track: 23mm. Bracket projection: 44mm from back of brackets to front of track. Cord drop 1500mm, right hand pull.

Packing:	Protective shipping packaging
Quantity:	1 pack of 1
Colour	Size (cm)
White	Any length up to 600cm. Spliced for 600cm +
Black	Any length up to 600cm. Spliced for 600cm +
Silver	Any length up to 600cm. Spliced for 600cm +
Bronze	Any length up to 600cm. Spliced for 600cm +
Gold	Any length up to 600cm. Spliced for 600cm +

Cat No	Description	Quantity
1. 3533/100	Glider	1 pack of 100
3534	Glider	1 pack of 1000
18R	25mm Screws	1 Box of 100
2. 3630W/1	Universal Bracket White	1 pack of 1
3630W/10	Universal Bracket White	1 pack of 10
3630W/100	Universal Bracket White	1 pack of 100
3242/1	Overlap	1 Pack of 1
3288COL	End Piece Pair	1 or 25
3090/1	Cord	100M
3. 3070/1	Twist Eye Endstop	1 pack of 1
3070/10	Twist Eye Endstop	1 pack of 10
3208	Intermediate Pulley	1 pack of 1
1105	Spacer	1 pack of 100

Standard profile lengths also available		
Cat No	Description	Size (cm)
3000ARO/500	Rail Only Silver	500
3000ARO/600/1	Rail Only Silver	600
3000BZRO/600/1	Rail Only Bronze	600
3000GDRO/600/1	Rail Only Gold	600



Metal Contract Tracks

SYSTEM 3840



3840/MTM


MTM


Specification: Purpose designed for ceiling fixing - neat, attractive track. Can be used as a room divider - same appearance from both sides. Standard length 6m. Can be joined. Can also be wall mounted. Standard cord drop 150cm, right-hand pull. Can be bent.

Packing: Protective shipping packaging

Quantity: 1 pack of 1

Size: Any length up to 6m

Suitable for use with Wave:

Cat No	Description
3840/Wave Corded/Size	Wave Corded
3840/Wave Uncorded/Size	Wave Uncorded

Wave is a contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.

For more information on Wave see page 193

Cat No
6349
6363
3826
Description

Wave Curtain Tape

Wave Hemming Tape

Top Fix Bracket

Quantity

50M

100M

1 Pack of 1

Size

Any length up to 600cm. Spliced for 600cm +

Cat No
3840W/MTM
3840W/MTM
3840W/MTM
3840W/MTM
3840W/MTM
3840/MTM
3840/MTM
3840/MTM
3840/MTM
3840/MTM
Colour

White with Wave

Black with Wave

Silver with Wave

Bronze with Wave

Gold with Wave

White

Black

Silver

Bronze

Gold

SYSTEM 3900



3900/Size


3
DAYS

MTM


Specification: Cord operated white aluminium track only. Can be corded from both ends for extra heavy curtains, or where one curtain is wider than the other. Wall or ceiling fix. Depth of track: 22.5mm.

Packing: Packed to ensure safe transit.

Quantity: 1 pack of 1

Size (cm): From 125 to 600 in 25cm increments.

Standard profile lengths also available
White only 5.00m and 6.00m lengths

Cat No
3982WRO/500
3982WRO/600/1
Description

Rail Only

Rail Only

Size (cm)

500

600


	Cat No	Description	Quantity
	1. 3090/1	Cord	1 pack of 100m
	3090A/1	Cord	1 pack of 500m
	2. 3134	Extension Bracket 2"	1 pack of 1
	3. 3135	Extension Bracket 3"	1 pack of 1
	4. 3136	Extension Bracket 4"	1 pack of 1
	5. 3137	Extension Bracket 5"	1 pack of 1
	6. 3275	Adjustable Extension Brackets 7.7-10.7cm	1 pack of 1
	7. 3276	Adjustable Extension Brackets 10-13cm	1 pack of 1
	8. 3277	Adjustable Extension Brackets 13-16cm	1 pack of 1
		9. 3936	Overlap Arm
10. 3914		Bracket for Return Profile	1 pack of 1
11. 3935		Straight Overlap Arm	1 pack of 1
	12. 3915	Endpiece Set	1 pack of 20
	13. 3922	Roller Glider	1 pack of 1000
	14. 3735	Cord Tensioner	1 pack of 1
	3916	Pilot Runner for Multi-Stack System	1 pack of 10
	15. 3929	Intermediate Pulley	1 pack of 1

Metal Contract Valance Tracks

SUPERGLIDE



1499R



Specification: Aluminium valance to complement Superglide track.
Fittings: Use the valance extension clip independently, or in conjunction with extension brackets to add Superglide Valance to existing track or pole installation.

Packing: Polysleeved.
Quantity: 1 pack of 1
Size (cm) 500



Cat No	Description	Quantity
1. 1550R	Bracket (Proj. 90mm)	1 pack of 10
2. 0811R	Return bracket and screw	1 pack of 10
3. 0812R	Hook	1 pack of 100
4. 0815R	Extension clip	10 packs of 2
5. 0814R	Valance Sleeve	1 pack of 10

VALANCE COIL



0772R



Specification: Aluminium valance coil. Fits most other makes of track.
 Easily cut to length. Also available in cut lengths in retail display packs together with fittings. See page 164.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size (cm) 3000 (30 metres)

Cat No	Description	Quantity
0770R	Valance Track 500cm	1 pack of 1
0771R	Fitting Set for 500cm	1 pack of 1 set
0785R	Valance Bracket	1 pack of 10
0766R	Valance Hooks	1 pack of 200

SYSTEM 1900



1900/Size



Specification: System allows the easy fixing of up to two hand or cord operated curtain tracks or main curtain plus Roman/Austrian/Festoon Blinds plus outer pelmet or valance on the same extension bracket. Supplied ready assembled. Pelmet/Valance affixed to front rail by Velcro.
 Pelmet system only.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size (cm) From 125 to 600 in 25cm increments.

Metal Contract Valance Tracks

VALANCE



WL301W0500T



Specification: Track only. Fits quickly and easily above most curtain tracks. Easily trimmed or curved to shape.
Fittings: Recommended make-up for valance track: 12 hooks per metre plus 6 for returns.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size (cm): 500



Cat No	Description	Quantity
1. WL380WCA	Hook	1 box of 500
2. WL311WCB	Connector for Attaching Valance to Metal Extension Arms	1 box of 100
WL111WCB	System Connectors	1 Box of 50
WL132WCN	Valance Extension Bracket and Connector	1 box of 20
WL132W0002K	Valance Extension Bracket and Connector	5 packs of 2
WL310WCM	Valance Return Clip	1 box of 50
WD132WCN	Metal Extension Bracket 100mm	1 pack of 20
WD133WCN	Metal Extension Bracket 125mm	1 box of 20
3. WN800WGY	White Valance Hooks	1 box of 1000
WN800WCF	White Valance Hooks in a Re-usable Bucket	1 bucket of 5000

PREMIER




integra



Specification: White plastic rail only. Can be mounted onto Premier track. Reverse bendable.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 10

Cat No **Size (cm)**
PCV00300 300
PCV00500 500



Cat No	Description	Quantity
1. PCA00011	Valance Bracket	1 pack of 20
2. PCA00012	Short Extension Bracket	1 pack of 20
3. PCA00013	Corners	1 pack of 100

See page 168 for track accessories



tracks

Special Effects Contract Tracks

SYSTEM 2100



2100/MTM



3
DAYS

MTM



Specification: Roman/Austrian/Festoon headrail systems. There are two basic elements in these systems - the headrail and fabric components including special tapes. The systems are neat, efficient, easy to install and versatile. Fast efficient assembly and fitting. Comprehensive range of accessories for blind make-up and hanging. Left or right hand pull options available.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size (cm) From 50cm up to 325cm

SYSTEM 2100 WITH 2101 CORD GUIDES AND CLEAT

2100/MTM



MTM



Specification: For light weight applications.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size (cm) From 50cm up to 225cm

SYSTEM 2100 WITH 2147 CORD LOCK AND 2101 CORD GUIDES

2100/MTM



MTM



Specification: For light weight applications.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size (cm) From 50cm up to 275cm

SYSTEM 2100 WITH ROLLER GUIDE 2125, EYELET 2101 AND CLEAT

2100/MTM



MTM



Specification: For light weight applications.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size (cm) From 50cm up to 325cm

SYSTEM 2100 WITH 2147 CORD LOCK AND 2125 ROLLER GUIDE

2100/MTM



MTM



Specification: For medium weight applications.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size (cm) From 50cm up to 325cm

SYSTEM 2100 WITH ROLLER GUIDES 2125 AND CLEAT 2104

2100/MTM



MTM



Specification: For medium weight applications.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size (cm) From 50cm up to 325cm

Comprising a combination of:

- 2116 Headrail profile (or 2211)
 - 2131 Endcover
 - 2104 Cleat
 - 2147 Cord Lock
 - 3630 Universal fixing brackets
 - 2125 Roller Guides
 - 2101 Ring Cord Guides (with or without 2147 cord lock) for blinds up to 2.5 kgs.
- Please note: If using 2147 cord locks, it is recommended that Silent Gliss Blind Cord (3637/100) is used.

Special Effects Contract Tracks

SYSTEM 2020



2020/MTM

3
DAYS

MTM



Specification: Chain operated headrail system for Austrian/Roman/Festoon blinds. For light to medium applications. Simple-to-operate and robust bead chain operation. Blind stops at any required height without slippage or need to lock-off. Smooth finger-touch operation. System width up to 2.5m, drop up to 3m. Max. total weight: 3Kg including any weighting. (1Kg max. for each spool). Tape spool cassette pre-loaded with drawing tape for up to 3m drop. Fast operation – 1:1 gearing. Cannot be bent. Wall or ceiling fix. Left hand or right hand operation

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Fittings:

Cat No	Description	Quantity
2006/MTM	Bottom Weight Bar	1 metre
2164	Ring tape 50m	1 pack of 1
3134	Extension Bracket 2"	1 pack of 1
3135	Extension Bracket 3"	1 pack of 1
3136	Extension Bracket 4"	1 pack of 1
3137	Extension Bracket 5"	1 pack of 1
3138	Extension Bracket 6"	1 pack of 1
3139	Extension Bracket 7"	1 pack of 1
3603/1	Top Fix Brackets	1 pack of 1
3603/10	Top Fix Brackets	1 pack of 10
3603/100	Top Fix Brackets	1 pack of 100
3660	Extra Long Nylon Bracket	1 pack of 1
3655	Universal Bracket	1 pack of 1

SYSTEM 2120



2120/MTM



MTM



Specification: Chain operated headrail system for Austrian/Roman/Festoon blinds. For medium to heavy weight applications (maximum 8kg). Delivered ready-assembled to exact size required for attaching to blind and fitting. For blinds up to 400cm in width and a drop of up to 600cm. The endless bead chain operation makes **2120** ideal for blinds which are large or inaccessible or where trailing cords are not suitable. 1:4 gearing. Multiple blinds in bay windows can be operated with a single chain by connecting each blind using 2072A universal joints

Left or right hand pull. Blinds weighing up to 8kg can be effortlessly operated. No locking-off required – blind stops without slipping at any required position. Simple ceiling or wall fixing.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Fittings:

Cat No	Description	Quantity
2006/MTM	Bottom Weight Bar	1 metre
3134	Extension Bracket 2"	1 pack of 1
3135	Extension Bracket 3"	1 pack of 1
3136	Extension Bracket 4"	1 pack of 1
3137	Extension Bracket 5"	1 pack of 1
3138	Extension Bracket 6"	1 pack of 1
3139	Extension Bracket 7"	1 pack of 1
3603/1	Top Fix Brackets	1 pack of 1
3603/10	Top Fix Brackets	1 pack of 10
3603/100	Top Fix Brackets	1 pack of 100
3660	Extra Long Nylon Bracket	1 pack of 1
3655	Universal Bracket	1 pack of 1

Special Effects Contract Tracks

SYSTEM 2320 CORD OR CHAIN OPERATED HEADRAIL

NEW



2320/MTM



2.5Kgs

MTM



MEDIUM

Specification: Chain operated Roman blind system for residential and contract applications. All technique is hidden in an elegant cassette. Extremely smooth and easy operation. Blind stops at any required height without slippage. Left or right hand operation. Easy ceiling or wall fix to all surfaces. Side guide option available. Plastic or steel operating chain options available. Easy cleaning / maintenance through new cord release mechanism. Chain drop 1.5m. Maximum width 3m Maximum Drop 3m

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Fittings:

Cat No	Description	Quantity
2343	Universal Bracket	1 pack of 1
2616	Top Fix Bracket	1 pack of 1

SYSTEM 2330 CHAIN OPERATED (1:4 GEARED) ROMAN BLIND SYSTEM

NEW



2330/MTM



4.5Kgs

MTM



MEDIUM

Specification: Chain operated (1:4 geared) roman blind system for residential and contract applications. Extremely smooth and easy operation even in large dimensions. Left or right hand operation. The weight of the blind including the bottom weight and cross rods (if hard fold) should not exceed 4.5kg. Easy ceiling or wall fix to all surfaces. Side guide option available. Plastic or steel operating chain options available. Easy cleaning / maintenance through new cord release mechanism. Chain drop 1.5m. Maximum width 3m Maximum Drop 3m

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Fittings:

Cat No	Description	Quantity
2343	Universal Bracket	1 pack of 1
2616	Top Fix Bracket	1 pack of 1

SYSTEM 2350 ELECTRICALLY OPERATED SYSTEM

NEW



2350/MTM



MTM



MEDIUM

Specification: Electrically operated Roman blind system for residential and contract applications. A revolutionary cord release mechanism combined with velcro tape fixing makes maintenance and cleaning of fabric very easy. Maximum dimensions are 6 m for the width, and 6 m for the height. The weight of the blind including the bottom weight and cross rods (if hard fold) can go up to 15 kg. Easy ceiling or wall fix to all surfaces. Motor concealed in headbox. Can be operated by fixed switch or Silent Gliss radio control system 9940/0450. Wiring diagram available.


Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Special Effects Contract Tracks

RUCHE



WD101W/Size



Specification: Track only. Designed for blinds. Easily trimmed or curved to shape. Wall, ceiling or recess fix. Depth of track: 28mm.

Fittings: Standard make-up for Ruche Track: 20 hooks per metre, 1 fixing bracket every 45cm, 2 end stops, 1 cord lock, 1 cord guide every 30cm plus 1. Maximum blind weight 3kg. Maximum number of cords 8. Maximum cord diameter 1.5mm. Do not use in conservatories where the track will be exposed to extreme heat.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Cat No	Size (cm)
WD101W0300T	300
WD101W0375T	375
WD101W0500T	500

Fittings:	Cat No	Description	Quantity
	WL118WCB	Leverlock Bracket	1 box of 100
	WD635WCJ	Cord Assembly Lock	1 box of 10
	WL680WCB	Leverlock cord guide with lever	1 box of 100
	WF106SCB	Ruche Metal Endstops	1 box of 100

SUPREME LIFT



WA985W0/Size/T



Specification: Aluminium rail system for use with Roman, Festoon and Austrian blinds. Integral touch and close fastener strip. Suitable for bay windows.

Cat No	Size (cm)
WA985W0500T	500

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Fittings:	Cat No	Description	Quantity
	WF106SCB	Metal Endstops	1 box of 100
	WL680WCB	Leverlock Cord Guide with Lever	1 box of 100
	WD635WCJ	Cord Assembly Lock	1 box of 10

Special Effects Contract Tracks



PANEL FOLD – CHAIN OPERATED 2600

2600/MTM

 Quantity: 1 pack of 1

PANEL FOLD – CRANK OPERATED 2640

2640/MTM

Quantity: 1 pack of 1 **MTM**

Crank operated folding sliding panel system. Both systems are mono controlled that can either be folded and stacked back or fully closed to create soft folds of fabric. Panels can be specified between three size ranges - small, medium or large. Recommended ceiling fix although wall fix is possible. Suitable for applications up to 3.24m wide and 3m drop.

PANEL FOLD – MOTORISED 2650

2650/MTM

 Quantity: 1 pack of 1

MTM

Folding sliding panel system. A motorised system which can be operated by fixed wall switch or remote control. All the advantages of 2600 combined with electrical operation. Available with a special recess profile that allows the fabric panels to hang closer to the ceiling. Suitable for applications up to 5m wide and 3m drop. Radio Controlled System available.

SYSTEM 2700 PANEL GLIDE

2700MTM





MTM

Hand, cord or electrically operated. Large fabric panels hang from touch and close hangers to create a wall of fabric. Ceiling fix recommended but wall fix available. Maximum drop in all cases is 4m. Hand Operation: unlimited width. Cord Operation: maximum width 10m. Straight runs only

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

SYSTEM 2730 PANEL FLEX

NEW



2730MTM



MTM

Hand operated. Large fabric panels hang from flexible hangers to create a wall of fabric. Ceiling fix. Can be bent to a minimum radius of 15cm. Maximum drop in all cases is 3m. maximum width: unlimited for unconnected panels. Maximum with: 6m for connected panels. Silent Gliss Fabric only

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1



Wave™

Cat No: 6349

The curtain heading system from Silent Gliss. Available in 50m rolls.

The curtain system Wave® Standard comprises of four basic elements:

Glider Cords (60mm & 80mm), Curtain Heading Tape, Iron on Hemming Tape and Curtain Hooks

How Wave® Works

A specially designed glider cord is contained within the curtain track. This limits the extension of the curtain fabric, creating a smooth and continuous wave effect. When opened, the system enables the curtains to stack back neatly and straight.

The fullness and wave depth of the curtain depends on the selected glider cord and the applied spacing between the curtain hooks. The stack depth varies between 8cm and 14cm.

Enhanced Wave®

There are parts available which can further enhance the look of Wave® when using the 80mm glider cord. The key part of this enhanced system is an extension arm which ensures the first and last waves of each curtain are the same size and shape as the others (rather than slightly smaller). Other parts include an adjustable brake (hand operated systems only) to prevent the curtain 'creeping' closed.

When buying the system complete with curtains, they come with additional fabric side weights to give a precise and controlled finish to the base of the curtain.

Wave® Standard is available with the following Silent Gliss curtain track systems:

Hand drawn curtain tracks:

3840, 6130 and 6100

Cord operated curtain tracks:

3840 and 6120

Motorised curtain track systems:

5300 and 5400

Electric Contract Tracks

AUTOTRACK



WHITE 3450R




Specification: Boxed together with 2 position switch and screws.
An electrically operated automatic unit designed to operate on any shape or length of corded curtain track. Weight of pull on cords required to move the curtain must be no greater than 8kg. Comes complete with mains cable (1.6m unit to switch and 3.35m unit to plug).
Voltage: 220/240v 50Hz 0.58amp.
Speed: 380mm/sec closing pair of curtains.
Pull: 1 to 8kg (variable).
Weight: 3.0kg.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Height: 191mm
Depth: 72mm
Width: 112mm x 112mm
Material: White powder coated steel

Optional Extras:

Cat No	Description	Quantity
3448AR	Mechanical Timer/Interface	1 pack of 1
3449AR	Radio Remote Control & Transmitter	1 pack of 1
3449BR	Additional Timer	1 pack of 1

SYSTEM 5300



5300/MTM



MTM



Specification: Assembled electrically operated curtain track with white or silver aluminium finish. For medium to heavy commercial and professional use. Smooth, silent operation with roller gliders. Built-in thermal overload protection. This system can be bent into various configurations. The motor remains hidden behind the curtain or can be positioned above the track into hollow ceilings.
Multiple curtain stacking can be achieved. Curtains automatically stop at pre-determined open and closed limit settings. Can be operated by fixed switch or remote control. Multiple motors can be individually and/or simultaneously controlled. Can be operated by fixed switch or radio control with a timer.

Curtain travel speed 30cm/sec

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Fittings:

Cat No	Description	Quantity
0900	Timer Control Unit	1 Pack of 1

SYSTEM 5400



5400/MTM



MTM



Specification: Made to measure motorised curtain track system - white, anodised aluminium, bronze and black. For contract and residential use. Strong, elegant appearance. The system 5400 is equipped with a new motor - Motor 9020 (90-260VAC). Option of integrated radio receiver compatible with Silent Gliss radio remote control systems. Various other operating methods available including low voltage control, radio/remote control and mixed systems.
Stacking: single, pair and equal multiple stacks.
Easy ceiling or wall fix. Recess fixing possible. The motor can also be mounted above the profile.
Standard colours: white powder coated or anodised aluminium, bronze and black.

Supplied assembled.
Curtain travel speed 16cm/sec.
Available with Wave glider cord.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1
Size: Up to 10m

Fittings:

Cat No	Description	Quantity
0900	Timer Control Unit	1 Pack of 1



See page 193

SYSTEM 5420

NEW



5420/MTM



MTM



Specification: Motorised 2-channel curtain track system for contract and residential use. Unlimited overlapping of the curtains without the need of an overlap arm. The system 5420 is equipped with motor. Compatible with Silent Gliss radio remote control system. Various other operating methods available. Stacking: single, pair and multiple stacks and asymmetric applications. Easy ceiling or wall fix. Standard colour: white powder coated only. Supplied assembled. Curtain travel speed 16cm/sec. Exceptionally quiet motor.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Optional Extras:

Cat No	Description	Quantity
0900	Timer Control Unit	1 Pack of 1

Stylish wall switches in various finishes along with a choice of hand held remotes.

Cat No	Description	Quantity
0450	Radio Control System	1 Pack of 1

Flexible radio control system with a range of wall switches and stylish hand held remotes.

Cat No	Description	Quantity
9940	Radio Control System	1 Pack of 1

AUTOGLIDE SYSTEM 5090

NEW



5090



See page 193

Straight Window Bay Window

3
DAYS

MTM



Specification: Motorised curtain track system. System comprises 24V motor set including power unit and switch. Automatic end-of-travel stop. The system can be bent to a minimum radius of 250mm. (maximum of 2 bends per system). Easy ceiling or wall fix. Each system will be supplied fully assembled, made-to-measure and cannot be cut down later. No pre-wiring necessary. Excellent security device when homes are unoccupied.

Packing: Packed to ensure safe transit
Quantity: 1 pack of 1

Cat No	Description
5090BASIC	Autoglide 5090 with Switch
5090IR	Autoglide 5090IR with Remote Control
5090TL	Autoglide 5090TL with Timer light Unit
5090TC	Autoglide 5090TC with Total Control Option

Fittings:

Cat No	Description	Quantity
3826	Top Fix Bracket	1 Pack of 1
3836	Bracket (62mm)	1 Pack of 1
6143	Glider Box of 100	1 Box of 100

SYSTEM 6100

6100/Size



Specification: Anodised aluminium track available in silver and white. Profile combines mechanical strength and flexibility with the smoothest performance. The design detail gives rigidity and strength with great flexibility in layout. The top channel maximises connection positions and suspension variations.


Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Cubicle Tracks

Cubicle Tracks

SYSTEM 6103

6103/MTM



MTM



MEDIUM

Specification: Aluminium track. Also available powder coated. Attractive contemporary rounded profile. Available as standard in silver, white, chrome and gold. The top channel maximises connection positions and suspension variations. The dust-cover strip reduces the risk of cross-infection.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Size (cm) 600

Stage Curtain Tracks

SYSTEM 6200



6200/Size



MTM



HEAVY

Specification: Cord drawn, silver aluminium curtain track. Rounded profile. Heavy duty pulleys and Delrin rollers. Same appearance both sides for room dividing.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Cat No	Size (cm)
6200/400	400
6200/500	500
6200/600	600
6200/MTM	

Fittings:

Cat No	Description	Quantity
6575	Cord Tensioner	1 pack of 1
6578	Floor Plate	1 pack of 1

SYSTEM 6370



6370/Size



MTM



HEAVY

Specification: Cord drawn, silver anodised aluminium curtain track. Rectangular profile. Heavy duty pulleys and Delrin rollers. Same appearance both sides for room dividing.

Packing: Packed to ensure safe transit.
Quantity: 1 pack of 1

Cat No	Size (cm)
6370/400	400
6370/500	500
6370/600	600
6370/MTM	

Fittings:

Cat No	Description	Quantity
6575	Cord Tensioner	1 pack of 1
6578	Floor Plate	1 pack of 1

Shower Rail

SYSTEM 1085

1085/MTM



MTM



LIGHT

Specification: Satin silver anodised aluminium rail with varied fixing possibilities. Wide application for shower curtains. Available in four standard sizes

Packing: Clear shrinkwrap on wooden baton.
Quantity: 1 pack of 1

RADIO CONTROL SYSTEM

0450

NEW



Specification: Stylish wall switches in various finishes along with a choice of hand held remotes. Suitable for Systems 5200, 5400 and upwards

Packing: Packed to ensure safe transit
Quantity: 1 Pack of 1

TIMER CONTROL UNIT

0900

NEW



Specification: Infra red control system with timer unit. Suitable for Systems 5200, 5400 and upwards

Packing: Packed to ensure safe transit
Quantity: 1 Pack of 1

RADIO CONTROL SYSTEM

9940

NEW



Specification: Flexible radio control system with a range of wall switches and stylish hand held remotes. Suitable for Systems 5200, 5400 and upwards

Packing: Packed to ensure safe transit
Quantity: 1 Pack of 1

Net Rods

NET CURTAIN WIRE



NCW00/Size

integra

Specification: Net curtain wire in six standard lengths from 76cm – 274cm.
2 Hooks & 2 Eyes included

Packing: Polythene bag plus header

Quantity: 1 pack of 1



Cat No	Size (cm)	Quantity	Cat No	Size (cm)	Quantity
NCW00076	76	1 pack of 1	NCW00152	152	1 pack of 1
NCW00102	102	1 pack of 1	NCW00183	183	1 pack of 1
NCW00122	122	1 pack of 1	NCW00274	274	1 pack of 1

DE-LUXE CURTAIN WIRE



Rolls

Specification: White plastic covered expanding curtain wire made from high grade spring steel wire. The plastic covering expands with the wire. Easily cut to size. Complete with hooks and eyes.

Packing: A display pack of cut lengths.

Quantity: 1 pack of 10

Accessories:	Cat No	Description	Quantity
	3511R	Screw hook	1 pack of 200
	3512R	Screw eye	1 pack of 200

Cat No	Size (cm)
3516R	90-100
3517R	120-135
3518R	150-165
3519R	180-200
3522R	250-275
3520R	300-330

DE-LUXE CURTAIN WIRE



3509R/1

Rolls

Specification: White plastic covered expanding curtain wire made from high grade spring steel wire. The plastic covering expands with the wire. Clear packaging allows easy visual check of remaining amount. Easily cut to size. 30m coil.

Packing: A clear polythene bag.

Quantity: 1 pack of 1


Also available:

3509R/10 De-luxe curtain wire 1 pack of 10 coils

Accessories:

Cat No	Description	Quantity
3511R	Screw hook	1 pack of 200
3512R	Screw eye	1 pack of 200

10mm EXTENDABLE



SLN000/Size

integra

Specification: Strong extendable white steel tension rod with rubber end grips allows fitting inside recess without drilling or brackets.

Packing: Shrinkwrapped with backing card, including intermediate supports on 190-250 length.

Quantity: 1 pack of 1

Cat No	Size (cm)
SLN00016	40-60
SLN00022	50-90
SLN00036	90-150
SLN00048	120-210
SLN00072	190-250

16mm WHITE TENSION ROD



3621R/Size

Rolls

Specification: White, powder coated, extendable steel tension rod. Sprung for easy installation.

Suitable for medium to heavy net curtains.

Packing: Individually display packed with headercard.

Quantity: 1 pack of 1

Cat No	Size (cm)	Cat No	Size (cm)
3621R/040	40-60	3621R/150	150-210
3621R/060	60-90	3621R/210	210-300
3621R/090	90-150		

Curtain and Draw Rods

9mm EXTENDABLE



NRL000/Size

Specification:	Slim extendable white steel rail complete with mounting hooks.	
Packing:	A clear acetate display pack.	
Quantity:	1 pack of 1	
Accessories:		
Cat No	Description	Quantity
NRA00001	Self adhesive hooks for UPVC windows	1 pack of 2
NRA00002	Self adhesive supports	1 pack of 2

Cat No	Size (cm)
NRL00060	60–80
NRL00080	80–120
NRL00120	120–180
NRL00180	180–270

10mm EXTENDABLE



3640R

Specification: White plastic covered extendable round steel rod. Plastic end caps make it easy to thread through the curtain heading pocket. Complete with screw hooks for mounting. Self adhesive fittings available for UPVC or metal windows.

Packing: Individually display packed with headercard, including screw hooks and instructions.
Quantity: 1 pack of 10

Accessories:

Cat No	Description	Quantity
3534R	Nickel plated screw hook	1 pack of 100
3536R	Self adhesive white plastic hook with nickel plated prong	1 pack of 100 loose
3535R	Self adhesive white plastic hook with nickel plated prong	10 packs of 2
3537R	Self-adhesive white centre support	1 pack of 50

Cat No	Size (cm)
3640R	40–60
3641R	60–90
3642R	90–140
3643R	120–180
3644R	180–300

CONTROL ROD



3751R

Specification: Material: White plastic covered steel**Packing:**
Quantity: 1 pack of 1

Cat No	Length (cm)
3751R	50
3752R	75
3753R	100
3754R	125

DRAW ROD

MODERN GOLD **637.603**LIGHT PEARL **637.602**DARK PEARL **637.520**SATIN SILVER BLACK **637.523**

BYRON & BYRON

Specification: Tiara Draw rod, to compliment the Tiara Curtain Pole collection (see page 276)
Packing: Transit Packaging
Quantity: 1 Pack of 1

Cat No	Colour	Size (cm)
637.603	Modern Gold	125cm
637.602	Light Pearl	125cm
637.520	Dark Pearl	125cm
637.523	Satin Silver Black	125cm