



Fencing, Farming and Equestrian Supplies

New Scotland Depot Now Open!

Deer X™ fence®

The ultimate in deer management



- Manufactured from highest quality primary metals only, which guarantee consistent tensile strength every time.
- 95% Zinc 5% Aluminium coating (known as XTRALIFE) lasts 2-3 times longer than standard galvanised wire.
- 24% stronger knot joint, independently trialled. Details on request.
- 450mm pre-stripped both ends for ease of tying off.
- Bespoke sizes and heights available
- The extra benefits of Alu/Zinc XTRALIFE coated wire are that it is more ductile and more resistant to fatigue. All this and superior corrosion resistance too.
- The British Standard BSEN 10244-2 coating lists a sacrificial zinc coat of 230 gm-2, Deer X™ fence® exceeds these standards with a Alu/Zinc alloy coating which offers an extended life protection.
- Deer X™ fence® exceeds European Standards for strength and galvanisation and is manufactured to BSEN 10223-5

24% stronger X knot joint



Wire specification, coating and tensile strengths			
Type	Nominal - Horizontal wires	Vertical wires	Coating
XLHT - X™ knot light high tensile	2.0mm - 1235/1550 (N/mm ²)	2.0mm - 850/950 (N/mm ²)	Alu/Zinc
XHT - X™ knot high tensile	2.5mm - 1235/1550 (N/mm ²)	2.5mm - 850/950 (N/mm ²)	Alu/Zinc

Trade Department




We are able to manufacture a mesh size and height to your specification (max height 2.6 metres). For deer farmers or large estates we have a dedicated trade division who can make a site visit to discuss your requirements. For more details on this service please call 0845 120 7766 or email trade@mcveighparker.co.uk



Contact us on 0845 120 7755
or email sales@mcveighparker.co.uk



Manufactured from highest quality primary metals only



XHT13-190-15 Deer Classic

Code: F2440 100m - larger rolls available

XHT13-190-30 Deer Boundary

Code: F2442 100m

XHT17-190-15 Deer Superior

Code: F2444 100m

XLHT13-190-15 Deer Lightweight Classic

Code: F2441 100m - larger rolls available

XHT15-158-7.5 Deer Select

Code: F2410 50m - larger rolls available

We have low cost alternatives for internal fence lines or temporary use. Hinge jointed wire or even high tensile plastic netting could be considered for a temporary option.

Fence Specification	No of wires	Height (mm)	Distance (mm) between vert	Weight (kg) / 100 Metre	Lengths Available (m)
XHT13-190-15 Classic	13	1900	150	111.00	100 / 200
XHT13-190-30 Boundary	13	1900	300	129.94	100 / 200
XHT17-190-15 Superior	17	1900	150	129.94	100 / 200
XLHT13-190-15 Classic light	13	1900	150	75.00	100 / 200
XHT15-158-7.5 Select	15	1580	75	--	50

N.B Please note drawings are for illustration purposes only. Correct at time of print, subject to change E & OE.

Contact us on 0845 120 7755
or email sales@mcveighparker.co.uk



Tools

Joining Wire

Crimp sleeves



1.6 - 2.5, 100 per pottle.

Code: A1340

2.5 - 3.15, 50 per pottle.

Code: A1332

3.55 - 4.00, 50 per pottle.

Code: A1322

Electric crimps



1.6 - 2.5, 50 per pottle.

Code: A1342

Barbed crimps



2.5mm 50 per pottle.

Code: A1352

Ezepull Ultra crimp 5-1 tool

Crimps all sleeves, cuts, strips and staples.

Code: A2247



Gripplle

Gripplle tensioning tool



Gripplle Torq Tensioning Tool with built in gearing system with delivers up to 400kg of load with minimal effort. Hand-held, lightweight and compact.

Code: A1510

Gripplle contractor tool



Steel handles 10:1 mechanical advantage helps you apply the same tension, with less effort. Gear driven, long handles for increased leverage.

Code: A1518



Gripplle wire joiners

Small.

Code: A1512

Medium.

Code: A1520

Jumbo.

Code: A1540

Barbed wire.

Code: A1530




Gripplle T-clips

Normal.

Code: A1525

Barbed.

Code: A1527



Gripplle GPAK 3 includes one medium Gripplle 3mm wire rope x 4.5m long, 400kg load.

Code: A1565

Gripplle GPAK 4 includes one large Gripplle 4mm wire rope x 5.0m long, 600kg load.

Code: A1570



Contact us on 0845 120 7755
or email sales@mcveighparker.co.uk

Tools

Cutting & Twisting Wire



Knipex cutters, model

The professionals choice, cuts components like bolt, nails and rivets upto 5.2mm. Chrome vanadium heavy-duty steel, forged, oil-hardened.

Code: A2043



Bolt cutters

450mm bolt cutters

Code: A2030

600mm bolt cutters

Code: A2040



Maun pliers

Vertical jaw wire cutters, the professional tool

Code: A2020



Parrot beak cutters



Cutters

Code: A2012

Wire twister

Create the professional finish

Code: A1800



Rotary tie tool

Use simple wire instead of sack ties. Easy to use tool.

Code: A1400



Multi fence pliers

Pliers - economy

Code: A2000

Professional cutters carbon steel hardened jaws, expert quality

Code: A2002



Chain strainers

Trewella strainers

Code: A2205

Diamond chain strainer 1.2m chain

Code: A2215

Boundary chain strainer c/w hook ends and 6m chain.

Code: A2210



Straining & Dispensing Wire

Simple wire pullers

Wire strainer

Code: A2245



Fence wire tensioning tool

Code: A2246



Clamp bars

1.0m stock

Code: A2220

1.27m horse

Code: A2225

2.0m deer

Code: A2230



Spinning jenny

Collapsible painted

Code: A2201

Galvanised

Code: A2200



Contact us on 0845 120 7755
or email sales@mcveighparker.co.uk

Ask for our booklet
"Choosing the right timber?"

Timber And Support Stakes Options

UC4 Stakes - Selected Redwoods, dried to below 28% moisture content, pressure treated to BS8417 and branded. **McVeigh Parker recommended: UC4 timber as a product is more expensive than merchantable timber, but in the long run it is more cost effective due to a far greater life span. (15 Yrs desired life)**

Creosoted pressure treated stakes - Only pine used which guarantees a better treatment than some cheaper products on the market. **Cost is approximately 80% more than merchantable, however the fence life should last four to five times longer.**

Chestnut timber supplied in quarters, halves and rounds mixed, home coppiced, peeled and pointed. Equal to the price of merchantable timber but giving a natural service life.

Merchantable quality - A merchantable quality is a mixed species of selected white and redwoods. **A competitively priced timber to compete in the market, recommended more for rented ground or pipelines.**



McVeigh Parker is certified by the FSC® and PEFC, we are ISO 9001, 14001 and 18001, showing compliance with the highest social and environmental standards on the market.

Initial representative metre cost options, now add labour and longevity, to work out the real cost.

RRP Rates	LHT13-190-15 Hinge joint netting	LXHT13-190-15 X knot joint netting	HT13-190-15 hinge joint netting	XHT13-190-15 X knot joint netting	XHT17-190-15 X knot joint netting	Plastic deer netting 1.8m x 50 x 50mm
Merchantable timber mixed species not recommended for long life.	2.28	2.80	2.67	3.41	3.68	2.19
UC4 Pine only 15yr desired life timber Recommended for cost and longevity.	2.76	3.28	3.15	3.89	4.12	2.67
Pressure creosoted pine ONLY timber Longer life than UC4.	3.05	3.55	3.44	4.18	4.41	2.94
NEW Clipsex steel post system Heavily galvanised for long life, lightweight, reusable, ideal in hilly areas, plantations.	N/A	4.93	N/A	5.55 Best buy, based on a 30 year period	5.79	3.19
NEW Clipsex steel post system Heavily galvanised lightweight inters for long life and easier installation. Using UC4 strainers and struts to keep costs competitive.	N/A	3.86	N/A	4.57	4.80	3.32

Prices based on 1000mtr Inc 2 x ends, 12 x Two way/Corners

Metre prices are based on 4mtr ctr Intermediates, Strainer every 70mtr. Prices include barbed staples and one HT line wire.

Timber specification: Inters 2.7m x 75/100mm dia, Strainers 3.05m x 125/150mm dia, Struts 2.7m x 75/100mm. Clipsex all steel system inc: One jumbo inter every four standard inters, Corners ends are 75mm CHS tubular strut and strainer.



Contact us on 0845 120 7755
or email sales@mcveighparker.co.uk





A new quick clip fencing system is now available. This lightweight yet strong steel system has many advantages over traditional timber stakes. The posts are easier to handle and erect, the heavy duty galvanising provides a longer maintenance free life. The simple stainless steel clip system makes erecting fencing three to four times quicker, saving in both labour and machinery. When used with X™ fence® the approximate life is in excess of 30 years. Labour saving costs make this an option that simply can't be over looked.


Stokbord®

Recycled plastic boards:
Strong flexible plastic sheet ideal for use in races and chutes. Easy to clean and hardwearing.



Deer Gates

3.66m x 1.860m fully meshed gate.
Other lengths available.



Hayracks And Drinking Troughs

Free-standing hayracks 2.4m double sided steel or plastic water troughs as well as water pipes and fittings




Electric Fencing

Huge stocks of various insulators, energizers.



Welded Mesh Rolls


75mm x 25mm x 1.8m ideal for making tree protectors.
Heavy duty parkland tree guards also available



13 Acres of Storage in Seven Branches Nationwide

Over 50
Delivery Vehicles

Over 4.5 Million
Pounds Worth of
Stock



Berkshire Branch & Head Office,
Southend Bradfield, Reading, RG7 6HA
Email: berks@mcveighparker.co.uk
Tel: 0118 9744777

Kent Branch, Thornden Farm, Lenham Road,
Headcorn, Kent TN27 9LH
Email: kent@mcveighparker.co.uk
Tel: 01622 891095

Sussex Branch, Stane Street, Billingshurst,
West Sussex RH14 9JR
Email: sussex@mcveighparker.co.uk
Tel: 01403 784250

Scotland Branch, Market Road, Biggar, Lanarkshire,
ML12 6FX
Email: scotland@mcveighparker.co.uk
Tel: 01899 221150

Hertfordshire Branch, Little Hadham Road, Much Hadham,
Ware, Hertfordshire
SG10 6HL
Email: herts@mcveighparker.co.uk
Tel: 01279 842842

Lancashire Branch, Unit 3, Link 25
Business Park, Wigan Road,
Ashton-in-Makerfield, Wigan, WN4 0DA
Email: lancs@mcveighparker.co.uk
Tel: 01942 725523

Worcestershire Branch, Unit 16, Wilden Lane Ind. Est.
Stourport-on-Severn, Worcs DY13 9JY
Email: worcs@mcveighparker.co.uk
Tel: 01299 826111

Go online now
www.mcveighparker.co.uk
order now on 0845 120 7755
sales@mcveighparker.co.uk

