


2010

www.marco.it



POMPE CON CONTROLLO ELETTRONICO ELECTRONIC CONTROL PUMPS




UP2/E


CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 660 15	12/24	1,5	7,5A	162x114x73

∅
Tubo / Tube
12mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT	EN	DE	ES
CORPO Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnräder	ENGRANAJES Helicoidales en PTFE
TENUTE FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM




UP3/E


CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 602 15	12/24	1,5	15A	162x250x98

∅
Tubo / Tube
14mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT	EN	DE	ES
CORPO Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnräder	ENGRANAJES Helicoidales en PTFE
TENUTE FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM




UP6/E


CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 622 15	12/24	2	20A	199x261x108

∅
Tubo / Tube
16mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT	EN	DE	ES
CORPO Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnräder	ENGRANAJES Helicoidales en PTFE
TENUTE FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM




UP12/E


CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 681 12	12	3	30A	213x250x108
164 681 13	24	3	20A	213x250x108

Ø
Tubo / Tube
16mm int.

Assorbimenti / Consumption



Portata / Flow rate




IT	EN	DE	ES
CORPO Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnäder	ENGRANAJES Helicoidales en PTFE
TENUTE FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM

UP6/E-DX


CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 624 15	12/24	2	2 x 20A	290x255x236



Assorbimenti / Consumption



Portata / Flow rate




IT	EN	DE	ES
CORPO Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnäder	ENGRANAJES Helicoidales en PTFE
TENUTE FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM

UP12/E-DX


CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 685 13	24	3	2 x 20A	340x381x266



Assorbimenti / Consumption



Portata / Flow rate



IT	EN	DE	ES
CORPO Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnäder	ENGRANAJES Helicoidales en PTFE
TENUTE FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM



TRAVASO ACQUA E ANTIGELO WATER AND ANTIFREEZE TRANSFER

ISO 8849
ISO 8846

UP1-N

CODICE
PART NUMBER

VOLTS

ADESCAM.
SELF-PRIM.
m

FUSIBILE
FUZE

DIMENSIONI
DIMENSIONS
mm

162 002 12
162 002 13

12
24

1,5
1,5

20A
15A

176x120x94
176x120x94




Accessori
disponibili
Available
accessories




∅
Tubo / Tube
25mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT

CORPO Ottone nichelato
GIRANTE Gomma
TENUTE FKM

EN

BODY Nickel plated brass
IMPELLER Rubber
SEALS FKM

DE

GEHÄUSE Messing vernickelt
PUMPENRAD Gummi
DICHTUNGEN FKM

ES

CUERPO Latón niquelado
IMPULSOR Caucho
JUNTAS FKM

UP1/AC

CODICE
PART NUMBER

VOLTS

ADESCAM.
SELF-PRIM.
m

FUSIBILE
FUZE

DIMENSIONI
DIMENSIONS
mm

162 001 1C

220

1,5

4A

310x135x182




Accessori
disponibili
Available
accessories




∅
Tubo / Tube
25mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT

CORPO Ottone nichelato
GIRANTE Gomma
TENUTE FKM

EN

BODY Nickel plated brass
IMPELLER Rubber
SEALS FKM

DE

GEHÄUSE Messing vernickelt
PUMPENRAD Gummi
DICHTUNGEN FKM

ES

CUERPO Latón niquelado
IMPULSOR Caucho
JUNTAS FKM

UP1

CODICE
PART NUMBER

VOLTS

ADESCAM.
SELF-PRIM.
m

FUSIBILE
FUZE

DIMENSIONI
DIMENSIONS
mm

162 000 12
162 000 13

12
24

1,5
1,5

20A
15A

179x120x94
179x120x94




Accessori
disponibili
Available
accessories




∅
Tubo / Tube
25mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT

CORPO Ottone nichelato
GIRANTE Gomma
TENUTE FKM

EN

BODY Nickel plated brass
IMPELLER Rubber
SEALS FKM

DE

GEHÄUSE Messing vernickelt
PUMPENRAD Gummi
DICHTUNGEN FKM

ES

CUERPO Latón niquelado
IMPULSOR Caucho
JUNTAS FKM

UP2-P

CODICE
PART NUMBER

VOLTS

ADESCAM.
SELF-PRIM.
m

FUSIBILE
FUZE

DIMENSIONI
DIMENSIONS
mm

164 202 12
164 202 13

12
24

1,5
1,5


5A
3A

128x114x73
128x114x73




∅
Tubo / Tube
12mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT

CORPO Ottone nichelato
INGRANAGGI Elicoidali in PTFE
TENUTE FKM

EN

BODY Nickel plated brass
GEARS Helical PTFE
SEALS FKM

DE

GEHÄUSE Messing vernickelt
ZAHNRÄDER PTFE Schrägzahnräder
DICHTUNGEN FKM

ES



CUERPO Latón niquelado
ENGRANAJES Helicoidales en PTFE
JUNTAS FKM



UP2-PV

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 204 12	12	1,5	5A	128x114x73
164 204 13	24	1,5	3A	128x114x73

∅
Tubo / Tube
12mm int.



IT

EN

DE

ES



	IT	EN	DE	ES			
CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in PTFE	GEARS	Helical PTFE	ZAHNRÄDER	PTFE Schrägzahnräder	ENGRANAJES	Helicoidales en PTFE
TENUTE	FKM	SEALS	FKM	DICHTUNGEN	FKM	JUNTAS	FKM



UP3-P UP4-P

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 002 12	12	1,5	10A	163x166x95
164 002 13	24	1,5	5A	163x166x95

∅
Tubo / Tube
14mm int.



IT

EN

DE

ES



	IT	EN	DE	ES			
CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in PTFE	GEARS	Helical PTFE	ZAHNRÄDER	PTFE Schrägzahnräder	ENGRANAJES	Helicoidales en PTFE
TENUTE	FKM	SEALS	FKM	DICHTUNGEN	FKM	JUNTAS	FKM



UP3-PV UP4-PV

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 004 12	12	1,5	10A	163x166x95
164 004 13	24	1,5	5A	163x166x95

∅
Tubo / Tube
14mm int.



IT

EN

DE

ES



	IT	EN	DE	ES			
CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in PTFE	GEARS	Helical PTFE	ZAHNRÄDER	PTFE Schrägzahnräder	ENGRANAJES	Helicoidales en PTFE
TENUTE	FKM	SEALS	FKM	DICHTUNGEN	FKM	JUNTAS	FKM



UP6-PV

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 063 12	12	1,5	15A	199x174x108
164 063 13	24	1,5	7,5A	199x174x108

∅
Tubo / Tube
16mm int.



IT

EN

DE

ES

	IT	EN	DE	ES			
CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in PTFE	GEARS	Helical PTFE	ZAHNRÄDER	PTFE Schrägzahnräder	ENGRANAJES	Helicoidales en PTFE
TENUTE	FKM	SEALS	FKM	DICHTUNGEN	FKM	JUNTAS	FKM



POMPE SOMMERSE SUBMERSIBLE PUMPS



ISO 8849
ISO 8846

UP500

CODICE
PART NUMBER

VOLTS

PREVALENZA
LIFT

FUSIBILE
FUSE

DIMENSIONI
DIMENSIONS
mm

160 100 12

12

4m - 13 ft.

5A

94,5 x Ø59

160 100 13

24

4m - 13 ft.

3A

94,5 x Ø59


Accessori disponibili
Available accessories




AS2

∅
Tubo / Tube
19mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT

CORPO ABS antiurto

GIRANTE POM

TENUTE NBR

EN

BODY Shockproof ABS

IMPELLER POM

SEALS NBR

DE

GEHÄUSE Antistoß ABS

PUMPENRAD POM

DICHTUNGEN NBR

ES

CUERPO ABS anti-choc

IMPULSOR POM

JUNTAS NBR



ISO 8849
ISO 8846

UP1000

CODICE
PART NUMBER

VOLTS

PREVALENZA
LIFT

FUSIBILE
FUSE

DIMENSIONI
DIMENSIONS
mm

160 120 12

12

4m - 13 ft.

10A

124,7 x Ø78

160 120 13

24

4m - 13 ft.

5A

124,7 x Ø78


Accessori disponibili
Available accessories




AS2

∅
Tubo / Tube
28mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT

CORPO ABS antiurto

GIRANTE POM

TENUTE NBR

EN

BODY Shockproof ABS

IMPELLER POM

SEALS NBR

DE

GEHÄUSE Antistoß ABS

PUMPENRAD POM

DICHTUNGEN NBR

ES

CUERPO ABS anti-choc

IMPULSOR POM

JUNTAS NBR



ISO 8849
ISO 8846

UP1500

CODICE
PART NUMBER

VOLTS

PREVALENZA
LIFT

FUSIBILE
FUSE

DIMENSIONI
DIMENSIONS
mm

160 140 12

12

4m - 13 ft.

20A

160 x Ø96

160 140 13

24

4m - 13 ft.

10A

160 x Ø96


Accessori disponibili
Available accessories




AS2

∅
Tubo / Tube
26mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT

CORPO ABS antiurto

GIRANTE POM

TENUTE NBR

EN

BODY Shockproof ABS

IMPELLER POM

SEALS NBR

DE

GEHÄUSE Antistoß ABS

PUMPENRAD POM

DICHTUNGEN NBR

ES

CUERPO ABS anti-choc

IMPULSOR POM

JUNTAS NBR



ISO 8849
ISO 8846

UP2000


CODICE PART NUMBER	VOLTS	PREVALENZA LIFT	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
160 160 12	12	4m - 13 ft.	25A	200 x Ø96
160 160 13	24	4m - 13 ft.	15A	200 x Ø96

Accessori disponibili
Available accessories




∅
Tubo / Tube
32mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT

CORPO ABS antiurto
GIRANTE POM
TENUTE NBR

EN

BODY Shockproof ABS
IMPELLER POM
SEALS NBR

DE

GEHÄUSE Antistoß ABS
PUMPENRAD POM
DICHTUNGEN NBR

ES

CUERPO ABS anti-choc
IMPULSOR POM
JUNTAS NBR



ISO 8849
ISO 8846

UP3700


CODICE PART NUMBER	VOLTS	PREVALENZA LIFT	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
160 180 13	24	5m - 16ft.	15A	186x Ø144

Accessori disponibili
Available accessories




∅
Tubo / Tube
38mm int.

Assorbimenti / Consumption



Portata / Flow rate



IT

CORPO ABS antiurto
GIRANTE POM
TENUTE NBR

EN

BODY Shockproof ABS
IMPELLER POM
SEALS NBR

DE

GEHÄUSE Antistoß ABS
PUMPENRAD POM
DICHTUNGEN NBR

ES

CUERPO ABS anti-choc
IMPULSOR POM
JUNTAS NBR


KIT SERBATOIO TANK KITS

TK1/2 TK2/2


CODICE PART NUMBER	PORTATA SERB. TANK CAPACITY	POMPA PUMP	VOLTS	DIMENSIONI DIMENSIONS mm
164 910 15	107 l	UP2/E	12/24	1050 x 290 x 390
164 911 15	67 l	UP2/E	12/24	650 x 290 x 390



Assorbimenti / Consumption



Portata / Flow rate





UP9 UP9-P



CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
UP9	12	1,5	15A	187x166x103
UP9	24	1,5	10A	187x166x103
UP9-P	12	1,5	15A	187x166x103
UP9-P	24	1,5	10A	187x166x103

∅
Tubo / Tube
14mm int.



IT

EN

DE

ES



	IT	EN	DE	ES
CORPO	Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI	Elicoidali in bronzo o PTFE	GEARS Helical bronze or PTFE	ZAHNRÄDER Bronze oder PTFE Schrägzahnräder	ENGRANAJES Helicoidales en PTFE o bronce
TENUTE	FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM

UP9-PN



CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 102 12	12	1,5	15A	187x169x103
164 102 13	24	1,5	10A	187x169x103

∅
Tubo / Tube
14mm int.



IT

EN

DE

ES



	IT	EN	DE	ES
CORPO	Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI	Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnräder	ENGRANAJES Helicoidales en PTFE
TENUTE	FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM

UP9/E



CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 642 15	12/24	1,5	15A	224x187x103

∅
Tubo / Tube
14mm int.



IT

EN

DE

ES



	IT	EN	DE	ES
CORPO	Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI	Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnräder	ENGRANAJES Helicoidales en PTFE
TENUTE	FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM

UP10 UP10-P



CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
UP10	12	4	30A	210x174x103
UP10	24	4	20A	210x174x103
UP10-P	12	4	30A	210x174x103
UP10-P	24	4	20A	210x174x103

∅
Tubo / Tube
14mm int.



IT

EN

DE

ES


	IT	EN	DE	ES
CORPO	Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI	Elicoidali in bronzo o PTFE	GEARS Helical bronze or PTFE	ZAHNRÄDER Bronze oder PTFE Schrägzahnräder	ENGRANAJES Helicoidales en PTFE o bronce
TENUTE	FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM




UP10/E

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 404 15	12/24	3	25A	249x194x106

Assorbimenti / Consumption



Portata / Flow rate



Ø
Tubo / Tube
14mm int.


IT	EN	DE	ES
CORPO Ottone nichelato	BODY Nickel plated brass	GEHÄUSE Messing vernickelt	CUERPO Latón niquelado
INGRANAGGI Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnräder	ENGRANAJES Helicoidales en PTFE
TENUTE FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM



UP9-XA

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 103 12	12	1,5	15A	251x158x103
164 103 13	24	1,5	10A	251x158x103

Assorbimenti / Consumption



Portata / Flow rate



Ø
Tubo / Tube
14mm int.


IT	EN	DE	ES
CORPO Acciaio AISI 316	BODY AISI 316 stainless steel	GEHÄUSE Edelstahl AISI 316	CUERPO Acero AISI 316
INGRANAGGI Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnräder	ENGRANAJES Helicoidales en PTFE
TENUTE FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM




UP9-XC

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 101 12	12	1,5	10A	187x166x103
164 101 13	24	1,5	5A	187x166x103

Assorbimenti / Consumption



Portata / Flow rate



Ø
Tubo / Tube
14mm int.

IT	EN	DE	ES
CORPO Acciaio AISI 316	BODY AISI 316 stainless steel	GEHÄUSE Edelstahl AISI 316	CUERPO Acero AISI 316
INGRANAGGI Elicoidali in PTFE	GEARS Helical PTFE	ZAHNRÄDER PTFE Schrägzahnräder	ENGRANAJES Helicoidales en PTFE
TENUTE FKM	SEALS FKM	DICHTUNGEN FKM	JUNTAS FKM







UP9-HD

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 105 12	12	1,5	15	251x158x103
164 105 13	24	1,5	15	251x158x103

Assorbimenti / Consumption



Portata / Flow rate



Ø
Tubo / Tube
14mm int.

IT

CORPO Ottone nichelato

INGRANAGGI Elicoidali in bronzo

TENUTE FKM

EN

BODY Nickel plated brass

GEARS Helical bronze

SEALS FKM

DE

GEHÄUSE Messing vernickelt

ZAHNRÄDER Bronze Schrägzahnräder

DICHTUNGEN FKM

ES

CUERPO Latón niquelado

ENGRANAJES Helicoidales en bronce


JUNTAS FKM




UP10-HD

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 405 12	12	4	30A	277x158x106
164 405 13	24	4	20A	277x158x106

Assorbimenti / Consumption



Portata / Flow rate



Ø
Tubo / Tube
14mm int.

IT

CORPO Ottone nichelato

INGRANAGGI Elicoidali in bronzo

TENUTE FKM

EN

BODY Nickel plated brass

GEARS Helical bronze

SEALS FKM

DE

GEHÄUSE Messing vernickelt

ZAHNRÄDER Bronze Schrägzahnräder

DICHTUNGEN FKM

ES

CUERPO Latón niquelado

ENGRANAJES Helicoidales en bronce


JUNTAS FKM




UP10-XA

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 403 12	12	4	30A	277x158x106
164 403 13	24	4	20A	277x158x106

Assorbimenti / Consumption



Portata / Flow rate



Ø
Tubo / Tube
14mm int.

IT

CORPO INOX AISI 316

INGRANAGGI Elicoidali in PTFE

TENUTE FKM

EN

BODY AISI 316 stainless steel

GEARS Helical PTFE

SEALS FKM

DE

GEHÄUSE Edelstahl AISI 316

ZAHNRÄDER PTFE Schrägzahnräder

DICHTUNGEN FKM

ES

CUERPO Acero AISI 316

ENGRANAJES Helicoidales en PTFE

JUNTAS FKM



TRAVASO LIQUIDI CHIMICI E ALIMENTARI DRINKABLE AND CHEMICAL LIQUIDS TRANSFER



UPX-C

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 041 12	12	1,5	10A	161x157x95
164 041 13	24	1,5	5A	161x157x95

∅
Tubo / Tube
14mm int.



IT

CORPO INOX AISI 316

INGRANAGGI Elicoidali in PTFE

TENUTE FKM

EN

BODY AISI 316 stainless steel

GEARS Helical PTFE

SEALS FKM

DE

GEHÄUSE Edelstahl AISI 316

ZAHNRÄDER PTFE Schrägzahnräder


DICHTUNGEN FKM

ES

CUERPO Acero AISI 316

ENGRANAJES Helicoidales en PTFE



JUNTAS FKM



UPXC/AC

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 043 1C	220	1,5	1,2A	279x166x162

∅
Tubo / Tube
14mm int.



IT

CORPO INOX AISI 316

INGRANAGGI Elicoidali in PTFE

TENUTE FKM

EN

BODY AISI 316 stainless steel

GEARS Helical PTFE

SEALS FKM

DE

GEHÄUSE Edelstahl AISI 316

ZAHNRÄDER PTFE Schrägzahnräder

DICHTUNGEN FKM

ES

CUERPO Acero AISI 316

ENGRANAJES Helicoidales en PTFE



JUNTAS FKM



UPX

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 040 12	12	1,5	10A	161x157x95
164 040 13	24	1,5	5A	161x157x95

∅
Tubo / Tube
14mm int.



IT

CORPO INOX AISI 316

INGRANAGGI Elicoidali in PTFE

TENUTE FKM

EN

BODY AISI 316 stainless steel

GEARS Helical PTFE

SEALS FKM

DE

GEHÄUSE Edelstahl AISI 316

ZAHNRÄDER PTFE Schrägzahnräder

DICHTUNGEN FKM

ES

CUERPO Acero AISI 316

ENGRANAJES Helicoidales en PTFE



JUNTAS FKM



UPX/AC

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 042 1C	220	1,5	1,2A	279x166x162

∅
Tubo / Tube
14mm int.



IT

CORPO INOX AISI 316

INGRANAGGI Elicoidali in PTFE

TENUTE FKM

EN

BODY AISI 316 stainless steel

GEARS Helical PTFE

SEALS FKM

DE

GEHÄUSE Edelstahl AISI 316

ZAHNRÄDER PTFE Schrägzahnräder

DICHTUNGEN FKM

ES

CUERPO Acero AISI 316

ENGRANAJES Helicoidales en PTFE

JUNTAS FKM





UP2



∅
Tubo / Tube
12mm int.

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 200 12	12	1,5	5A	128x114x73
164 200 13	24	1,5	3A	128x114x73



IT

CORPO Ottone nichelato
INGRANAGGI Elicoidali in bronzo
TENUTE FKM

EN

BODY Nickel plated brass
GEARS Helical bronze
SEALS FKM

DE

GEHÄUSE Messing vernickelt
ZAHNRÄDER Bronze Schrägzahnräder
DICHTUNGEN FKM

ES



CUERPO Latón niquelado
ENGRANAJES Helicoidales en bronce
JUNTAS FKM

UP3 UP4



∅
Tubo / Tube
14mm int.

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 000 12	12	1,5	10A	163x166x95
164 000 13	24	1,5	5A	163x166x95



IT

CORPO Ottone nichelato
INGRANAGGI Elicoidali in bronzo
TENUTE FKM

EN

BODY Nickel plated brass
GEARS Helical bronze
SEALS FKM

DE

GEHÄUSE Messing vernickelt
ZAHNRÄDER Bronze Schrägzahnräder
DICHTUNGEN FKM

ES



CUERPO Latón niquelado
ENGRANAJES Helicoidales en bronce
JUNTAS FKM

UP6



∅
Tubo / Tube
16mm int.

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 060 12	12	1,5	15A	199x174x108
164 060 13	24	1,5	7,5A	199x174x108



IT

CORPO Ottone nichelato
INGRANAGGI Elicoidali in bronzo
TENUTE FKM

EN

BODY Nickel plated brass
GEARS Helical bronze
SEALS FKM

DE

GEHÄUSE Messing vernickelt
ZAHNRÄDER Bronze Schrägzahnräder
DICHTUNGEN FKM

ES



CUERPO Latón niquelado
ENGRANAJES Helicoidales en bronce
JUNTAS FKM

UP12



∅
Tubo / Tube
16mm int.

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 300 12	12	4	30A	212x174x109
164 300 13	24	4	15A	212x174x109



IT

CORPO Ottone nichelato
INGRANAGGI Elicoidali in bronzo
TENUTE FKM

EN

BODY Nickel plated brass
GEARS Helical bronze
SEALS FKM

DE

GEHÄUSE Messing vernickelt
ZAHNRÄDER Bronze Schrägzahnräder
DICHTUNGEN FKM



ES

CUERPO Latón niquelado
ENGRANAJES Helicoidales en bronce
JUNTAS FKM

UP2/OIL



CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 220 12	12	1,5	3A	128x113x73
164 220 13	24	1,5	1,5A	128x113x73



IT

EN

DE



ES

CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in bronzo	GEARS	Helical bronze	ZAHNRÄDER	Bronze Schrägzahnräder	ENGRANAJES	Helicoidales en bronce
TENUTE	FKM	SEALS	FKM	DICHTUNGEN	FKM	JUNTAS	FKM

UP3/OIL UP4/OIL



CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 020 12	12	1	7,5A	138x108x86
164 020 13	24	1	4A	138x108x86



IT

EN

DE



ES

CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in bronzo	GEARS	Helical bronze	ZAHNRÄDER	Bronze Schrägzahnräder	ENGRANAJES	Helicoidales en bronce
TENUTE	NBR	SEALS	NBR	DICHTUNGEN	NBR	JUNTAS	NBR

UP6/OIL



CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 080 12	12	1,5	10A	166x117x94
164 080 13	24	1,5	7,5A	166x117x94



IT

EN

DE



ES

CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in bronzo	GEARS	Helical bronze	ZAHNRÄDER	Bronze Schrägzahnräder	ENGRANAJES	Helicoidales en bronce
TENUTE	NBR	SEALS	NBR	DICHTUNGEN	NBR	JUNTAS	NBR

UP12/OIL



CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 320 12	12	2	15A	195x122x109
164 320 13	24	2	7,5A	195x122x109



IT

EN

DE

ES

CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in bronzo	GEARS	Helical bronze	ZAHNRÄDER	Bronze Schrägzahnräder	ENGRANAJES	Helicoidales en bronce
TENUTE	NBR	SEALS	NBR	DICHTUNGEN	NBR	JUNTAS	NBR




TRAVASO OLIO E GASOLIO_220V OIL AND DIESEL TRANSFER_220V




UP3/AC OIL/DIESEL

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 003 1C	220	1,5	1,25A	225x177x179

Assorbimenti / Consumption



Portata / Flow rate



Ø
Tubo / Tube
14mm int.

IT

EN

DE

ES


CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in PTFE	GEARS	Helical PTFE	ZAHNRÄDER	PTFE Schrägzahnräder	ENGRANAJES	Helicoidales en PTFE
TENUTE	FKM	SEALS	FKM	DICHTUNGEN	FKM	JUNTAS	FKM




UP6/AC OIL/DIESEL

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 062 1C	220	1,5	2,5A	251x181x179

Assorbimenti / Consumption



Portata / Flow rate



Ø
Tubo / Tube
16mm int.


IT

EN

DE

ES


CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in PTFE	GEARS	Helical PTFE	ZAHNRÄDER	PTFE Schrägzahnräder	ENGRANAJES	Helicoidales en PTFE
TENUTE	FKM	SEALS	FKM	DICHTUNGEN	FKM	JUNTAS	FKM



UP3/AC

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 001 1C	220	1,5	1,2A	279x166x162

Assorbimenti / Consumption



Portata / Flow rate



Ø
Tubo / Tube
14mm int.

IT

EN

DE

ES


CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in bronzo	GEARS	Bronze PTFE	ZAHNRÄDER	Bronze Schrägzahnräder	ENGRANAJES	Helicoidales en bronce
TENUTE	FKM	SEALS	FKM	DICHTUNGEN	FKM	JUNTAS	FKM




UP6/AC

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 061 1C	220	1,5	2,5A	330x174x182

Assorbimenti / Consumption



Portata / Flow rate



Ø
Tubo / Tube
16mm int.

IT

EN

DE

ES

CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in PTFE	GEARS	Helical PTFE	ZAHNRÄDER	PTFE Schrägzahnräder	ENGRANAJES	Helicoidales en PTFE
TENUTE	FKM	SEALS	FKM	DICHTUNGEN	FKM	JUNTAS	FKM


KIT OLIO E GASOLIO OIL AND DIESEL KITS

KIT DIESEL



CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
FOO 100 01	12	1,5	25A	159x100x103
FOO 100 02	24	1,5	15A	159x100x103

Ø
Tubo / Tube
25mm int.



IT

EN

DE



ES

CORPO	Ghisa	BODY	Cast iron	GEHÄUSE	Roheisen	CUERPO	Arrabio
GIRANTE	Gomma	IMPELLER	Rubber	PUMPENRAD	Gummi	IMPULSOR	Caucho
TENUTE	NBR	SEALS	NBR	DICHTUNGEN	NBR	JUNTAS	NBR

OCK1 OIL



CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	FUSIBILE FUSE	DIMENSIONI DIMENSIONS mm
164 930 12	12	1	7,5A	139x99x86



IT

EN

DE

ES

CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in bronzo	GEARS	Helical bronze	ZAHNRÄDER	Bronze Schrägzahnräder	ENGRANAJES	Helicoidales en bronce
TENUTE	NBR	SEALS	NBR	DICHTUNGEN	NBR	JUNTAS	NBR

OCP1/3 OIL



Ø
Tubo / Tube
14mm int.

CODICE PART NUMBER	VOLTS	ADESCAM. SELF-PRIM. m	PORTATA MAX. MAX. FLOW RATE	ASSORBIMENTO MAX. MAX. CONSUMPTION
164 940 15	12/24	1,5	10 litri/liters	4A / 2A

IT

EN

DE




ES

CORPO	Ottone nichelato	BODY	Nickel plated brass	GEHÄUSE	Messing vernickelt	CUERPO	Latón niquelado
INGRANAGGI	Elicoidali in bronzo	GEARS	Helical bronze	ZAHNRÄDER	Bronze Schrägzahnräder	ENGRANAJES	Helicoidales en bronce
TENUTE	FKM	SEALS	FKM	DICHTUNGEN	FKM	JUNTAS	FKM

OCS-E OIL



CODICE PART NUMBER	VOLTS	PORTATA MAX. MAX. FLOW RATE	ASSORBIMENTO MAX. MAX. CONSUMPTION
OCS3-E 164 924 15	12/24	10 litri/liters	4A / 2A
OCS6-E 164 926 15	12/24	15 litri/liters	5A / 2,5A
OCS9-E 164 928 15	12/24	15 litri/liters	5A / 2,5A
OCS9-E 164 928 1H	110/220	15 litri/liters	0,6A / 0,3A



www.marco.it



click and discover

download services

news

instructions - data

drawings

videos

spare parts

certifications



MARCO s.p.a.

Via Mameli, 10
25014 Castenedolo
Brescia - Italy

Tel. +39 030 2134.1
Fax +39 030 2134.300
e-mail: info@marco.it
www.marco.it



DIPARTIMENTO VENDITE EXPORT

E-mail: export@marco.it
Tel. +39 030 2134.362
Fax +39 030 2134.302

DIPARTIMENTO VENDITE ITALIA

E-mail: vendite@marco.it
Tel. +39 030 2134.361
Fax +39 030 2134.301