

60 foot by 12 foot 6 Dutch Barge: guide price 2014

A category 'C' craft designed to be used on tidal European waterways. The boat will be in a marina over the winter. The hull design is assessed and signed off by a Marine Surveyor and gas checked as part of the BSS scheme.

Steelwork	Steelwork certified Category 'C': 10mm base plate/6mm hull sides/5mm coach
Jecowork	roof shot blasted below rubbing strake and protected with a two-pack epoxy
	finish.
	Self-draining decks.
	Waste tank with pump-out facility capacity:
	One 600 litre (approx) diesel tank
	Hydraulic wheel steering with auxiliary steering facility (emergency conventional
	back-up system).
	4 anodes
	2 gas lockers situated at the front of the boat under the deck with access
	through hatch. Lockers designed to accommodate up to 2 x 13kg gas bottles
	(one bottle supplied as standard)
	Chain locker situated under front deck.
	2" rubbing strakes continuously welded top and bottom, chain locker with
	anchor windlass and 50 kilo Halls Pattern anchor hanging on 60 metres of chain
	1 x shoreline external electricity socket
	Quick release weed hatch located in the engine room.
	All welds below the water line are dye-penetrant tested.
Dog box	Dogbox in sapele, 1000mm x 800mm with 6 double glazed units in two hinged
	panels located in lounge area over sofa bed
Solar panels	2x 100W solar panels connected to upgraded charge controller for use in
	summer
Wheelhouse	Collapsible wheelhouse in Sapele to rear of boat.
	Wheelhouse set forward approx three feet from stern of boat.
	Front window is raked forwards.
	Windows single-glazed with toughened glass.
	sectional, insulated removable roof, covered by a buttoned 'canvas' hood,
	seams sealed, colour to match cabin sides.
	Two side doors (glazed top panel, not stable door design).
	Two opening windows located centrally in the back of the wheelhouse and
	opening outwards away from the centre.
	Back locker 18" deep with curved corners running across the width of the
	wheelhouse to be used as a seat. Tops to be deckboard, with cushions (in
	waterproof fabric to match interior) which attach with poppers.
	All interior woodwork finished in oil.
	All exterior woodwork finished with a microporous single-pack varnish. Mortise
	locks on both doors
	Interior:
	U-shaped dinette converting to double bed at least 4'6" wide, with 4" foam
	mattress seat bases upholstered in a water resistant canvas-type fabric.
	Ash or oak topped table on two legs to use to make into bed.
	One radiator placed as marked on plan

	·
	Plain roller blinds on back section of wheelhouse only.
	Control panel includes:
	Rudder position indicator dial
	Victron battery monitor
	VHF radio eg Raymarine RAY49E with whip aerial fitted
	Good quality Sony MP3 radio/CD player with 2 Sony speakers in wheelhouse
	Engine room:
	Sound deadening foam installed in floor of wheelhouse.
	Head height to be made as high as possible balancing overall airdraft and
	visibility from the steering position.
	Shelving/racking aginst forward bulkhead to store tools, folding bicycle etc
Exterior	Steelwork shot blasted (whole shell). Finished above rubbing strake finished in a
paintwork	three colour paint scheme (Symphony Narrowboat Paint colours)
	Signpainting of boat name included.
	Decks have a non-slip finish applied in panels also in cream.
	Anti-fouling below water line.
Exterior	Mast in sapele as Pendragon
fixtures and	Socket for rotary dryer to be located on front deck
fittings	Aluminium motorbike style gangplank
	Boat hook
	Flag pole holder at front of boat
	Horn
Insulation	Professional polyurethane sprayfoam applied to a thickness of 25mm-30mm
	throughout.
Engine and	Beta 90hp engine with starter battery in engine compartment 'room'.
associated	5 x 110 amp hour batteries
parts	Complete engine fitting service includes the following as standard: fixing and
	aligning engine to propeller shaft via a flexible coupling, fitting of 20" x18"
	propeller and stern greaser. Connections to diesel, cooling, electrical and
	exhaust systems. Installation of starter electrics including 90Ah starter battery.
	We will check and fill with oil and coolant antifreeze, run engine for testing and
	finally realign where necessary after settling period.
	Installation of Victron Multi plus 3kw inverter charger and Lewmar electric
42	bowthruster (185tt 6kw)
12 volt	12 volt system incorporating 550Ah battery bank, fused and switched to a 10
system	way 12 volt fuseboard, 3 way switch panel and bilge pump fuse panel. Final
	circuits installed to locations to suit floor plan. Lighting circuits are fully fitted up
	to 20 LED cabin downlights, navigation light circuits are fully fitted to port and
	starboard lights. All fittings in brushed stainless steel effect including light switches and visible
	plug sockets
	2 x self switched ceiling vents: bathroom and kitchen
	LED ribbon lights running under gunwales both sides of the cabin from the rear
	of the kitchen up to but not including the bedroom
	3 x 12v car lighter type charging points (for phone charging): located in
	bedroom, saloon, wheelhouse
240 volt	230 volt electrical system wired complete from 16 amp shore supply socket. RCD
system	protected consumer unit supplies and ring circuit with up to 10 double sockets
	and a radial circuit to supply an immersion heater. 55 litre twin coil sure-cal
	calorifier, with switch to turn on and off. The complete electrical system is
	tested for integrity and earth bonded via a galvanic isolator to the steel hull.
Gas	Propane gas hob and gas oven in galley.
343	i ropane bas nos ana bas oven in baney.

	Regulator for both UK and European gas bottles
	All gas checked and certified by gas-safe engineer.
Heating	Webasto thermo-top diesel central heating boiler with timer located in kitchen.
	4kw approx with pipework connecting four radiators (one in bedroom, one in
	lounge, one in wheelhouse, plus one towel rail in bathroom colour chrome).
	Multi-fuel stove fully installed in hearth with tiled surround, plain black tiles,
	10cm square.
Fresh water	550 litre (approx) stainless steel water tank in bow
supply	Fresh water pump with 5 litre accumulator tank.
	Tank gauges: diesel, waste, fresh water
Windows	12 double-glazed 15" diameter portholes exterior trim finish black anodized
	aluminium Interior trim solid ash to suit cabin interior.
	Large front escape window (minimum 24" x 18" desirable) as large as possible
	within the constraints of the deck/cabin roof constructed in sapele with ash
	interior trim. External sapele shutters hinged at each side Secure lock installed
Interior	Ash interior with off white painted ceiling.
	Brushed steel fixtures and fittings
	Access to hull through floor panels situated in kitchen and in bedroom
Internal	Interior joinery to comprise solid ash post construction of room spaces, sizes to
joinery	customers' specifications.
	Upper and lower walls lined with ash veneered board and trimmed with solid
	ash strips. Using rectangular section trim as in Pendragon.
	Steps constructed in ash to rear doors (and front escape window as required)
	with internal storage areas underneath treads.
	Three bulkheads to create one bedroom and a bathroom.
	Calico eggshell painted tongue and groove ceiling (on ash board).
	Flooring: Engineered oak throughout boat including bathroom and kitchen
Bedroom 1	Double bed 5' x 6' 6" constructed with long term under-bed storage and
	accessible drawers on castors.
	Two wardrobes situated at front of cabin either side of escape window, one with
	full length hanging space and one shelf, one with half height hanging space and
	two shelves above.
	Steps to escape window with open treads in solid ash.
	Small bedside tables (floor standing not wall hung) either side of bed with 1
	drawer and cupboard with door below. Power sockets fitted into plinth at base
	of each cupboard.
	High cupboard above head of bed with three sections, doors either side and
	open shelves in centre with downlights fitted in underside.
	Shelf units with open shelves running along under the gunwale at either side of
	the boat to finish level with the end of the bed. (Some of this shelving to
	accommodate hardback and paperback books, ie 9" and 11" clearance) Power
	socket at the far end of either shelf.
	Water tank and waste tank situated forward of front bulkhead along with
Dathusaus	bowthruster, windlass and other equipment, so easy access required.
Bathroom	6 foot wide bathroom installed with shower tray size: 760 x800mm.
	Ceramic wash basin with monoblock tap.
	Basin set on ash cupboard unit with granite top.
	Mirror on wall above basin.
	Tiling to shower wall and above basin in large figured tiles with mosaic tile
	border.
	Jabsco Delux macerating toilet (ceramic) with pump out toilet tank toilet facing
	out into corridor. Y diverter valve to sea cock outlet included. Facility to pump

	tank out into water.
	Self switched ceiling vent
	Toilet roll holder
	3 foot towel rail in chrome effect
	Washing machine installed in wardrobe located outside bathroom with shelves
	and hanging space.
Bedroom 2	Single bed constructed with under-bed storage drawers. A floor to ceiling
	wardrobe a desk plus 2 small high level shelf units.
	Wall lights for reading either side of bed.
	Second bunk for occasional use as discussed.
Saloon	Open shelves to run starboard side along lounge.
	Multifuel stove situated in port side corner on hearth with black tiles 10 x 10cm.
Galley	8 foot deep kitchen to customers' specifications with painted Shaker style doors
	in off white
	'D' style curved steel handles throughout and the following appliances:
	Gas oven and five burner hob, belling or similar approx 10cm wider than a
	standard hob: (gas checked as per regulations),
	12 volt fridge
	1 ½ bowl sink with single lever tap
	water filter with tap located beside sink
	A short breakfast bar to front of kitchen with centrally placed hob high cupboard
	to rear of kitchen housing eye-level oven.
	High level wall cupboards running starboard of this.
	Corner units at starboard rear and forward in kitchen (pull-out and slide along
	style)
	Steps constructed as described above, treads in ash lined with carpet tiles.
	Bottom step to house a simple 8.6 litre electronic safe
	To the port side of entrance door a floor to ceiling cupboard for coat storage
	containing hooks for coats and shelves.
	Solid oak or granite worksurfaces in off white with grey/cream speckle
	incorporating undermounted sink with grooved drainer and small upstand
	around the side and back. Self switched ceiling vent
Soft	Good quality mattress
furnishings	Curtains throughout as discussed in colour of customers choice.
Other	3 x 2kg dry powder fire extinguishers
Julei	1 x fireblanket installed
	Good quality battery powered smoke and carbon monoxide alarms. One of each
	installed, location
	Cruising kit including three black ropes,
	six balloon style fenders (black)
	two lock keys.

Total for this spec: £153,500.00 ex VAT

This boat could be classed as a qualifying ship under HMRC VAT guidelines. The boat has been designed for use as a comfortable place of permanent habitation for you. As you intend to use the boat as a place of permanent habitation (certified by signing the declaration form) then we can supply the boat at zero rate of VAT. We will supply a VAT invoice for the boat showing VAT as being accounted at 0%.

tristar boats ltd

Office: Hirondelle Houseboat, Trent Lock, Long Eaton, Notts NG10 2FY Workshop: Redhill Marina, Ratcliffe on Soar, Nottingham NG11 0EB

Tel: Jeremy 0797 6097042 Michelle 07759 246551

Email: tristarboatsltd@gmail.com

Company no. 08457988 VAT registration no. 926669382



