



The top address for your mail



# QUALITY

Perforated intercom panel **RSA2**, vandalism and water protection IP43, easy mount of loudspeaker/microphone

Optional second nameplate.

Flush bell/light button **RSA2** and nameplate **RSA2**, LED illumination, vandalism and water protection IP43

The centring pin positions the door to ensure a perfect fit

Damped letter plate **RSK**, noise reduced and to drain rain water, closes tight by a spring system, shown on the image as a newspaper flap (perfect for larger mail)

Cylinder lock is fitted with dust cover

Mail retaining bracket is fitted to retain the mail in the box when the door is opened



These boxes are constructed without using unsightly spot welding and are crimped and riveted to allow the use of highly corrosion-proof materials which have a thick layer of galvanising and powder coated parts with an average of 80µ thickness for all sheet steel casings.

Stainless steel hinges

We use highly corrosion proof materials such as stainless steel 316 or GALFAN sheet steel

1



2



3



4



#### DIN EN 13724

- 1 Flush fixed, box size 260 x 330 x 100 mm and 370 x 330 x 145 mm incl. **RS50**, intercom box with standard bell modules and speaker grille, aluminium plaster frame 40 x 48 mm. Letter plates 230 x 33 mm and 335 x 50 mm.
- 2 Flush fixed, box size 370 x 330 x 145 mm incl. **RS50**, 2 intercom boxes with standard bell modules and speaker grille, aluminum plaster frame RS3000. Letter plates 335 x 50 mm.
- 3 Free standing, box size 370 x 330 x 145 mm incl. **RS50** and **RSA2**, intercom box with **RSA2** bell buttons/nameplates and **RSA2** speaker grille, box incl. inscription, stainless steel PRISMA casing and stand. **RSK/RS50** letter plates 335 x 50 mm.
- 4 Flush fixed, box size 370 x 330 x 145 mm incl. **RSK/RS50** and **RSA2**, 2 intercom boxes with **RSA2** bell buttons/nameplates and **RSA2** speaker grille, box incl. inscription, stainless steel plaster frame 25 x 50 mm. Letter plates 335 x 50 mm.

5



6



7



8



#### DIN EN 13724

- 5 Face fixed, box size 370 x 110 x 270 mm, intercom box with standard bell modules and speaker grille, box incl.inscription, QUADRA casing for face fixed units. Letter plates 335 x 33 mm.
- 6 Face fixed, box size 300 x 110 x 385 mm, **RSA2** name plates, box incl. inscription, aluminium RS4000 casing for face fixed units, doors and letter plates stainless steel. Letter plates 265 x 33 mm.
- 7 Free standing, box size 370 x 220 x 270 mm incl. **RSA2** name plates, intercom box with **RSA2** bell buttons/nameplates and **RSA2** speaker grille, TETRO casing and stand. Letter plates 335 x 33 mm.
- 8 Flush fixed, box size 300 x 220 x 385 mm, **RSA2** name plates, stainless steel plaster frame 25 x 50 mm. Letter plates 265 x 33 mm.



**DIN EN 13724**

- 9 Slide-through units for entrance side panels, box size 370 x 330 x 145 mm, intercom box with standard bell modules and speaker grille, thermally separated front plate with 24 mm formed section. **RS50** letter plates 335 x 50 mm.
- 10 Slide-through units for entrance side panels, box size 300 x 110 x 385 mm, **RSA2** name plates, intercom box with **RSA2** bell buttons/nameplates and **RSA2** speaker grille and inscription, thermally separated front plate stainless steel, front plate 24 mm formed section, **RSK** letter plates 265 x 33 mm.
- 11 Slide-through extendable units for installation in the wall, box size 300 x 110 x 265 – 410 mm, **RSA2** name plates, intercom box with **RSA2** bell buttons/nameplates, **RSA2** speaker grille and engraving, flap front 13 mm formed section. Letter plates 265 x 33 mm.
- 12 Slide-through extendable units for installation in the wall, box size 300 x 110 x 265 – 410 mm, **RSA2** name plates, 2 intercom boxes with **RSA2** bell buttons/nameplates, **RSA2** speaker grille, stainless steel flap front 13 mm formed section. **RSK** letter plates 265 x 33 mm.
- 13 Slide-through extendable units for installation in the wall, box size 300 x 110 x 265 – 410 mm, **RSA2** name plates, 2 intercom boxes with standard bell modules and speaker grille, flap front 13 mm formed section with RS1000 frame. Letter plates 265 x 33 mm.



14 standard, box size 400 x 400 x 160 mm, RENZ PLAN, flush finished letter-flaps and doors with a noise reducing damper.

**The Safety Letterbox Company Ltd**

Unit 1B Milland Industrial Estate, Milland Road, Neath, SA11 1NJ

[www.renzpostboxes.co.uk](http://www.renzpostboxes.co.uk)