


Poly V Belts




BELTS


Poly V-Belts



Pitch = 2.34mm



Pitch = 4.7 mm



Pitch = 9,4 mm

J Length			L Length			M Length		
Code	Inches	MM	Code	Inches	MM	Code	Inches	MM
190J	19.5	495	500L	51.0	1295	900M	92.0	2335
200J	20.5	520	540L	55.0	1400	940M	96.0	2440
220J	22.5	570	560L	57.0	1450	990M	101.0	2565
240J	24.5	620	595L	60.5	1535	1060M	108.0	2745
260J	26.5	670	615L	62.5	1590	1150M	117.0	2970
280J	28.5	700	635L	64.5	1630	1185M	120.5	3060
290J	29.5	750	655L	66.5	1690	1230M	125.0	3175
300J	30.5	775	695L	70.5	1790	1310M	133.0	3380
310J	31.5	800	725L	73.5	1865	1390M	141.0	3580
320J	32.5	825	765L	77.5	1970	1470M	149.0	3785
340J	34.5	875	780L	79.0	2005	1550M	157.0	3990
360J	38.5	980	795L	80.5	2045	1610M	163.0	4140
400J	40.5	1030	840L	85.0	2160	1760M	178.0	4520
410J	41.5	1055	865L	87.5	2225	1830M	185.0	4700
420J	42.5	1080	915L	92.5	2350	1980M	200.0	5080
430J	43.5	1105	975L	98.5	2505	2130M	215.0	5460
460J	46.5	1180	990L	100.0	2540	2140M	243.0	6170
490J	49.5	1255	1065L	107.5	2730	2560M	258.0	6555
520J	52.5	1335	1120L	113.0	2870	2710M	273.0	6935
525J	53.0	1345	1150L	116.0	2945	3010M	303.0	7695
550J	55.5	1410	1215L	122.5	3110	3310M	333.0	8460
575J	58.0	1475	1230L	124.0	3150	3610M	363.0	9220
580J	58.5	1485	1295L	130.5	3315			
610J	61.5	1560	1310L	132.0	3355			
650J	65.5	1665	1455L	146.5	3720			
690J	69.5	1765						
730J	73.5	1865						
770J	77.5	1970						
820J	82.5	2095						
840J	84.5	2145						
870J	87.5	2225						
890J	89.5	2275						
920J	92.5	2350						
940J	94.5	2400						
980J	98.5	2500						
1000J	100.5	2550						

Cross Section	Number of Ribs & Width (mm) (b)								Add per Rib
	4	6	8	10	12	14	16	18	
J	9.5	14.3	19.1	23.8	28.7	33.5	38.1	-	2.34mm
L	-	28.6	38.1	47.6	57.2	66.7	76.2	85.7	4.7mm
M	-	57.2	76.2	95.3	114.3	133.4	165.1	171.5	9.4mm

Length code is based on Pitch length. Subtract these values from measured outside length to find pitch length.

J = 1/2" or 12.7 mm

L = 1" or 25.4 mm

M = 2" or 50.8 mm

Example: 108.0 inches (2743mm) - 2 inches (50.8mm) = 106.0 inches = 2692 pitch length.

NOTE: For the complete part number, add width code to length code.

Example: 1060M14 DUNLOP

When installing Poly-Rib belts, remember that they require close alignment of pulleys and shafts.



MEDWAY (UK) LTD

MPT House, Brunswick Road, Cobbs Wood Industrial Estate, Ashford, Kent TN23 1EL, UK

☎ +44 (0)1233 663340 📠 +44 (0)1233 664440 ✉ sales@medway-uk.com 🌐 www.medway-uk.com