

Lasnek



WIRE BASKET TRAY

Material Grade

Wire Basket Lengths: 304 or 316 Stainless Steel
 Fittings and Accessories: 316 Stainless Steel

Wire Diameter

For Widths : 2", 3" 0.16" (approx 6 AWG)
 4", 6", 8", 12" 0.20" (approx 4 AWG)
 16", 20", 24" 0.24" (approx 2 AWG)

Outside Dimensions

Side Profile : 2" or 4"
 Length: 8¹/₄'

Standards:

Mechanical: IEC 61537
 Electrical: DIN VDE 0100 , IEC 61537,11.1
 Safety: NEMA VE 1 , CSA C22.2 No. 126.1-09
 UL and C(UL): CYNW, CYNW7

Support Distances

Wire Basket Lengths: 2" Side Profile = 9³/₄' maximum
 4" Side Profile = 11¹/₂' maximum

Deflection is within tolerances as permitted under IEC 61537

Free Location Length Couplers

No requirement for couplers to be connected within a certain distance of a support bracket

Bracket X1	Size	Part Number
	1 ³ / ₄ " x 1 ³ / ₄ "	XE-X1



Bracket X4	Size	Part Number
	2" x 2 ³ / ₄ " x 2"	XE-X4



Bracket X2	Size	Part Number
	1" x 1 ¹ / ₄ " x 1/2"	XE-X2



Bolt M8 x 25 X61	Pack Size	Part Number
	40 (bolt only)	XE-X61
	20 (bolt and nut set)	XE-X6162-20
	40 (bolt and nut set)	XE-X6162-40



Bracket Angled X3	Size	Part Number
	3" x 3" x 2"	XE-X3



Flange Nut M8 X62	Pack Size	Part Number
	40 (nut only)	XE-X62
	20 (bolt and nut set)	XE-X6162-20
	40 (bolt and nut set)	XE-X6162-40



Stainless Steel WIRE BASKET

Wire Basket Lengths



WxH - inches	Weight-lbs	SS 304 Part Number	SS 316Part Number
2 x 2	3.7	XE-053-046-304	XE-053-046-316
3 x 2	4.2	XE-075-055-304	XE-075-055-316
4 x 2	6.6	XE-100-060-304	XE-100-060-316
6 x 2	7.0	XE-150-060-304	XE-150-060-316
8 x 2	9.5	XE-220-060-304	XE-220-060-316
12 x 2	12.1	XE-320-060-304	XE-320-060-316
16 x 2	16.5	XE-420-060-304	XE-420-060-316
6 x 4	9.7	XE-150-110-304	XE-150-110-316
8 x 4	12.1	XE-220-110-304	XE-220-110-316
12 x 4	14.3	XE-320-110-304	XE-320-110-316
16 x 4	20.5	XE-420-110-304	XE-420-110-316
20 x 4	24	XE-520-110-304	XE-520-110-316
24 x 4	27.3	XE-620-110-304	XE-620-110-316

all wire basket lengths are 8 1/4'

L-Divider X64

Size	Part Number
1 3/4" x 8 1/4'	XE-X64-45
3 3/4" x 8 1/4'	XE-X64-95



Bracket X15

Size	Part Number
for up to 6" tray	XE-X15-60-120
for 8" tray	XE-X15-220
for 12" tray	XE-X15-320
for 16" tray	XE-X15-420
for 20" tray	XE-X15-520



bracket height dimension is 6"

Bracket X10

Size	Part Number
3 3/4" x 3 3/4" x 1"	XE-X10




Accessories Holder X63

Size	Part Number
6 3/4" x 5 3/4" x 1"	XE-X63



Bracket X10 Mini

Size	Part Number
2 1/4" x 3 3/4" x 1"	XE-X10-MINI



Wire Basket Cover X65

Tray Width	Part Number
for 3" tray	XE-X65-075-316
for 4" tray	XE-X65-100-316
for 6" tray	XE-X65-150-316
for 8" tray	XE-X65-220-316
for 12" tray	XE-X65-320-316
for 16" tray	XE-X65-420-316



all wire basket cover length dimensions are 3 1/4"

Lasnek

WIRE BASKET TRAY

- **Minimum Deflection Rates**
- **Free Location of Length Joiners**
- **Increased Support Distances**
- **Additional Loading Capacity**
- **Wide Range of Brackets & Accessories**
- **Available for Immediate Shipping**

....Designed for strength..

....Built to last

1005 N Commons Dr., Aurora, IL 60504
Toll Free: 1-866-995-9337 Email: sales@lasnek.com
www.lasnek.com