

Uniclass L414	EPIC D15
CISFB	
(37.4)	X
Issue 30	





more choice, better prices.

Rooflights

Skylights

Roof Lanterns



Product Range Overview 2016

NEW Product
Videos Online

The UK's Leading Supplier of Domelights and Smoke Vents to the



The National Domelight Company

The National Domelight Company are specialist suppliers of domelights, rooflights, skylights and smoke vents, to roofing contractors and builders, and to developers of commercial and residential property.

Our family-run company has been successfully trading for over 30 years and our UK-based sales team has more than 100 years of rooflight and skylight knowledge between them.

You can trust us to know what we are talking about and to give you the best advice and guidance to find the right rooflight for you and your customers.

Supplier of Rooflights, Skylights at the Best Trade.



Why choose the National Domelight Company?

- **Widest choice**

We are the UK's leading supplier of rooflights for flat roofs and as a result we can supply you with any size, shape and material of rooflight, and with any combination of upstands and accessories that you will ever need – *and all at the best trade prices.*

- **No more waiting**

We deliver a first class service and our large warehouse and stocks mean that you won't have to wait long for your order. We can deliver most stock units, direct to site, within 72 hours. Our FREE nationwide delivery service means your rooflight will be safely delivered direct to site at your convenience – just when you need it.

- **Best quality**

Whether you are looking for a budget polycarbonate dome or a bespoke glass rooflight you will find our prices are competitive yet we still deliver industry leading quality and service in everything we do. Guaranteed.



- **Dedicated support**


We have been supplying the roofing industry for decades and to help you we provide useful resources at www.nationaldomes.com and CAD downloads to incorporate into your digital plans. Just call our **Technical Support Team on 01276 451555.**

Don't just take our word for it – Put us to the test, let us quote your next job and see just how much you could save! We guarantee excellent products, at sensible prices.

more choice, better prices.


Site Specification and Measuring Guide

1. Rooflight to suit existing kerb



Overall weathered kerb size
A = _____ mm


Overall weathered kerb size
B = _____ mm



Internal roof opening size
C = _____ mm

Internal roof opening size
D = _____ mm

2. Circular rooflight measurements for both existing and supplied kerbs



Overall weathered kerb size
E = _____ mm

Internal roof opening size
F = _____ mm*

*Please note only internal roof opening size is required for circular rooflights with a supplied kerb.

3. Kerb Profile



Flat Topped

Angle Topped

*Minimum of 150mm high from the finished roof surface to avoid invalidating roofing guarantees.

4. Rooflight to suit new roof opening



Roof opening size **Length** = _____ mm Roof opening size **Width** = _____ mm

5. Supplied Upstand requirements



Splayed

Vertical



We recommend you use the following guide to help you work out exactly what you need to specify for your project. The National Domelight team will be happy to help you apply the results to a full specification.

GLASS	POLYCARBONATE	VENTILATION OPTIONS
Glazing Options	Glazing Options	
Double Glazed <input type="checkbox"/> Triple Glazed <input type="checkbox"/> Walk-On <input type="checkbox"/> Fire-Rated <input type="checkbox"/> Other <input type="checkbox"/>	Single Skin <input type="checkbox"/> Double Skin <input type="checkbox"/> Triple Skin <input type="checkbox"/> Quad Skin <input type="checkbox"/> Other <input type="checkbox"/>	Fixed – No Vent <input type="checkbox"/> Permanent <input type="checkbox"/> Controlled Trickle <input type="checkbox"/> Hit & Miss <input type="checkbox"/> Rotary <input type="checkbox"/> Manual Hinged <input type="checkbox"/> Electric Linear Actuator <input type="checkbox"/> Electric Chain Actuator <input type="checkbox"/> Other <input type="checkbox"/>
Glazing Finish	Glazing Finish	ACCESS HATCH REQUIRED?
Clear <input type="checkbox"/> Sandblasted <input type="checkbox"/> Opaque <input type="checkbox"/> Non-Slip <input type="checkbox"/> Solar Control <input type="checkbox"/> Ritec/Easy Clean <input type="checkbox"/> Other <input type="checkbox"/>	Clear <input type="checkbox"/> Diffused <input type="checkbox"/> Opal <input type="checkbox"/> Bronze <input type="checkbox"/> Heat Reflected <input type="checkbox"/> Other <input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> Opening Mechanism Manual <input type="checkbox"/> Electric <input type="checkbox"/>
Profile/Shape	Profile/Shape	AOV/SMOKE VENT REQUIRED?
Flat <input type="checkbox"/> Pyramid <input type="checkbox"/> Elongated Pyramid <input type="checkbox"/> Lantern <input type="checkbox"/> Monopitch <input type="checkbox"/> Lean-to <input type="checkbox"/> Other <input type="checkbox"/>	Dome <input type="checkbox"/> Pyramid <input type="checkbox"/> Trapezoid <input type="checkbox"/> Northlight <input type="checkbox"/> Barrel Vault <input type="checkbox"/> Continuous <input type="checkbox"/> Other <input type="checkbox"/>	Yes <input type="checkbox"/> No <input type="checkbox"/> Opening Angle 90° <input type="checkbox"/> 140° <input type="checkbox"/> Free Vent Area 1.0m ² <input type="checkbox"/> 1.5m ² <input type="checkbox"/> Other <input type="checkbox"/> Control Panel Required? Yes <input type="checkbox"/> No <input type="checkbox"/>
EXISTING UPSTAND MATERIAL (If applicable)	SUPPLIED UPSTAND MATERIAL REQUIRED	
Please note here.	Timber <input type="checkbox"/> PVC <input type="checkbox"/> GRP <input type="checkbox"/> Metal <input type="checkbox"/> Other <input type="checkbox"/>	
Notes:		

A wide range of Automatic Opening Vents (AOVs) and Smoke Vents to suit every need. AOVs are designed to reduce smoke build-up; providing a safer escape route for occupants and access for fire-fighting personnel. Depending on your specification/building regulations, AOVs can be supplied in polycarbonate, glass or with an insulated metal lid, opening to varying degrees of 90°, 140° or 160°. Some AOVs are ideal for day-to-day ventilation: motors can be off-set to enable access for roof maintenance purposes and all AOVs can be supplied with stand-alone controls.

Features

Material

- Polycarbonate, Glass, Insulated Aluminium.

Glazing layers

- Polycarbonate – Double, Triple, Quad skin.
- Glass – Double Glazed, Triple Glazed.
- Aluminium – Insulated.

Glazing finish

- Polycarbonate – Clear, Opal, Diffused, Bronze or 'HeatReflect' (reflects up to 68% of heat radiation).
- Glass – Clear as standard, other options also available.

Shape

- Square or Rectangular.

Profile

- Dome, Pyramid, Trapezoidal or Flat.

Size range

- From 900mm x 900mm.

Options

- Control Panel, Battery Back-Up, Fireman's Switch, Smoke Detector.



Skylantern brings more natural light into a home, opening up any living space with style. It will maximise the aerial views from a home extension or orangery – bringing a more even pattern of daylight into the space without compromising on thermal efficiency or style. Skylantern is beautifully designed to be minimal yet functional. It is super-strong, yet light aluminium box rafters deliver visual elegance and a superior thermal performance. The design of the units ensure sharp lines inside, and low sight lines outside, which means that they look stylish and elegant – from inside or out.

Features**Material**

- Glass.

Glazing layers

- Double Glazed, Triple Glazed.

Glazing finish

- Self cleaning glass supplied as standard.

Shape

- Square, Rectangular and bespoke.

Profile

- Pyramid, Trapezoidal, Monopitch and Lean-to.

Size range

- Sizes from 1000 x 1000mm. Standard sizes also available.

Options

- uPVC or Aluminium capping. Sill or gutter detail. Integrated ventilation.



Thermadome polycarbonate rooflights, available in a range of shapes, with a choice of glazing & ventilation options to suit every need. Manufactured to the highest quality, they are the perfect solution for most flat roof applications. With a large range of 45 sizes available from stock for immediate delivery and over 70 non stock sizes available to order there is bound to be a rooflight to match your requirement.

Features

Material

- Polycarbonate and Glass.

Skin

- Single, Double, Triple or Quad.

Glazing finish

- Clear, Opal Diffused, Bronze or 'HeatReflect' (reflects up to 68% of heat radiation).

Shape

- Square, Rectangular, Circular.

Profile

- Domed, Pyramid, Trapezoidal.

Size range

- Ex-Stock: from 500 x 500mm to 1200 x 2400mm.
Other sizes available to order.

Options

- Kerb & Ventilation options, A.O.Vs and Access Hatches also available.



Stardomes are high quality flat roof polycarbonate domed rooflights designed to make optimum use of natural light. They are perfect for a project where size limitations mean you need a rooflight made to your specific requirements without having to wait long lead times. Stardome offer a huge range of sizes to meet any requirement you may have whether installing above or below the roof insulation. With outstanding thermal qualities they are available as dome only or with a PVC, Thermally broken Aluminum or GRP upstand offering huge choice and excellent quality.

Features

Material

- Polycarbonate.

Skin

- Single, Double, Triple, Quad & bespoke options.

Glazing finish

- Clear, Opal, Diffused, or Bronze.

Shape

- Square, Rectangular or Circular. Multi-part, Barrel Vaults & Continuous Rooflights.

Profile



- Domed, Pyramid, Trapezoidal, Circular, Hexagonal.

Size range

- One piece rooflights to order from 400 x 400mm to 1800 x 2400mm. A huge range of bespoke sizes and larger units available to order with industry leading U-Values.

Options

- Large range of Kerb & Ventilation options available in either manual or electric variants. A.O.Vs and Access Hatches also available.



StarGlaze are flat double glazed glass rooflights, offering a cost effective solution for those who still want all the benefits of glass while keeping to a budget. Available with splayed and vertical kerbs, and a variety of fixed and hinged ventilation options. The kerb's cellular construction means there is no cold bridging: reducing the risk of condensation whilst ensuring good insulation and low U values. StarGlaze is also available as a top only solution for those who wish to fit to their own timber kerb.

Features

Material

- Glass.

Glazing layers

- Double Glazed, Triple Glazed, Walk-On.

Glazing finish

- Clear as standard. Solar Control, Tinted and Sand Blasted Glass as optional.

Shape

- Square, Rectangular, Circular.

Profile


- Flat.

Size range

- To Order: from 600 x 600mm to 2400 x 900mm.
Bespoke units also available.

Options

- Ventilation options, A.O.Vs and Access Hatches also available.



Astroglaze are aesthetically designed glass rooflights, with high insulation values and offer simple on-site installation. They are designed to sit over builders timber kerbs and can be made to order to custom sizes in either single piece units or large multi-section units. Standard glazing is supplied clear, with a sandblasted border around the perimeter of the unit. This can be tailored to suit your individual kerb width – creating a smart appearance when viewed from either below or above.

Features

Material

- Glass.

Glazing layers

- Double Glazed, Triple Glazed, Walk-On.

Glazing finish

- Clear as standard.
Solar Control, Tinted and Sand Blasted Glass as optional.

Shape

- Square, Rectangular, Circular and other shapes to order.

Profile




- Flat, Pyramid, Trapezoidal, Northlight, Monopitch.

Size range

- To Order: from 600 x 600mm. Bespoke sizes available.

Options

- Access Hatches & Walk-On units, ventilation options also available.



Solarglaze are double glazed glass rooflights: a flat glass construction which combines good aesthetics with excellent acoustics and thermal qualities.

Insulated kerbs are supplied as standard, and both fixed and electrically hinged variants are currently available in a selection of standard sizes. Solarglaze rooflights are perfect for those looking for a complete rooflight solution without having to construct your own kerb.

Features

Material

- Glass.

Glazing layers

- Double Glazed, Triple Glazed, Walk-On.

Glazing finish

- Clear as standard. Solar Control as optional.

Shape

- Square or Rectangular.

Profile




- Flat.

Size range

- To Order: from 600 x 600mm to 2000 x 1000mm roof opening size.

Options

- Electric Hinged Rooflights, Walk-On units, High spec Eco option also available.



Thermalight glass rooflights are a premium quality, low profile system that utilises triple sealed, structurally bonded glass, making it ideal for flat roof low pitch applications. The range provides a long term and high quality daylight solution with an architectural style and clean looks. Perfect for those looking for a non-obtrusive modern, minimalistic rooflight design with a quality that surpasses all others.

Features

Material

- Glass.

Glazing layers

- Double Glazed, Triple Glazed, Walk-On & bespoke options.

Glazing finish

- Clear as standard, other options also available.

Shape

- Square or Rectangular, Circular.

Profile

- Flat, Pyramid, Elongated Pyramid.

Size range

- Ex-Stock & To Order:

Flat

Min 300 x 300mm - 1800 x 3000mm.

Pyramid/Lantern



Min 700 x 700mm - 2000 x 5800mm.

Circular

Max span 1200mm dia.


Options

- Fixed, Hinged (Electric & Manual) Walk-On, Sliding & Multi-Part



THE RANGE

The National Domelight Company have an extensive range of rooflights and skylights available, with a vast array of options. Whatever your requirement, we are sure to have a rooflight or skylight to meet your needs. You may find it useful to use our brand matrix to find out which brands offer the type of unit you require for your specific project.



Polycarbonate

Polycarbonate is hard, durable and versatile plastic commonly used in rooflight products. It offers the advantages of being a Class B 'Non Fragile' material and is capable of achieving low U-Values when specified in triple or Quad glazed options. Polycarbonate can also be supplied in diffused finishes for privacy and a range of shape options such as dome, pyramid and trapezoid.

 **ThermaDome**

 **StarDome**

 **StarGlaze**

 **AstroGlaze**

 **SolarGlaze**

 **ThermaLight**

 **SkyLantern**

“
You can trust us to know what we are talking about and to give you the best advice and guidance to find the right rooflight for you and your customers.
”

Suntube

Suntubes are an innovative way to get daylight into small or awkward rooms and have the benefit of being able to be installed in new or existing flat or pitched roofs. Although small in size Suntubes have been tested and on a 550mm diameter tube they can provide up to 14 x the equivalent of a 100 watt light bulb, perfect for any rooms enclosed within the house with no windows.

more choice, better prices.



Glass

Flat Glass

Glass is becoming a more and more popular material for use in rooflights due to its clean lines and aesthetic looks. Flat glass rooflights are perfect for use in areas where a low profile rooflight solution is required or you are looking for no light obstructions due to joins or framework. A framework of a one piece glass rooflight sits over your kerb meaning all you see from below is a flat glazed surface.

Roof Lanterns

For those who want more of a feature rooflight, a Roof Lantern is the perfect choice. They are available in a huge range of sizes and colours with a large array of options that can be tailored to perfectly compliment your property. With a minimalistic framework design you can maximise daylight whilst still achieving a modern and contemporary look.

	Rooflight material						
	Polycarbonate		Glass				
Rooflight brand	Thermadome	Stardome	Starglaze	Astroglaze	Solarglaze	Thermalight	Skylantern
Availability	Ex-stock and to order	Ex-stock and to order	To order	Ex-stock and to order	To order	Ex-stock and to order	Ex-stock and to order
Rooflight type							
Polycarbonate Domes	●	●					
Glass Top			●	●	●	●	
AOVs	●	●	●				
Access Hatches	●	●	●	●			
Walk-On (Glass)				●	●	●	
Roof Lantern			●	●		●	●



more choice, better prices.

Pyramid House
52 Guildford Road
Lightwater
Surrey
GU18 5SD

Tel: 01276 451555
Fax: 01276 450610
Email: info@nationaldomes.com
www.nationaldomes.com



Important notes:
The responsibility for determining that any building component complies with the relevant Building Regulations rests solely with the client or specifier.
The National Domelight Company policy is one of continuous product improvement; accordingly we reserve the right to alter specifications without notice at any time.