#### **Filon Products Limited**

Unit 3 Ring Road, Zone 2 Burntwood Business Park Burntwood Staffordshire WS7 2JQ

Tel: 01543 687300 Fax: 01543 687303

e-mail: sales@filon.co.uk website: www.filon.co.uk



Agrément Certificate
07/4492
Product Sheet 5

### FILON GRP VALLEY TROUGH AND FLASHINGS RANGE

### FILON GRP ABUTMENT SECRET GUTTER/SOAKER (GAS 1)

This Agrément Certificate Product Sheet<sup>(1)</sup> relates to Filon GRP Abutment Secret Gutter/Soaker (GAS 1), for use in slated or tiled roofs constructed in accordance with the relevant requirements of BS 5534: 2003. The product is for use as an abutment secret gutter on tiled or slated roofs.

(1) Hereinafter referred to as 'Certificate'.

#### **CERTIFICATION INCLUDES:**

- factors relating to compliance with Building Regulations where applicable
- factors relating to additional non-regulatory information where applicable
- independently verified technical specification
- assessment criteria and technical investigations
- design considerations
- installation guidance
- regular surveillance of production
- formal three-yearly review.

### **KEY FACTORS ASSESSED**

Weathertightness — as part of a complete roof, the product will resist the passage of moisture into the interior of the building (see section 6).

**Properties in relation to fire** — tests indicate that the product, when used as part of a complete roof, will be unrestricted under the Building Regulations (see section 7).

**Strength** — the product has adequate strength to resist the normal loads and impacts associated with installation of the roof (see section 8).

Durability — under normal service conditions, the product will have a service life in excess of 20 years (see section 10).

The BBA has awarded this Certificate to the company named above for the product described herein. This product has been assessed by the BBA as being fit for its intended use provided it is installed, used and maintained as set out in this Certificate.

On behalf of the British Board of Agrément

Date of Third issue: 22 October 2014

Originally certificated on 18 February 2008

Simon Wroe Head of Approvals — Materials Claire Curtis-Thomas

Chief Executive

The BBA is a UKAS accredited certification body — Number 113. The schedule of the current scope of accreditation for product certification is available in pdf format via the UKAS link on the BBA website at www.bbacerts.co.uk

Readers are advised to check the validity and latest issue number of this Agrément Certificate by either referring to the BBA website or contacting the BBA direct.

British Board of Agrément Bucknalls Lane Watford Herts WD25 9BA

tel: 01923 665300 fax: 01923 665301 e-mail: clientservices@bba.star.co.uk website: www.bbacerts.co.uk

©2014

# Regulations

In the opinion of the BBA, Filon GRP Abutment Secret Gutter/Soaker (GAS 1), if installed, used and maintained in accordance with this Certificate, can satisfy or contribute to satisfying the relevant requirements of the following Building Regulations (the presence of a UK map indicates that the subject is related to the Building Regulations in the region or regions of the UK depicted):



#### The Building Regulations 2010 (England and Wales) (as amended)

Requirement: B4(2) External fire spread

Comment: Data to BS 476-3 : 2004 indicate that the product, when used as part of a complete roof, will not affect

the fire rating of the roof construction. See section 7 of this Certificate.

Requirement: C2(b) Resistance to moisture

Comment: The product will contribute to a roof meeting this Requirement. See section 6 of this Certificate.

Regulation: 7 Materials and workmanship

Comment: The product is acceptable. See section 10 and the *Installation* part of this Certificate.



### The Building (Scotland) Regulations 2004 (as amended)

Regulation: 8(1)(2) Durability, workmanship and fitness of materials

Comment: The product can contribute to a roof construction satisfying this Regulation. See sections 9 and 10 and the

Installation part of this Certificate.

 Regulation:
 9
 Building standards applicable to construction

 Standard:
 2.8
 Spread from neighbouring buildings

Comment: Data to BS 476-3 : 2004 indicate that the product can be regarded as having a low vulnerability with

reference to clause  $2.8.1^{(1)(2)}$ , and will not affect the fire rating of the roof construction. See section 7 of

this Certificate.

Standard: 3.10 Precipitation

Comment: The product will contribute to a roof satisfying clauses 3.10.1(1)(2) and 3.10.8(1)(2) of this Standard. See

section 6 of this Certificate.

Standard: 7.1(a) Statement of sustainability

Comment: The product can contribute to meeting the relevant requirements of Regulation 9, Standards 1 to 6

and therefore will contribute to a construction meeting a bronze level of sustainability as defined in this

Standard.

Regulation: 12 Building standards applicable to conversions

Comment: All comments given for this product under Regulation 9, Standards 1 to 6 also apply to this Regulation,

with reference to clause  $0.12.1^{(1)(2)}$  and Schedule  $6^{(1)(2)}$ .

(1) Technical Handbook (Domestic).

(2) Technical Handbook (Non-Domestic).



#### The Building Regulations (Northern Ireland) 2012

Regulation: 23(a)(i)(iii)(b)(i) Fitness of materials and workmanship

Comment: The product is acceptable. See section 10 and the *Installation* part of this Certificate.

Regulation: 28(b) Resistance to moisture and weather

Comment: The product will contribute to a roof satisfying this Regulation. See section 6 of this Certificate.

Regulation: 36(b) External fire spread

Comment: Data to BS 476-3: 2004 indicate that the product, when used as part of a complete roof construction,

will not affect the fire rating of the roof construction. See section 7 of this Certificate.

#### Construction (Design and Management) Regulations 2007

#### Construction (Design and Management) Regulations (Northern Ireland) 2007

Information in this Certificate may assist the client, CDM co-ordinator, designer and contractors to address their obligations under these Regulations.

See sections: 1 Description (1.2) and 3 Delivery and site handling (3.1) of this Certificate.

# Additional Information

#### NHBC Standards 2014

NHBC accepts the use of Filon GRP Abutment Secret Gutter/Soaker (GAS 1), provided it is installed, used and maintained in accordance with this Certificate, in relation to NHBC Standards, Part 7 Roofs, Chapter 7.2 Pitched roofs.

# **Technical Specification**

### 1 Description

1.1 Filon GRP Abutment Secret Gutter/Soaker (GAS 1) is a glassfibre/polyester laminate with a UV-resistant polyester film on the upper face (see Figure 1), and a sanded strip bonded along the upper surface of each edge to provide a key for bedding the roof tiles into mortar.




Figure 1 Filon GRP Abutment Secret Gutter/Soaker (GAS 1)

- 1.2 The profile is supplied in lengths of 3 m, with a width of 140 mm.
- 1.3 The product is finished in a standard lead grey colour.

#### 2 Manufacture

- 2.1 Glassfibre strands are impregnated with resin and formed into a laminate with a polyester carrier film and a weather protection film. The required profile is shaped by wooden formers and allowed to cure.
- 2.2 As part of the assessment and ongoing surveillance of product quality, the BBA has:
- agreed with the manufacturer the quality control procedures and product testing to be undertaken
- assessed and agreed the quality control operated over batches of incoming materials
- monitored the production process and verified that it is in accordance with the documented process
- evaluated the process for management of nonconformities
- checked that equipment has been properly tested and calibrated
- undertaken to carry out the above measures on a regular basis through a surveillance process, to verify that the specifications and quality control operated by the manufacturer are being maintained.
- 2.3 The management system of Filon Products Limited has been assessed and registered as meeting the requirements of BS EN ISO 9001: 2008 and BS EN ISO 14001: 2004 by ISOQAR (Certificate 10146).

# 3 Delivery and site handling

- 3.1 The product is distributed in packs of 10 units, each unit marked with size, the application and the BBA logo including the number of this Certificate.
- 3.2 The packs should be stored flat or on end, on a smooth, clean, dry surface, under cover and protected from sunlight.

# Assessment and Technical Investigations

The following is a summary of the assessment and technical investigations carried out on Filon GRP Abutment Secret Gutter/Soaker (GAS 1).

# Design Considerations

#### 4 Use

Filon GRP Abutment Secret Gutter/Soaker (GAS 1), when designed and installed in accordance with the relevant parts of BS 5534: 2003 and BS 8000-6: 2013, is satisfactory for use as an abutment secret gutter/soaker in tiled or slated pitched roofs to provide a weatherproof finish.

# 5 Practicability of installation

The product is designed to be installed by roofers experienced with this type of product.

# 6 Weathertightness



Results of tests confirm that the product, when incorporated into a roofing system designed and installed in accordance with conventional good practice, will adequately resist the passage of moisture to the interior of the building and so contribute to the roof meeting the requirements of the national Building Regulations:

England and Wales — Approved Document C, Requirement C2(b), Section 6

**Scotland** — Mandatory Standard 3.10, clauses 3.10.1(1)(2) and 3.10.8(1)(2)

- (1) Technical Handbook (Domestic)
- (2) Technical Handbook (Non-Domestic)

Northern Ireland — Regulation 28(b).

# 7 Properties in relation to fire



🗶 Samples of GRP, representative of that used in the manufacture of the product, when tested in accordance with BS 476-3 : 2004, achieved an EXT.S.AA rating.

# 8 Strength

The product will resist the normal loads and impacts associated with installation and use.

#### 9 Maintenance



Minimal maintenance is necessary and the smooth finish will restrict and inhibit mould and fungal growth.

# 10 Durability



The product, when subjected to normal conditions of exposure and use, will have a service life in excess of ,20 years.

# Installation

### 11 General

Installation of Filon GRP Abutment Secret Gutter/Soaker (GAS 1) must be in accordance with the Certificate holder's instructions and the relevant recommendations of BS 5534: 2003 and BS 8000-6: 2013.

#### 12 Procedure

- 12.1 The roof is covered with underlay as in normal practice, with the underlay finished and turned approximately 100 mm up the abutting walls.
- 12.2 Roofing battens must be cut short of the abutment wall to allow a 50 mm gap between the wall and the counter batten.
- 12.3 For slates, the roofing batten must be routed to a depth of 10 mm to allow the top of the water bars to be at the same level as the rest of the roof battens. The counter batten must be sized to match the reduced depth.
- 12.4 Noggins may need to be fixed flush to the top of the rafters to anchor the roof battens and the counter battens.
- 12.5 Fixing of the abutment secret gutter commences at its foot, using 25 mm clout-headed nails at maximum 500 mm centres onto the roofing battens.

- 12.6 Consecutive lengths of abutment secret gutters are laid dressed to shed water down the slope, allowing a minimum 150 mm overlap (measured in the vertical) at the joints.
- 12.7 The use of double slates/tiles is advisable, to eliminate the possibility of small sections requiring fixing.
- 12.8 The slates are laid in the normal manner, ensuring they are flush to the abutment flashing.
- 12.9 Where tiles are used, these are bedded onto mortar which is applied onto the sanded strip running longitudinally along the length of the product. It may be necessary to break off the nibs of concrete tiles to eliminate kick-up.
- 12.10 Code 4 lead stepped flashing is used to dress over the abutment flashing upstand.
- 12.11 Trimming of the fascia board may be required to allow water to be discharged into the gutter. Alternatively, a tilt fillet and lead saddle/outlet can be incorporated.

# 13 Finishing

The roof slating/tiling must be carried out in accordance with the relevant clauses of BS 5534 : 2003 and BS 8000-6 : 2013.

# 14 Repair

Damaged lengths can be replaced without having to remove adjacent lengths.

# Technical Investigations

### 15 Tests

Tests were carried out on the product and the results assessed to determine:

cross-breaking strength

effect of elevated temperatures

- density
- hardness
- impact resistance
- impact resistance
- effect of UV exposure.
- glass/resin ratiodimensional checks
  - tensile strength/elongation
  - effect of water soak

# 16 Investigations

16.1 The manufacturing process was evaluated, including the methods adopted for quality control, and details were obtained of the quality and composition of the materials used.

16.2 An assessment was made of the results of a fire test in accordance with BS 476-3: 2004.

# Bibliography

BS 476-3 : 2004 Fire tests on building materials and structures — Classification and method of test for external fire exposure to roofs

BS 5534: 2003 Code of practice for slating and tiling (including shingles)

BS 8000-6: 2013 Workmanship on building sites — Code of practice for slating and tiling of roofs and walls

BS EN ISO 9001: 2008 Quality management systems — Requirements

BS EN ISO 14001: 2004 Environmental management systems — Requirements with guidance for use

# Conditions of Certification

#### 17 Conditions

17.1 This Certificate:

- relates only to the product/system that is named and described on the front page
- is issued only to the company, firm, organisation or person named on the front page no other company, firm, organisation or person may hold or claim that this Certificate has been issued to them
- is valid only within the UK
- has to be read, considered and used as a whole document it may be misleading and will be incomplete to be selective
- is copyright of the BBA
- is subject to English Law.

17.2 Publications, documents, specifications, legislation, regulations, standards and the like referenced in this Certificate are those that were current and/or deemed relevant by the BBA at the date of issue or reissue of this Certificate.

17.3 This Certificate will remain valid for an unlimited period provided that the product/system and its manufacture and/or fabrication, including all related and relevant parts and processes thereof:

- are maintained at or above the levels which have been assessed and found to be satisfactory by the BBA
- continue to be checked as and when deemed appropriate by the BBA under arrangements that it will determine
- are reviewed by the BBA as and when it considers appropriate.

17.4 The BBA has used due skill, care and diligence in preparing this Certificate, but no warranty is provided.

17.5 In issuing this Certificate, the BBA is not responsible and is excluded from any liability to any company, firm, organisation or person, for any matters arising directly or indirectly from:

- the presence or absence of any patent, intellectual property or similar rights subsisting in the product/system or any other product/system
- the right of the Certificate holder to manufacture, supply, install, maintain or market the product/system
- actual installations of the product/system, including their nature, design, methods, performance, workmanship and maintenance
- any works and constructions in which the product/system is installed, including their nature, design, methods, performance, workmanship and maintenance
- any loss or damage, including personal injury, howsoever caused by the product/system, including its manufacture, supply, installation, use, maintenance and removal
- any claims by the manufacturer relating to CE marking.

17.6 Any information relating to the manufacture, supply, installation, use, maintenance and removal of this product/system which is contained or referred to in this Certificate is the minimum required to be met when the product/system is manufactured, supplied, installed, used, maintained and removed. It does not purport in any way to restate the requirements of the Health and Safety at Work etc. Act 1974, or of any other statutory, common law or other duty which may exist at the date of issue or reissue of this Certificate; nor is conformity with such information to be taken as satisfying the requirements of the 1974 Act or of any statutory, common law or other duty of care.