

# 1 EU - Type Examination Certificate

2 Equipment intended for use in Potentially Explosive Atmospheres Directive 2014/34/EU

3 Certificate Number:

ExVeritas 16 ATEX 0141X

Issue: 1

4 Equipment:

102 Series Enclosure

5 Manufacturer:

Oliver IGD Ltd (International Gas Detectors)

6 Address:

Triton House, Crosby Street, Stockport, SK2 6TS. UK


- 7 This equipment and any acceptable variation thereto are specified in the schedule to this certificate and the documents therein referred to.
- 8 ExVeritas, Notified Body number 2585 in accordance with Article 9 of the Council Directive 2014/34/EU of 26 February 2014, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to design and construction of equipment and protective systems for use in potentially explosive atmospheres given in Annex II to the Directive
- 9 Compliance with the applicable Essential Health and Safety Requirements has been assured by compliance with the following Standards and section 16 of this certificate:

EN 60079-0: 2012

EN 60079-1: 2014

EN 60079-31:2014

- If the sign "X" is placed after the certificate number, it indicates that the equipment is subject to special conditions for safe use specified in the schedule to this certificate.
- This EU-Type Examination Certificate relates only to the design, construction, examination and tests of the specified equipment or protective system in accordance to the Directive 2014/34/EU. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.
- The marking of the equipment shall include the following:



II 2 D Ex tb IIIC T\* Db

Temperature class dependent upon ambient, see description.



No. 8613

On behalf of ExVeritas

S Clarke CEng MSc MIET Certification Manager

This certificate may only be reproduced in its entirety and without any change, schedule included.

The certificate is only valid when it carries an original signature.

For help or assistance relating to this certificate, contact <a href="mailto:info@exveritas.com">info@exveritas.com</a>.

ExVeritas, Units 16-18, Abenbury Way, Wrexham Industrial Estate, Wrexham, United Kingdom LL13 9UZ.

ExVeritas® is a registered trademark, unauthorised use will lead to prosecution.



### Schedule

#### 13 Description of Equipment or Protective System

The 102 Series Enclosure can be used to form either:

- a 102 Optical Assembly, maximum power dissipation 2W; this unit utilises a glass window insert and is fitted with an optical unit e.g. camera.
- a 102 Gas Detector Assembly, maximum power dissipation 2W; this unit utilises a sintered element insert and is fitted with a gas sensor.

The 102 Series Enclosure consists of stainless steel body and insert. These two items are retained by a circlip and connected by a threaded flamepath. Whilst the body is a generic item, there are two types of insert; one incorporates a glass window (102 Optical Assembly) and the other a sintered element (102 Gas Detector Assembly). Both the glass window and sintered element are cemented in position. The window is also fitted with a backing ring and circlip.

The rear of the body incorporates a cemented bushing assembly. This allows the passage of permanently connected cable from the inside to the outside of the enclosure. The permanently connected cable is intended to be terminated within a suitably certified enclosure.

T102 Optical Assembly

Ex d IIC T6 Gb Ex tb IIIC T85°C Db -20°C  $\leq$  T<sub>amb</sub>  $\leq$ +55°C T102 Gas detector

Ex d IIC T6 Gb Ex tb IIIC T85°C Db -20°C ≤ T<sub>amb</sub> ≤+40°C

Ex d IIC T5 Gb Ex tb IIIC T100°C Db -20°C ≤ T<sub>amb</sub> ≤+55°C

### 14 <u>Descriptive Documents</u>

## 14.1 Associated Report and Certificate History:

Report Number	Cert Issue Date	Issue	Comment
EVL0822/A/2	2016.05.27	1	Initial issue of the Prime Certificate

### 14.2 Compliance Drawings:

## Issue 0

Number	Date	Issue	Description
3449701	2016.04.19	5	T102 Engraving Detail
3449702	2016.04.19	6	T102 Engraving Detail Camera Version
TOX-1-002	2016.04.19	1	Toxic Sensor Concept Drawing Sheet 1 of 2
TOX-1-002	2016.04.19	1	Toxic Sensor Concept Drawing Sheet 2 of 2

Certificate ExVeritas 16ATEX0141X Issue 1



### Schedule

- 15 <u>Conditions of Certification</u>
- 15.1 Special Conditions for Safe Use
  - The free end of the permanently connected cable shall be protected in accordance with IEC 60079-0:2011/EN 60079-0:2012 Clause 14.1.
  - In accordance with IEC/EN 60079-1:2014 Annex C, the rear end of the bushing shall be protected by
    fitting into a suitably certified enclosure. In addition, the bushing shall not be subjected to torque during
    installation or operation.
  - The product shall not be connected to portable equipment.
  - The product fitted with a window has been subjected to reduced risk impact tests as detailed in IEC 60079-0:2011/EN 60079-0:2012 Clause 26.4.2, as such it shall only be installed in areas of low risk of mechanical damage.
  - The product shall be earthed in accordance with IEC 60079-0:2011/EN 60079-0:2012 Clause 15 when fitted to a suitably certified enclosure.
  - The flameproof joints employed in the equipment are not intended to be repaired.
- 15.2 Conditions for Use
  - None
- 16 <u>Essential Health and Safety Requirements</u>
  Essential Health and Safety Requirements are addressed by the standards listed in section 9 and where required the report listed in section 14.1

The manufacturer shall inform the Notified Body of any modifications to the design of the product described by this schedule.