



Fuel Proof[®]

2020 PRICE LIST / PRODUCT GUIDE

MOBILE STORAGE TANKS **DIESEL**

ADBLUE

PETROL

AVIATION



*FUEL PROOF LTD
MIDDLETON BUSINESS PARK
MIDDLETON ROAD
HEYSHAM
LANCASHIRE
LA3 3FH*

*TEL: +44 (0)1524 850685
FAX: +44 (0)1524 850685
WEB: WWW.FUELPROOF.CO.UK
E-MAIL: INFO@FUELPROOF.CO.UK*

CONTENTS

ITEM	PAGE
● MOBILE DIESEL TANKS	1
● MOBILE DIESEL DISPENSERS	3
● MOBILE ADBLUE TANKS	5
● MOBILE ADBLUE DISPENSERS	7
● MOBILE PETROL TANKS	9
● MOBILE PETROL DISPENSERS	11
● MOBILE AVIATION FUEL TANKS	13

MOBILE DIESEL TANKS

IDEAL FOR TRANSPORTING DIESEL ON THE HIGHWAY AND REFUELLING MACHINERY



RE-FUEL MACHINERY SAFELY AND EFFICIENTLY



440 LITRE MOBILE DIESEL TANK



SPECIALLY MOULDED MOBILE DIESEL TANK DESIGNED TO FIT AROUND PICK-UP WHEEL ARCHES

OVERVIEW

Our range of lightweight diesel transport tanks are compliant with ADR regulations, and are fully equipped with fuel dispensing equipment for filling vehicles and machines. Integrated forklift pockets enable safe and easy lifting and moving around site, with recesses for securing for transport.

KEY FEATURES

- ▶ For Diesel fuel transport, in exemption from ADR - paragraph 1.1.3.1.C
- ▶ Compact and light, manufactured in roto-moulded linear polyethylene
- ▶ For use with Diesel and gas oil
- ▶ Single skin tank
- ▶ Hinged, weatherproof cover
- ▶ Fuel dispensing kit for filling vehicles and machines
- ▶ 12V electric pump with 4 metre hose and automatic nozzle
- ▶ Integrated recesses for securing with ratchet lashing strap during transport
- ▶ Integrated forklift pockets
- ▶ Handles for lifting and carrying tank when empty
- ▶ 2" fill point, equipped with emergency vent valve (air vent valve)

PRODUCT CODES / PRICES

CAPACITY	ADR COMPLIANT	CODE
220 LITRE	✓	0005-020
440 LITRE	✓	0005-040
400 LITRE + 50L ADBLUE	✓	0005-120
440 LITRE PICK-UP	✓	0005-050
400 + 50 LITRE ADBLUE PICK-UP	✓	0005-130
OPTIONAL CLIP ON BATTERY PACK		0005-BATT-CARRY

TECHNICAL DETAILS

CAPACITY		LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)	WALL THICKNESS (MM)
220 LITRES	(48 GALLONS)	912	601	622	24	211	4	5
440 LITRES	(96 GALLONS)	1200	800	785	52	426	4	6.5
400 + 50 LITRES ADBLUE	(88 + 11 GALLONS)	1200	800	785	57	460	4 + 4	6.5
440 LITRES PICK-UP	(96 GALLONS)	1200	800	830	52	426	4	6.5
400 + 50 LITRES ADBLUE PICK-UP	(88 + 11 GALLONS)	1200	800	830	57	460	4 + 4	6.5
BASE DIMENSIONS FOR PICK-UP		1010	770					



DUAL DIESEL / ADBLUE DISPENSING SYSTEM - (ON 400 + 50L TANKS)



FUEL DISPENSING PUMP



DISPENSING CABINET

STANDARD SPECIFICATION

- ▶ 12V 40 litre/min electric pump flow rate 40 l/m
- ▶ Battery power cable (4m) and clamps
- ▶ 4 metre anti-static rubber hose
- ▶ Automatic shut-off nozzle

STANDARD COLOUR:



MOBILE DIESEL DISPENSERS

COMPACT, LIGHT AND EASY TO USE



IDEAL FOR RE-FUELING ALL TYPES OF DIESEL ENGINED VEHICLES AND MACHINERY



VERSATILE AND EASY TO TRANSPORT / MOVE



REINFORCED RIBS GIVE GREAT STRENGTH AND RESISTANCE



HAND PUMP DISPENSING SYSTEM WITH HOSE AND NOZZLE



PUNCTURE PROOF WHEELS SUITABLE FOR TRANSPORT ON ANY SURFACE



THE PERFECT SOLUTION FOR SMALL SCALE DIESEL STORAGE REQUIREMENTS

OVERVIEW

The Fuel Proof range of polyethylene mobile tanks for Diesel transport are ideal for use with generators and the re-fueling of small and light operating vehicles and machines. Featuring a unique design with ergonomic grip for excellent handling and lifting, the units are equipped with puncture proof wheels suitable for transport on any surface. The structure is devoid of sharp corners and the reinforcement ribs give great strength and resistance.

KEY FEATURES

- ▶ For Diesel fuel transport, in exemption from ADR - paragraph 1.1.3.1.C
- ▶ Top handle for easy gripping and lifting
- ▶ Fixing with straps
- ▶ Lower safety tap
- ▶ Non-spill vent plug
- ▶ Lower housing for lifting
- ▶ Wheels and foot support

PRODUCT CODES / PRICES

CAPACITY	ADR COMPLIANT	CODE
55 LITRE	✓	0005-306
110 LITRE	✓	0005-311
OPTIONAL CLIP ON BATTERY PACK		0005-BATT-CADDY

MOBILE DIESEL DISPENSERS

COMPACT, LIGHT AND EASY TO USE

TECHNICAL DETAILS

CAPACITY		WIDTH (MM)	DEPTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)
55 LITRE	(12 GALLON)	460	360	900	8	54	3
110 LITRE	(24 GALLON)	460	440	1,100	12	104	3



FUEL DISPENSING NOZZLE AND HOLDER



FUEL DISPENSING HOSE



EASY CARRYING HANDLES

STANDARD COLOUR:



STANDARD SPECIFICATION

- ▶ Top handle for easy gripping and lifting
- ▶ Integrated recesses for securing with ratchet lashing straps
- ▶ Suction/drain safety ball valve
- ▶ Filling plug with integrated non-spill vent
- ▶ Lower handle for manual lifting operations
- ▶ Puncture proof wheels
- ▶ Front nozzle holder
- ▶ Manual rotary vane pump made in aluminum with manual nozzle and 3m of hose

MOBILE ADBLUE TANKS

COMPACT MOBILE TANKS FOR ADBLUE STORAGE



ALL THE FITTINGS ARE MADE OF ALUMINUM OR MATERIALS COMPATIBLE WITH ADBLUE FLUIDS



ADBLUE DISPENSING CABINET, INCLUDING PUMP, HOSE, LEVEL GAUGE & MANUAL NOZZL



SPECIALLY MOULDED MOBILE DIESEL TANK DESIGNED TO FIT AROUND PICK-UP WHEEL ARCHES

OVERVIEW

These tanks are tough yet lightweight, compact, and very easy to use. Popular in farming, construction, contracting, forestry, haulage, groundcare and many other industries. An efficient and safe solution to replace jerry cans and fuel drums - The tank can easily be placed in the back of a van, pickup, trailer etc.

KEY FEATURES

- ▶ For Diesel or adblue fuel transport, in exemption from ADR - paragraph 1.1.3.1.C
- ▶ Compact and light, manufactured in roto-molded linear polyethylene
- ▶ For use with AdBlue
- ▶ Single skin tank
- ▶ Integrated forklift pockets
- ▶ Integrated recesses for securing with ratchet lashing strap during transport
- ▶ Handles for lifting and carrying tank when empty

PRODUCT CODES / PRICES

CAPACITY	ADR COMPLIANT	CODE
220 LITRE	✓	0005-220
440 LITRE	✓	0005-240
400 LITRE + 50 LITRE ADBLUE	✓	0005-120
440 LITRE PICK-UP	✓	0005-245
400 + 50 LITRE ADBLUE PICK-UP	✓	0005-130
OPTIONAL CLIP ON BATTERY PACK		0005-BATT-CARRY

TECHNICAL DETAILS

CAPACITY		LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)	WALL THICKNESS (MM)
220 LITRES	(48 GALLONS)	912	601	622	24	264	4	5
440 LITRES	(96 GALLONS)	1200	800	785	52	532	4	6.5
400 + 50 LITRES ADBLUE	(88 + 11 GALLONS)	1200	800	785	57	452	4 + 4	6.5
440 LITRES PICK-UP	(96 GALLONS)	1200	800	830	52	532	4	6.5
400 + 50 LITRES ADBLUE PICK-UP	(88 + 11 GALLONS)	1200	800	830	57	452	4 + 4	6.5
BASE DIMENSIONS FOR PICK-UP		1010	770					



12V ELECTRIC PUMP



ADR COMPLIANT
(EXEMPT FROM ADR - PARAGRAPH 1.1.3.C)



4 METRE HOSE AND MANUAL NOZZLE

STANDARD SPECIFICATION

- ▶ 12V electric pump with 4 metre hose and manual nozzle
- ▶ 2" fill point, equipped with air vent device
- ▶ DC fuel transfer pump 12V, flow rate 40 l/m
- ▶ Battery power cable (4m) and clamps
- ▶ 4m of hose for AdBlue
- ▶ Manual AdBlue nozzle

STANDARD COLOURS:



MOBILE ADBLUE DISPENSERS

IDEAL FOR FILLING SMALL AND LIGHT VEHICLES AND MACHINES



IDEAL FOR TRANSPORTING AND DISPENSING ADBLUE INTO MANY TYPES OF VEHICLES AND MACHINES



INTEGRATED HAND PUMP FOR EASE OF USE



FRONT NOZZLE HOLDER SUPPORT

OVERVIEW

Tanks made in roto-molded linear polyethylene, ideal for filling small and light operating vehicles or crafts.

Featuring a unique design with ergonomic grip for excellent handling and lifting, these tanks are equipped with puncture proof wheels suitable for transport on any surface. The structure, devoid of sharp corners, and the reinforcement ribs give great strength and resistance.

KEY FEATURES

- ▶ For Diesel or adblue fuel transport, in exemption from ADR - paragraph 1.1.3.1.C
- ▶ Top handle for easy gripping and lifting
- ▶ Fixing with straps
- ▶ Lower safety tap
- ▶ Non-spill vent plug
- ▶ Lower housing for lifting
- ▶ Wheels and foot support
- ▶ Front nozzle holder support

PRODUCT CODES / PRICES

CAPACITY	ADR COMPLIANT	CODE
55 LITRE	✓	0005-305
110 LITRE	✓	0005-310
OPTIONAL CLIP ON BATTERY PACK		0005-BATT-CADDY

TECHNICAL DETAILS

CAPACITY		WIDTH (MM)	DEPTH (MM)	HEIGHT (KG)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)
55 LITRES	(12 GALLONS)	460	360	900	8	68	3
110 LITRES	(24 GALLONS)	460	440	1100	12	132	3



CARRY HANDLES FOR EASY LIFTING AND MOVING



DISPENSING HOSE OUTLET CONNECTION POINT

STANDARD COLOUR:




STANDARD SPECIFICATION

- ▶ Top handle for easy gripping and lifting
- ▶ Integrated recesses for securing with ratchet lashing straps
- ▶ Suction/drain safety ball valve
- ▶ Filling plug with integrated non-spill vent
- ▶ Lower handle for manual lifting operations
- ▶ Puncture proof wheels
- ▶ Front nozzle holder
- ▶ Manual rotary vane pump made in aluminum with manual nozzle and 3m of hose

MOBILE PETROL TANKS

COMPACT AND LIGHT MOBILE TANKS FOR PETROL TRANSPORT AND REFUELLING



LOCKABLE CABINET KEEPS DISPENSING EQUIPMENT AND TANK INLETS/OUTLETS SECURE



FLEXIBLE 4 METRE ANTI-STATIC HOSE



330 LITRE MOBILE PETROL TANK



ROBUST AND WEATHERPROOF LID

OVERVIEW

Compact and light, manufactured in roto-molded linear polyethylene, these mobile Petrol tanks are equipped with the following fittings: a reinforced lockable cover, 2" filling plug, air vent device, fuel transfer unit, integrated forklift pockets (full tank), handles for lifting and carrying (empty tank) and integrated recesses for securing with ratchet lashing strap during transport. All the fittings are made of aluminum or materials compatible with Petrol.

KEY FEATURES

- ▶ For Petrol transport, in exemption from ADR - paragraph 1.1.3.1.C
- ▶ Pump EX50 ATEX 12V flow rate 40 l/min
- ▶ 4 m of antistatic hose 3/4"
- ▶ Automatic nozzle ATEX
- ▶ 4 m of battery power cable and clamps for battery connection
- ▶ 4 m of grounding cable with clamp
- ▶ Level indicator
- ▶ Filling plastic plug, size 2", with integrated air vent valve

PRODUCT CODES / PRICES


CAPACITY	ADR COMPLIANT	CODE
220 LITRE	✓	0005-250
330 LITRE	✓	0005-260

TECHNICAL DETAILS


CAPACITY		WIDTH (MM)	LENGTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)	WALL THICKNESS (MM)
220 LITRES	(48 GALLONS)	912	601	622	24	189	4	5
330 LITRES	(72 GALLONS)	1200	800	650	44	292	4	6.5



DURABLE RE-INFORCED HOSE



ALUMINIUM FITTINGS COMPATIBLE WITH PETROL FUEL



12V PUMP WITH 40 L/M FLOW RATE



STANDARD COLOUR:



MOBILE PETROL DISPENSERS

VERSATILE, TOUGH AND EASY TO USE



EASY FILL POINT AND DURABLE DISPENSING EQUIPMENT



VERSATILE AND EASY TO USE DISPENSING SYSTEM



PERFECT FOR ALL TYPES OF PETROL ENGINED VEHICLES AND MACHINES

OVERVIEW

Tanks made in roto-molded linear polyethylene, ideal for the refuelling of small and light operating vehicles or crafts.

Featuring a unique design with ergonomic grip for excellent handling and lifting, these tanks are equipped with puncture proof wheels suitable for transport on any surface. The structure, devoid of sharp corners, and the reinforcement ribs give great strength and resistance.

KEY FEATURES

- ▶ For Petrol transport, in exemption from ADR - paragraph 1.1.3.1.C
- ▶ Top handle for easy gripping and lifting
- ▶ Fixing with straps
- ▶ Lower safety tap
- ▶ Non-spill vent plug
- ▶ Lower housing for lifting
- ▶ Wheels and foot support
- ▶ Front nozzle holder support

PRODUCT CODES / PRICES

CAPACITY	ADR COMPLIANT	CODE
55 LITRE	✓	0005-307
110 LITRE	✓	0005-312

TECHNICAL DETAILS

CAPACITY		WIDTH (MM)	DEPTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)
55 LITRE	(12 GALLON)	460	360	900	9	51	3
110 LITRE	(24 GALLON)	460	440	1100	13	96	3



SECURE SCREWABLE CAP



HAND PUMP INCLUDED AS STANDARD



PUNCTURE PROOF WHEELS

STANDARD COLOUR:



STANDARD SPECIFICATION

- ▶ Top handle for easy gripping and lifting
- ▶ Integrated recesses for securing with ratchet lashing straps
- ▶ Suction/drain safety ball valve
- ▶ Filling plug with integrated non-spill vent
- ▶ Lower handle for manual lifting operations
- ▶ Puncture proof wheels
- ▶ Front nozzle holder
- ▶ Manual piston pump, ATEX certified, complete with 4 m of grounding cable and clamp, manual nozzle and 3 m of antistatic hose

MOBILE AVIATION FUEL/PETROL TANKS

STAINLESS STEEL CONTAINERS APPROVED FOR TRANSPORTING HAZARDOUS GOODS



REFUEL AIRCRAFT DIRECTLY WHERE THEY ARE STATIONED ON THE AIRFIELD



PERFECT FOR ON-SITE REFUELLING OF GASOLINE POWERED VEHICLES



EASY TO TRANSPORT - CAN BE MOUNTED ON A DEDICATED TRAILER



IDEAL FOR ON-SITE REFUELLING OF PETROL ENGINED VEHICLES AND MACHINERY



ALL FITTINGS, EQUIPMENT AND ACCESSORIES DESIGNED FOR HANDLING AVIATION FUEL

OVERVIEW

The demand for aviation fuel at small airports, air-clubs, heliports and private airfields is increasing day by day; TRASPO® INOX represents the ideal solution for all the needs for transporting aviation fuel as AVGAS, MOGAS, JET A1, JET B, JP8, by road and to refuel aircrafts directly where they are stationed on the airfield.

All fittings, equipment and accessories utilized for handling aviation fuel are proper for this purpose and they are also essential to maintain the fuel quality and to meet the safety and environmental requirements.

KEY FEATURES

- ▶ Lockable, weatherproof cabinet housing
- ▶ 3" filling quick plug with adaptor for padlock
- ▶ Emergency and safety multi-purpose vent valve certified in accordance with ADR regulations
- ▶ Level indicator
- ▶ Bottom drainage pipe
- ▶ Manhole complete with oil gasket and tight bolted cover
- ▶ Approved for transportation of hazardous goods according to ADR

PRODUCT CODES / PRICES

CAPACITY / ITEM	CODE
330 LITRE - AVIATION FUEL TANK	0005-330
910 LITRE - AVIATION FUEL TANK	0005-910
330 LITRE - PETROL TANK	0005-330-P
910 LITRE - PETROL TANK	0005-910-P

MOBILE AVIATION FUEL/PETROL TANKS

STAINLESS STEEL CONTAINERS APPROVED FOR TRANSPORTING HAZARDOUS GOODS

TECHNICAL DETAILS

CAPACITY		LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	EMPTY WEIGHT (KG)	FULL WEIGHT (KG)	HOSE LENGTH (M)
330 LITRE	(72 GALLON)	1085	790	960	132	380	5
910 LITRE	(200 GALLON)	1895	990	1165	227	910	5



CERTIFICATES & DOCUMENTATION

- ▶ Commissioning report / initial inspection, issued by the Authorized Agency
- ▶ EC Declaration of Conformity for the fuel transfer unit
- ▶ Instruction manual according to the ADR prescriptions and for the proper use of the fuel transfer devices and equipment



MANHOLE COMPLETE WITH OIL GASKET AND TIGHT BOLTED COVER



APPROVED FOR TRANSPORTATION OF HAZARDOUS GOODS ACCORDING TO ADR CLASSES 3 - 5.1 - 6.1 - 9

AVIATION FUEL TANK DISPENSING EQUIPMENT

- ▶ Piusi EX50 12v 52 Litre/min ATEX fuel transfer pump
- ▶ Piusi K24 ATEX Fuel Flow Meter
- ▶ Water absorbing monitor filter
- ▶ 5 metre anti-static aircraft refuelling hose with stainless steel connections
- ▶ ZVA25 automatic shut-off fuel dispensing nozzle
- ▶ Suction pipe, complete with in-line strainer ball valve

PETROL TANK DISPENSING EQUIPMENT

- ▶ Piusi EX50 12v 52 Litre/min ATEX fuel transfer pump
- ▶ 5 metre anti-static fuel dispensing hose
- ▶ Automatic shut-off fuel dispensing nozzle
- ▶ Suction pipe, complete with in-line strainer ball valve