



POWDER SYSTEMS LIMITED

An international manufacturer of filtration, drying and high containment solutions.

We have been supporting pharmaceutical, biopharmaceutical, chemical and laboratory industries since 1989. Our experienced engineering teams work closely with our skilled chemists to accelerate process development and create the most suitable and ergonomic solutions.

To complement PSL's existing range of contained drying solutions, we have developed the CakeStand Tray Dryer. (patent pending)




PSL's established supply chain management ensures all components, sourced from across the globe, are of the highest quality and value. This enables market savings to be passed directly onto our customers.

We continue to increase our number of global offices, agents and distributors to aid the smooth distribution of equipment to any part of the world.









PSL's tray drying technology has been carefully developed with efficiency, ergonomics and safety in mind. PSL tray dryers can operate in down-flow booths, clean rooms or in conjunction with PSL containment isolators. A number of design features have been incorporated into our tray dryer designs for ease of use and both operator and product protection.

PSL tray dryers are designed from laboratory to production scale and can meet sterile process requirements when necessary for drying highly toxic or sensitive products.


CAKESTAND TRAY DRYER | PATENT PENDING

ENHANCED ERGONOMICS

- Less opportunity for overreaching or accidental spillage
- Optimum tray size
- Pivot door design
- Front and back access

DIRECT TRAY HEATING

- Heating uniformity across the heating plates achieving a maximum recorded temperature variation of +/- 1°C
- Unique heat transfer system



6 Shelf within a PSL GloveBox

TOTAL EASE OF CLEANING

- No hidden pockets or non-accessible gaps
- All heating plates hang directly from the roof
- Completely open floor inside the drying cabinet
- Rounded edges and corners

CAKESTAND OPTIONS

- Free Standing (Up to 12 Shelves)
- Contained within a PSL Glovebox (Up to 6 Shelves)




4 Shelf Free Standing




CAKESTAND TRAY DRYER SPECIFICATIONS

	Free-standing	Within PSL Glovebox
Modules:	N/A	1 Module
		2 or more Modules Side by Side
		2 or more Modules Back to Back
Module Height (N° of shelves):	Up to 12 shelves	Up to 6 shelves
Max Tray Air Volume:	5 Litres	5 Litres
Max Module Air Volume:	240 Litres per module	30 Litres per module
Design Temperature Range:	0°C to 150°C (0°F to 300°F)	0°C to 150°C (0°F to 300°F)
Internal Cavity Pressure:	Full vacuum	Full vacuum
Heated Shelves Pressure:	6 Bar (90 psig)	6 Bar (90 psig)

Instrumentation, control, TCU and vacuum systems can also be provided to meet your requirements.



Example of a free-standing CakeStand tray dryer



Example of a module for CakeStand within PSL glovebox

PSL TRAY DRYER FEATURES

- Sterile option available
- Containment to nanograms level available
- Laboratory to production scale sizes
- Full vacuum
- Pressure control



AFTERCARE SERVICE FROM PSL

PSL Serve is our dedicated after sales customer care, on-site service and spares team. They are technical specialists, here to aid the smooth installation of new equipment, along with the servicing and repairs of existing PSL equipment and any spare parts required.

PSL can offer full installation, commissioning and training for CakeStand, laboratory and sterile tray dryers. Information on the PSL tray dryer IQ/OQ package is available upon request.







